





# SOUR JUNE 1985



Commodore 128 review: page 48.




Rock Run: page 56.



Wizard's Den: page 61.



Englebert: page 68.



20 NEWS: New BBC +, Commodore 64 digitiser; Hanover Fair report.

29 FIRST BYTES: Novices' guide to printers and animation.

35 SOFTWARE SHORTLIST: WW II? Who'y gonna call? Dambusters!

25and centent of software advertising.

33HARDWARE HITLIST: Datel sound sampler; CBM-64 stringy-floppy.

43 QUEST CORNER: Dead at the controls. Gremlins with Hugo North.

44 SPIN-OFFS: What do Arthur Daley, Frankie Goes To Hollywood and James Bond all have in common? They have been computerised. Paul Bond investigates.

46 AMSTRAD CPC-664 REVIEW: Lee Paddon looks at one of the few success stories in the current home computer scene. Their new baby has promising features.

47 ATARI 130XE REVIEW: Jack Schofield bows peremonially at the Atari altar and finds that good graphics and hig memory makes this a real Amstrad-basher.

48 COMMODORE CBM-128 REVIEW: Arthur Young takes the first look at the three machines in one: old 64, extra memory and CP/M — naturally.

**50** BBC MICRO DATABASES: John Dawson leafs through the wealth of databases available to the BBC Micro. Now you can file all those phone numbers.

**56** BBC MICRO/ELECTRON ROCK RUN: Inspired by the most innovative game of 1984 — Boulderdash — Brian Lewis has created a real gem of a game here.

6 1 SPECTRUM WIZARD'S DEN: The wizard is hidden at the heart of the maze. Can you find your way through David Hamilton's micro-puzzle?

67 COMPETITION RESULTS: Winners of the Design A Robot competition. From spotter planes to Sinclair chauffeurs, plus the Iron Teacher.

68 AMSTRAD ENGELBERT: Please release me, let me go. John Kennedy has written an exciting variation on the Q-bert theme.

73AUTO 64 COMMODORE: Auto 54 by David Swinnerton makes use of multicoloured sprites and interrupt-driven music. You can use keyboard or joystick to play.

76 ZX-81 PLATFORM SURVIVOR: By combining this program with May's survivor you can amend or completely rewrite levels to your own wishes.

79 AMSTRAD LANDSCAPES: Here is computer creativity, says Brian James in his second discussion of landscape creation.

83 COMPETITION: Win the new Atari 130XE with massive 128K memory. See review on page 47 of this issue.

84 SPRITE BASIC: Robert Newman describes a routine which adds new commands to Spectrum Basic. Plus Mark Jones on the QL.

90 PROCEDURES: Amaze your friends 94 SPECTRUM MULTIFONT: Turn with Richard Taylor's program.

**97** COMMODORE 64 DISMON: If you've got a 64 you need a machine code monitor if you want to do anything fast. John Twiddy fills the gap.

102 BBC BASIC COMPILER PART TWO: D J Pilling describes the TC Basic run time system generator.


106 TELSOFT: Spectrum Sprite Basic and BBC Rock Run, the second part of BBC compiler and 64 Space Junk are to be found in this unique Your Computer service.

108 COMMODORE 64 SPACE JUNK: Nalin Sharma continues his bid to get into the Guinness Book of Records with the longest listing ever published on earth.

1 1 1 RESPONSE FRAME: Tim Hartnell lends a kindly ear to readers with computer problems. If you need advice, then this is the column for you.

113 SOFTWARE FILE: Ten pages of software for most pepular micros.

138 DATEBASE: Paul Bond rounds up micro events.






## SMHEANDDEES





DURELL sales dept., Castle Lodge, Castle Green, Taunton, Somerset, TA1 4AB





sold according to their terms of trade and conditions of sale.

## **THOUGHTS & CROSSES**


#### 37 MARKET STREET, HECKMONDWIKE, WEST YORKS. Telephone 0924-402337 Access Visa order 0924-409753

ALL PRICES INCLUDE VAT AND DELIVERY

DROOM FIE 1284 + 3155 days drawn	£795.00	Aradex Mrs 800 Mrt 1003 Caron PW1080A Caron	£12.50	OPUS Name without PSU		CBM Moder Korle Pad Hass + Gred Simer's Bose One United Wordwith Kant I. VC20 Ram Fack UK-189 switchable)	Cear
copplification of the complete	C1150.00	NIC 8023 Caron PW10800	17.00	(401 100K 4)1. 1402 200K 40T DS 1802 40K 41-80T DS	£118.00	Simon's Basic	1/50
GC Micro.ompurer Mote: B with free sof water	Fass on	Caren PW1156A		1802 4XX 40 80T DS	1180 00	Word, raft (sart )	£85.0
9C Made 9 with DFS	£465.00	Shimau CP80/CPA80	16.50	Single with PSU		VG2G Ram Fack (IK-16F switchable)	(32.0
PL Mode B will UPS and 200K	1.446.00	Bieman A1	27.00	Single with PSU 1401F 100K 10T 1402F 200K 40T 05 1802F 400K 401801 (IS	£145.00 £183.00	Acor Defa 1.2  BBC PERP-ELIALS  Enorel Usg ade.  Opus DEOS Interface.  LVL 2005 metales  Wordsize 1000  Acord Speech rord  View 2 food.  View 2 food.  View Protes Generals  8502 Second Prosessor  ZBD Second Prosessor  ZBD Second Prosessor  AMX House  Commission (sem)  Moden  CASSETTE BECORDERS.	2057
con Electron	£570.00 £129.00	OUME NS.	19.00	1802P 400K 40/801 ris	(208.01	Enoret Upgade	£450
K Spectrum plus 48K	£125,00 £265,00	Dunia MS	15.50	5401D 2x100X 40T. 5401D 2x100X 40T. 5402D 2x100X 40T bit. 5902D 2x400X 4030T DS. 2* 100X 40T.	The second last	LVL 900S Interface	£1100
connudore 64	£185.00	Disklo retor	14 00	5402D 24200K 40T DG	(265.03	Wordsite flom: Wordsite Pat pant	C40.0
arti cornole		Jun 6100 SS	2.00	3 100K 40T	(125.0)	Acont Speech ron	
free software	(239 00	July 6100 MS. Brather FP44	5 00			View Phinter Onyth Generalist	189
marad C*C464 (colour montor) + C100 free software	F349.00	Brather HII5	2 99	Watash 3M Spotch, Control	Date	Z80 Second Propessor - ree software	£1990
C SE OL	CO09 80	Bratter M1009 Bratter anglestika HB15/21	3 90	Wabselt, 3M Scotch, Centrel St.S. S.F. 40T '0 for S.S. U.T. 40T '0 for C.S. D.B. 40T 10 for C.S. D.B. 80T 10 for	C15.00	AMX House	1400
PRINTERS		Brother correctible H\$15/25	3 00	E/S 0.8 407 10 for	£20.00	Commissar (simi	
ance PW1080A with U.C.	£315.00	Others avaration please ask		C-9 O-6 SOT 10 1ar		Modem	(69.0
Ol Interace	(35) 00	First wheels 2023 devariant, pease 25k		Dyser Disketten 104/10 S/S DD 401 10 fc; 104/20 J/S D/D 401 10 fc; 204/20 J/S D/D 601 10 fc; T/ More! Disketten single 35" Hewlett Packad double.	120.06	Cambodain C2N Cassette RECORDERS Forgador 3177 Pyt R3664 Ingregit XX193 Aborn Cassette Recorde: ALFO	4100
son P40	£95.00	BBC Centronics Printe Lend	€ 0.00	204/20 D/S D/J 801 10 for	129 00	Ferguson 3177	
ison RX80 F/T	£255.00	BBC Serut Printer Lead	€ 0.00	T Marel Delatter single	[4 51	Ingengil XK193	(22.)
oson FX83	£375.00	Dragon Centronics Printer Lined	€ 0.00	3.5" Hewlett Packard double	(5.50	Appro Caraerte Recorde: ALFO:	£3D)
other HR5 (Certinnics of RS232)	C151.00	Anstrad Controller Penter Lead	E 0.00	PYC GUYERS			
other HR15 (Centronics or FS232)	£375.00	Spictrates to Centronics lear, Spectrum	E 0.00	Agricat # 7		Zo stok Justick and Committee Commit	€28.3
other Cu-Shand Freder		ZX Interface 1 to RS232 D' Spectrum	E 4 95	Appro Boctror	(2.9)	First Eyle Irrerlans	£19.3
other EP14	1231.00	Centronics to 26 May D' Red.	£ 5 00	ZK Spectrum	£2.90 C1.99	Sure Shot Jayatick	Cist
etter 1009 (Centrones)	13/5 DD	Continues to Continues lead	F 5 00	76 Spectrum Rus	CZ 35	Zip Serx woyston	1183
as 2200 typewiter	2002.00	MINITER LEADS BBC Centrenics Printe Lead BBC Serial Printe Lead Memotech Certaines Printe Lead Despon Generalis Printe Lead Despon Generalis Printe Lead Disc Centraines Printe Lead Abstract Fonterises Printe Lead Ministrate Fonterises Inst. Spectrum Spicticatis to Centractica Inst. Spectrum ZX Intelface 1 to R6332 D Spictuam ZX Intelface 1 to R6332 D Spictuam ZX Intelface 1 to R6332 D Spictuam Centraines to Centraines (sed R6232 T to R6232 D	0.00	Snothir QL	C2.99	BBC	
iti Tractor Feeder	£102.00	PRINTER PAPER		Vc 2054 Dague 32:84	12.95	Vulcas Joyereks BBC	120 0
No Step 2000 Contracts	C74E 00	tactor feed pager	19.00	Vemotech 512		Commodere 16	
Da symboli	C256.00	Atheron of thick	16.50	Avistrar LPC454	(3.95	Sure that. Commodite 16 Zip Strik	£ 16.
SINA CPASO (RS 232)	£236.00	MONTORS		Anstrat Mariter Indoorf	£4 Bf		1.14
LIOU fine activate core is OL.  PRINTERS  and PW1080A with BLG  and PW1080A of Sirting OL Intervance	C199.00	NUMBER PAPER 1003 sheets of continuous 1 actor feed made 1000 significationals tractor level labels Advances of these Minimizes 1431 MS field. Microstes 1431 MS field. Microstes 1431 MS pred. Micros	C119.00	35" Hewlett Packad doubs  Amical F 1  BBC Appin Sector  BBC Cassette Records  24 Sportnam  24 Sportnam  25 Sportnam  26 Sportnam  27 Sportnam  27 Sportnam  28 Sportnam  29 Sportnam  20 Sp	(4.80	Sure that Joystick Dragon	£18.6
emetodore 1520 4-colver	Clasto	Microvitat 1431 MZ Spectrum	£245.00	Canon PW1080A	£4.80	4 married V 0440 4 ms - 20	
omnodon MPS 801	121000	Microster 1451 AP MS4	C235.00	Essay EX80	£4.3¢	Memotech	7800
phicom 32 (Spectrum/ZXR1 mode)	£105.00	Philips 7502 anti-glare		Showa CP80	C4.3C	Sure that Joystok.  Ametrod/CBAN-triviola  Memotech  Sans that Joystok.  Sans that Joystok.  Compaten Joystok  Compaten Joystok  Compaten Sentere  Spectrum  Compaten Sentere  Spectrum  Compaten Sentere  Spectrum  Compaten Sentere  Suid Interface - Interface  Justification of Interface  Landing Programmable Interface  Justification I Joystok  Compaten Josepha  Sentere Stort Josepha  Sente	F111
er de ta rossa bautes hertes	110000	Cosmoden 1702	(210.00	MPS 801 Burney HR15	£4.3C	Kemption Jayatick	C15.1
PRINTER INITERIAÇES	F29.00	Fidelty TV/monter	(510.00	Arole III	C4.5C	Spectrem	
SCF RS212 Interface with 25 buffir	16500	Fidelity C. moreor (st) rest	£199.00	Sekoshi GP80	C3.5C	St. Trackes Out Per Interface	£11.5
rove ff5732 Interface with 2K buffer	160.00	Vueston Regraphy	130.00	Sekoshi GP100	13.75	Date! Electronics in orface	cs.
annesman MTRC 2K butter	125.00	DISK DRIVES	202.22	Over 40 different covers available for vaso	us computers.	Sambridge Programmable Joystek + heer	late + Program
in 1S232 Interlate	£6000	ZX Manufave, Single ZX Investor 1, See to ZX Expension System one merodiresinterface	£45.00	Phone for nurrankly and price.		28 Trings Programmable Intertace	132/
eterface for Spectrum	£39.95	ZX Expansion System inc. mcrodire-interace two-Wasterlik/Anti Attack Games Designeri	f-Tanword	ZE Mendren. SPECTRUN PERIPHERA.S	(45.00	Buickshot II Joystick	
interface for Spectrum	£19.95	Commodate 1541 + Lacy script +	20000	Zi letadice 1	1.45 00	Sure Shot Jostick	£15.0
smen loterlace caust rectiones	1000000	D procesms					
murtace for Courtneys	205.00	Torch Dist Pack Torch	CB00.00	ZX Expension bystem line. According line: Two:WasterRevAnt Attack/Games Desp	ren (95.00	BOOKS	
mertage for Spectrum  Centrones Interface	£35 00 £36 00	Torch Disc Pack Torch Menotech langle: Menotech Menotech Idual, Menotech	0800.00 0410.00 0800.00	Two-Muster Fer Ant Attack, Games Geeg Secretaris DD18 leter drop prices as per £89.00	rei) (95.00 BIC with PSU	Analytical Companion BOOKs	
eterface for Spectrum  Controlled Interface  an Centrelice Interface  ack R\$232 Interface for Commode e Vic.20:64	£35 00 £26 00 £70 00 4 £30 00	Torch Dies Pack Torch Menotech Back Menotech Menotech Back Menotech Ametrad 2" drive, Ametrad	C800.00 C410.00 C800.00 C190.00	Two-Masterlie-And Attack/Games Desig Sectrosis DOS leter drop prices as per £80.00 Of Light Pen	face 1/Tayvent (rer)	Jesus DL Carpanion Jestren Advinced Jain Curde Lind's Quide to the Election	
PRINTER INTERFAÇES  SOF RESTAT INTERFACES  SOF RESTAT INTERFACE VID. 25 builtre  INTERFACE INTERFACE  INTERFACE INTERFACE  INTERFACE INTERFACE  INTERFACE INTERFACE  INTERFACE INTERFACE  I	£35 00 £36 00 £70 00 4 £30 00 £30 00	too Masterlik Anti Attack Garrier Designers Commodae 1541 - Easy-script + 8 programs Tork Das Prek Tork Menotech Israels Memotech Menotech Israels Memotech Americal 2" direz Ambred Second das 3, Acom	1900.00 6410.00 6800.00 1900.00 1210.00	Two-Materille And Attack Camers Cesp Secretaries DDTS letter drop prices as per £88.00 Of Light Per Date Light Winer Games Board.	face 1/Tarword (ref) (95.00 Bill) with PSU (18.00 (18.00 (23.95	Jecket DL Companion  Jectron Advanced Jain Carde  Third's Quide to the Efficie  Chird's Quide to the Arms rad  Amental Advanced Date Source  Amental Advanced Date Source	(6.3 (10.6 (6.3 (6.3
nterface for Sections  Continents Interface air Centinents Interface air Centinents Interface air Centinents Interface air R5222 Michael In Commodole Vic20:64 post von Centinents Interface (support of Centinents) graphism	£35 00 £36 00 £70 00 4 £30 00 £30 00 9464 £70 00	Torsh Disc Pack Torch Memotech langle Manuters Memotech Island, Manuters Memotech Island, Manuters Memotech Island, Manuters Electron dus 3, Acons CUNANA Strole advocat Bell	1900.00 04 10.00 1800.00 1900.00 1210.00	Two Market Mark Market	(1800   178	BOOKS  Becton Advanced Jain Cade  Third's Guide to the Person  Amend Advanced User Cade  Sancted Advanced User Guide  SEC User Guide  SEC User Guide  SEC Advanced User Guide	(6.9 (10.0 (6.3 (6.3 (6.3 (10.1
own with Centrolics interface, risks Peri GT Centrolics interface (supports CP graphics).  The Centrolics Startice for Commediate Vision of the Commediate Vision of the Commediate (so Commediate (so Commediate (so Comme	£35.00 £36.00 £70.00 4 £30.00 £30.00 9454 £70.00 240.00 240.00 240.00 240.00	Torsh Disc Pack Torch Memotech blacks Memoter's Memotech black Memoter's Memotech Black Memotech Amstrad 3" drive, Amstrad Electron dus 3, Acom  CURIANA CESTION 1006, 4075 CESTION 1006, 4075 CESTION 1006, 4075 CESTION 1006	1900.00 6410.00 1800.00 190.00 1210.00 1210.00	Two Wintersteam Attook Games Desposeration Office Interest of the Attook Games Desposeration Office Interest of the Attook Games Office Interest Office Intere	face 1/Tarvand per) 195.00 880 was POU (18.00 (18.00 (3.95 (37.00 (28.00 (48.00 (48.00	Process DL Companion  Section Advances Java Curde Linit's Guide to the Ecotion Chief Soulds to the Americal Jamested Advanced User Scade SSC User Guide COT Advanced User Guide Cot Charles SSC.	26.3 (10.0 (6.3 (6.3 (6.3 (10.1 (10.1 (10.1 (10.1 (10.1
wer winy Centronics Harriage, mich Penel CT Centronics Interface (suppar's CE graphics). The Centrolics in the rice for Commodore Vas2CC CT to Centrolics Interface for Commodore 403, CT 200.0	170 00 9864 170 00 946 20 00 20096	Torsh Disc Pack Torst Memotics Memotics basels Memotics 13-al, Memotics Memotics 13-al, Memotics Nection 13-al, Memotics 13-al	(900.00 6410.00 (6410.00 (190.00 (190.00 (210.00 (210.00 (195.00 (195.00 (195.00 (195.00	Two Wintersteam Attool Games Desp Secretarios BBIO de de proposa a par EBIO D O C Ligar Per Delli Lipor Winer Games Bourd. DE Spectrum Neyboard. DE Sectrum Neyboard. DE Sectrum Section Section Section Section Section Sec	face 1/Tarvend men). (95,00 880: was PSU). (18,00 13,00 137,00 798 ms (48,00 12,00 18,05	Books DL Companion  Section Advances Jose Curde Line's Guide to the Election Chief's Guide to the Americal Americal Advanced User Guide SSC User Guide SSC Advanced User Guide SSC Advanced User Guide SSC Advanced User Guide Graph's & Chart's (BBC) Consistent Graphics (BBC) Connection Beforeco Miriga)	663 6106 663 663 664 6101 6100 695 695 695
over ways Dentroncy Marface, wide Period IT Centropics Intel Size (supports CE graphics). Ank Centropics Interface for Commodate Vis26 Ank Centropics Interface for Commodate 403, CT 3000 IX CBM64 to Parallel Interface plan Georgians Storlass for Commissions 2021 plan Georgians Storlass for Commissions 2021	180 00 19464 170 00 240 00 240 00 180 00	CUNANA CSX100 100K 40T CSX200 100K 80T CSX200 200K 40T ES CSX200 200K 40T ES CSX400 400K 40.80T 25	£118.00 £155.00 £163.00 £181.00	Two Winter Fields Attock Games Cests Secretarion (INTS) letre dece prices as per 188.00 Of Ligar Per Delli Ligar Were Games Bound. DE Spectrum Keybound DE 3 Channel Jourd SAGA Kaybound Exercison to Keyway (Ethou) Curals Microski Microskia Carledge	(18.00 (1	Books  Becton Advinced Jase Cude Linit's Guide to the Election Chief's Guide to the Americal Americal Advinced User Guide SEC User Guide SEC Advanced User Guide SEC Advanced User Guide SEC Advanced User Guide Compt's Chiefs Commission Graphics (BBC) Commission Before Minings Memorich Guide Book Memorich Compatition	663 6106 663 663 664 6101 6106 694 6106 694 6106 655
over ways Dentroncy Marface, wide Period IT Centropics Intel Size (supports CE graphics). Ank Centropics Interface for Commodate Vis26 Ank Centropics Interface for Commodate 403, CT 3000 IX CBM64 to Parallel Interface plan Georgians Storlass for Commissions 2021 plan Georgians Storlass for Commissions 2021	180 00 19464 170 00 240 00 240 00 180 00	CUNANA CSX100 100K 40T CSX200 100K 80T CSX200 200K 40T ES CSX200 200K 40T ES CSX400 400K 40.80T 25	£118.00 £155.00 £163.00 £181.00	Two Wheter ter And Attack Games Cests Secretarion (INTS) like drop prices as per 680,00 Of Ligar Per Date Light Winer Games Bound. DE Spectrum Keyboard. DE Secretarion Keyboard. DE Carnel Jourd SAGA Kayboard. Exercise 10 Keyway (Echon) Curals Microski Microskia Carledge Pass of 5 Carledges. Cural Microskia	face Lifan word process of 15 and 15	Ja-cut Dt. Campanini. Section Advision Just Custe Jin'il's Guide to the Election Chin's Guide to the America America Advision of America America Advision of Chine SEC Liter Guide SEC Advanced User Suide SEC Advanced User Suide SEC Commission of Chine Commission Section Commission Section Memorich Guides Section Memorich Guides Section Memorich Guides Section Memorica Computing	663 6106 663 663 664 6101 6106 694 6106 655 665
over ways Dentroncy Marface, wide Period IT Centropics Intel Size (supports CE graphics). Ank Centropics Interface for Commodate Vis26 Ank Centropics Interface for Commodate 403, CT 3000 IX CBM64 to Parallel Interface plan Georgians Storlass for Commissions 2021 plan Georgians Storlass for Commissions 2021	180 00 19464 170 00 240 00 240 00 180 00	CUNANA CSX100 100K 40T CSX200 100K 80T CSX200 200K 40T ES CSX200 200K 40T ES CSX400 400K 40.80T 25	£118.00 £155.00 £163.00 £181.00	Two Managerich And Attack, Games Despises State of the Managerich And Attack, Games Despises State of the Managerich Andrew State of the Managerich Optel Vol. Soc.	face Lifar word pref) . 195.00	Ja-cut Dt. Campanini. Section Advision Just Custe Jin'il's Guide to the Election Chin's Guide to the America America Advision of America America Advision of Chine SEC Liter Guide SEC Advanced User Suide SEC Advanced User Suide SEC Commission of Chine Commission Section Commission Section Memorich Guides Section Memorich Guides Section Memorich Guides Section Memorica Computing	663 6106 663 663 664 6101 6106 694 6106 655 665
over ways Dentroncy Marface, wide Period IT Centropics Intel Size (supports CE graphics). Ank Centropics Interface for Commodate Vis26 Ank Centropics Interface for Commodate 403, CT 3000 IX CBM64 to Parallel Interface plan Georgians Storlass for Commissions 2021 plan Georgians Storlass for Commissions 2021	180 00 18464 170 00 240 00 240 00 180 00	CUNANA CSX100 100K 40T CSX200 100K 80T CSX200 200K 40T ES CSX200 200K 40T ES CSX400 400K 40.80T 25	£118.00 £155.00 £163.00 £181.00	Two Wintersteam Attock Games Designations of the Sections of Pre- Dietal Ignat Wines Dietal Ignat Wines Games Board. DE Spectrum Keyboard DE Spectrum Keyboard DE Spectrum Keyboard DE Schonel Jourd SAGA Keyboard. Evention to Keyward School Curah Microsyst Morodina Ent Lead. Morodina Ent Lead. Morodina Ent Lead. Morodina Ent Lead. Cural Numpeech Ontel Vox Bos. Waler Grive. Waler Grinnings (648)	face Lifaryand pref. 195.00 and with COV	Ja-cut Dt. Campanini. Section Advision Just Custe Jin'il's Guide to the Election Chin's Guide to the America America Advision of America America Advision of Chine SEC Liter Guide SEC Advanced User Suide SEC Advanced User Suide SEC Commission of Chine Commission Section Commission Section Memorich Guides Section Memorich Guides Section Memorich Guides Section Memorica Computing	663 6106 663 663 664 6101 6106 694 6106 655 665
war value Lections of Marface, support of the Pene CT Centropics interface (support of the graphics).  and Kinning in the rich for income down 7x20 and Kinning in the rich for Commodore 403, CT 10 Centropics interface for Centropics of the Parallel Interface of the Centropics of the Parallel Interface (SS) 00 pile (EC centropics Interface) for Centropics (SC) 00 pile (EC centropics Interface) for Centropics (Areacoard) (SC) 00 pile (EC) 00 pil	120 00 170 00 170 00 170 00 170 00 170 00 180 00 189 00 189 00 189 00 188 00	CSX100 100K 40T Single without PSI CSX200 100K 40T ES CSX400 400K 60T ES CSX400 400K 60T ES CSX400 400K 60T ES CSX400 400K 60T ES CSX400 400K 40 BDT ES	£118.00 £155.00 £163.00 £181.00	Two Winterstea And Attook Games Designers and The Service Control of the deep prices as an Edition Designers where Service Ser	floor   flan vond   pre	Ja-cut Dt. Campanini. Section Advision Just Custe Jin'il's Guide to the Election Chin's Guide to the America America Advision of America America Advision of Chine SEC Liter Guide SEC Advanced User Suide SEC Advanced User Suide SEC Commission of Chine Commission Section Commission Section Memorich Guides Section Memorich Guides Section Memorich Guides Section Memorica Computing	663 6106 663 663 664 6101 6106 694 6106 655 665
war name Centronics Marface, self-Period TC Centronics Interface (supports CE graphics).  Ark Controlics Interface for Commodore Vis26 (2012).  If to Centrolics Interface for Commodore 403, CT 100 Centrolics Interface plet Geot ones Alterface for Commodore 402, CT 100 Centrolics Interface plet Geot ones Alterface for Commodore 402, CT 100 Centrolics Interface Conf.  PRINTER FISHONS (100 Centrolics Interface Conf.)  PRINTER FISHONS (100 Centrolics Interface Conf.)	120 00 170 00 170 00 170 00 170 00 170 00 180 00 189 00 189 00 189 00 188 00	CUMANA Single without PR11 CSX100 100K 40T CSX200 200K 40T ES CSX400 400K 4080T ES US100 100K 40T CSX000 200K 90T US100 100K 40T CSX00 200K 90T CSX00 200K 90T CSX00 200K 90T CSX00 40T CSX00 40T CSX00 40T CSX00 40T CXX00 40T CX	£118.00 £155.00 £163.00 £181.00 £181.00 £191.00 £191.00 £203.00	Sections Office for group as as EBLOO OF tige Per Date layer Winer Green Section Of Sect	face Lifan vani   per     95.00   Bill vani POU   118.00   13.95   137.00   12.00   148.00   12.00   18.05   15.00   11.99   17.96   22.00   23.00   23.00 	Jacobs Di. Caregainisis  Jactim Advinced Jain Carle  Jinit's Guide to the End or  Jinit's Guide to the Amend  Amend Advanced Liser Guide  30C User Guide  30C Advanced User Guide  30C Constitute Ballot.  Constitute Ballot.  Constitute Ballot.  Constitute Ballot.  Memorich Guines Book  Memorich Computing  Memorich Computing  Memorich Computing  Memorich Computing  Memorich Intel Septem  Jacobs Ballot.  Jacobs Ballot	56. 56. 60. 60. 60. 60. 60. 60. 60. 60. 60. 6
war wan Destronce Marface, supports CB graphics.  graphics.  graphics.  graphics.  graphics.  graphics.  Et an oversignituring for Tommedian Visible.  Et is Centronics Interface for Commedian Visible.  Et SW64 to Parallel interface.  glar Centronics of the face for Commidding / c20 gets Centronics of the face for Commidding / c20 gets.  Et an oversignitude interface.  [Anabogarii]  parallel Sensi Interface Cord.  http://parallel.  PRINTER FISBONS  soor MX,FX,FX 10  hours for 100  klocks fo	180 00 1864 170 00 1410 00 1410 00 140 00 160 00	CSX100 100K 40T Single without PSI CSX200 200K 40T ES CSX200 200K 40T ES CSX200 200K 40T ES CSX200 100K 40 B0T ES CSX00 100K 40 B0T ES CSX00 200K 40T ES CSX00 200K 40T ES CSX00 200K 40 B0T ES CSX00	£118.00 £155.00 £163.00 £181.00 £181.00 £193.00 £193.00 £203.00	Corract Microperect	floor   flan vond   pre	Ja-ski Di. Carquinini Section Advinced Jain Custe Jinit's Quide to the Eest or Chird's Quide to the Americad Americal Advanced User Suide 980. User Guide 900's Alvanoed User Suide 900's Alvanoed User Suide Memorated Engels (BBC). Commediate Program Book Memorated Program Book Americal Titles (1900's). Americal Titles (1900's). 390's User Suide (1900's). 390's User Suide (1900's). 390's User Suide (1900's). 390's User Suide (1900's).	163 160 160 160 160 160 160 160 160 160 160
war name Centronics Marface, self-Period TC Centronics Interface (supports CE graphics).  Ark Controlics Interface for Commodore Vis26 (2012).  If to Centrolics Interface for Commodore 403, CT 100 Centrolics Interface plet Geot ones Alterface for Commodore 402, CT 100 Centrolics Interface plet Geot ones Alterface for Commodore 402, CT 100 Centrolics Interface Conf.  PRINTER FISHONS (100 Centrolics Interface Conf.)  PRINTER FISHONS (100 Centrolics Interface Conf.)	120 00 120 00 120 00 120 00 120 00 120 00 160 00 160 00 160 00 160 00 160 00 160 00 160 00 160 00	CUMANA Single without PR11 CSX100 100K 40T CSX200 200K 40T ES CSX400 400K 4080T ES US100 100K 40T CSX000 200K 90T US100 100K 40T CSX00 200K 90T CSX00 200K 90T CSX00 200K 90T CSX00 40T CSX00 40T CSX00 40T CSX00 40T CXX00 40T CX	£118.00 £155.00 £181.00 £181.00 £181.00 £191.00 £193.00	Corrach Microspeech Deel Commyorsa Masic Miker	17	Ja-ski Dt. Carquinini Soctim Advinced Jain Custe Jinit's Quide to the Election Chird's Quide to the Americad Americad Advinced User Suide SSC User Guide SSC User Guide SSC Chird Guide SSC Advanced User Suide SSC Chird Guide SSC Advanced User Suide SSC Chird Guide Commission Before Marical Memorich Guides Book Memorich Computing Memorian Computing Memorian Tillia Ingene SSC Chird Guide SSC Chird	16. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10
over namy Dentronce Marface, self-Period TC Centronces interface (supports CE graphics).  Artic Period TC Centronces interface for Commodore Visit Control of the Commodore (Visit CE) (Self-Period CE).  For EMP64 to Parallel interface place onces of cellular for Commodore Vicit Centrol of Centrol	180 00 170 00 170 00 170 00 140 00 240 96 180 00 160 00	CUMANA Single without PS11 CSX2000 100K 40T ES CSX2000 200K 40T ES CSX2000 400K 40T ES CSX2000 200K 40T ES CSX2000 200K 60T CSX200 40K 40 BD CSX200 40K 40 BD CX200 200K 40 BD CX20	£118.00 £153.00 £163.00 £181.00 £181.00 £181.00 £193.00 £203.00 £203.00	Corract Microperect	face Lifaryand pref. 185.00 and with POU	Jacobs Di. Caregainisis  Section Advisored Jain Carte  Jin'i's Guide to the Entitier  Jin'i's Guide to the Ame and Americal Advanced User Guide  SIC User Guide  SIC Advanced User Guide  SIC Advanced User Guide  SIC Advanced User Guide  SIC Consider Guide  Complete Guide  SIC Consider Bellow  Lonnicolory Before Minus  Memorich Guines Best  Memorich Computing  Memorich Computing  Memorich Computing  Memorich Program Book  Spectram Life's Isoprox I  Commidden Titles Isoprox I  Bactern Titles Isoprox I  Berten Titles Isoprox I  Memorich Trius Isoprox I  Memorich	16. (10. (10. (10. (10. (10. (10. (10. (10
over namy Dentronce Marface, self-Period TC Centronces interface (supports CE graphics).  Artic Period TC Centronces interface for Commodore Visit Control of the Commodore (Visit CE) (Self-Period CE).  For EMP64 to Parallel interface place onces of cellular for Commodore Vicit Centrol of Centrol	180 00 170 00 170 00 170 00 140 00 240 96 180 00 160 00	CUMANA Single without PS11 CSX2000 100K 40T ES CSX2000 200K 40T ES CSX2000 400K 40T ES CSX2000 200K 40T ES CSX2000 200K 60T CSX200 40K 40 BD CSX200 40K 40 BD CX200 200K 40 BD CX20	£118.00 £153.00 £163.00 £181.00 £181.00 £181.00 £193.00 £203.00 £203.00	Corrach Microspeech Deel Commyorsa Masic Miker	17	Ja-ski Dt. Carquinini Soctim Advinced Jain Custe Jinit's Quide to the Election Chird's Quide to the Americad Americad Advinced User Suide SSC User Guide SSC User Guide SSC Chird Guide SSC Advanced User Suide SSC Chird Guide SSC Advanced User Suide SSC Chird Guide Commission Before Marical Memorich Guides Book Memorich Computing Memorian Computing Memorian Tillia Ingene SSC Chird Guide SSC Chird	163 (100 (100 (100 (100 (100 (100 (100 (10
over ways Destroncy Marface, self-Period TC Centropics Interface (supports CE graphics).  Ank Contracts Interface for Commodow Va26 (2015).  If to Centropics Interface for Commodow Va26 (2015).  If to Centropics Interface (2015).  If the Centropics Interface (2016).  ESTATE Contracts Interface (2016).  PRINTER PISSONS  SOUT MATCH CO.  Islands CP100.  Islands CP100	160 00 16	CUMANA Single without PS11 CSX2000 100K 40T CSX2000 200K 60T E8 CSX400 400K 40*80T DS CSX400 400K 40*80T DS CSX000 200K 60T CSX00 200K 60T CSX00 200K 60T CSX00 200K 60T CSX00 400K 40*80T DS CSX00 400K 40*80T DS CDX000 2**100K 30T CDX000 2**200K 40*80T CDX000 2**200K 40**200K	2118.00 2155.00 (195.00 (191.00 2181.00 (191.00 (191.00 (201.00 (201.00 (201.00 (407.00	Gringon Microspeech Driel Commercia Masse Micros Micros (1900)	floor   flan vond   pref   .	Jacob Di Carquinia Jacob Di Carquinia Jacob Di Cardo Jacob Di Card	163   104   105
war wan Centroncy Marface, series Pene CT Centrocks interface (supports Ct graphics).  Ank Centrocks interface for Commodow Va26 (2015).  It is Centrocks interface for Commodow Va26 (2015).  It is Centrocks interface for Commodow 403, CT (8046) to Parallel interface place Gero ones oferface for Commodore 4026 (25).00  [25] Out [Continues Interface Card. Commodow 403, CT (25).00  [26] E Continues Interface Card. Commodow 403, CT (25).00  [26] PAIL 10  [26] PAIL	160 00 16	CURANA Single without PS1 CSX100 100K 40T CSX2000 200K 40T CSX2000 200K 40T CSX2000 200K 40T CSX400 400K 40BOT CSX000 200K 80T CSX000 200K 40BOT CSX000 200K 40BOT CDX00 200C 40T CDX	2118.00 2155.00 (195.00 (191.00 2181.00 (191.00 (191.00 (201.00 (201.00 (201.00 (407.00 Ossign Ce	Gringon Microspeech Driel Commercia Masse Micros Michael Cool	flace   flac	Jackto BL Caregainini Jackton Advinced Jain Carte Jank's Guide to the Exciser Jank's Guide to the Exciser Jank's Guide to the Americal Americal Advanced bisse Socie 30C User Guide 50C Advanced Unit Guide 60C Consistence Before 60C Consistence Before 60C Consistence Before 60C Memorical 60C M	16. 100 16. 10
war wan Lections o Marface.  **Period TC Centropics Interface (supports CE graphics).  **Architecture of Interface for Townsdaw Vas26 graphics).  **It is Centropics Interface for Commodore 403.  **Extra Centropics Interface for Commodore 403.  **Extra Centropics Interface for Commodore 402.  **Extra Centropics Interface for Commodore 402.  **Extra Centropics Interface Centropics for Centropics Interface C	100 00 17	CSX100 100K 40T CSX2000 200K 40T ES CSX200 200K 80T CSX200 200K 80T CSX200 200K 40T ES CSX20 200K 40T ES CDX200 200K 40T ES CDX200K 40T	2118.00 - 215.00 - 215.00 - 216.00 - 2181.00 - 2181.00 - 2181.00 - 2181.00 - 233.00 - 233.00 - 2407.00 - 2407.00	Gringon Micropsech Dark Commercia  Masic Miker Midden IOOO  100  100  100  100  100  100  100	Factor to Lides   Factor to	Jackto Dt. Carquinini South Jackton Advanced Jain Carle Linet's Quide to the Election Chief's Quide to the Americad Americad Advanced User Suide 38C User Guide 1901 Africaned User Suide 1901 Africaned User Suide 1902 Africaned User Suide 1902 Africaned Chief Graphic & Christian Graphics (1902). Consider Graphics (1902). Commodine Before Minual Memorach Graphics (1902). Memorach Computing Memorach Computing User Memorach Computing User Memorach Computing User Memorach Teles Ingenos January 1902 Index 1909 Index 1	(6) (10) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7
war way Destroncy Marfact.  **Print Of Centropics Interface (support City opension)  **Architecture of National Interface (support City opension)  **R Cambridge Interface for Commodore Vis26  **ETN.00  **R CBM64 to Parallel Interface opension of National Commodore Vis26  **ETN.00  **R CBM64 to Parallel Interface  **Ger Cerc onics Interface Interface opension of National Commodore Vis26  **ESN.00  **ESN.00  **PRINTER PIBBONS  **Architecture Opension opension of National City Interface Card.  **PRINTER PIBBONS  **Architecture Opension open	130 00 150 150 150 150 150 150 150 150 150	CURANA Single without PRII CSX100 100K 40T CSX2000 200K 40T E8 CSX400 400K 40 E9 CSX400 400K 40 E9 CSX400 400K 40 E9 CSX000 200K 40T CSX000 200K 40T CSX000 200K 40T CSX000 200 40T CDX000 2000 40T CD	2118.00 - 215.00 - 216.00 - 2181.00 - 2181.00 - 2181.00 - 2181.00 - 2201.00 - 2331.00 - 2331.00 - 2407.00 - 24	Gringon Micropsech Dark Commercia  Masic Miker Midden IOOO  100  100  100  100  100  100  100	Factor to Lides   Factor to	Jacks Dt. Carganiss Jackton Advanced Jain Custe Jinit's Quide to the Election Chird's Quide to the Americad Americal Advanced User Suide SSC User Guide SSC Little Guide SSC Advanced User Suide SSC Advanced User Suide SSC Advanced User Suide SSC Description Commediate Billio Sommediate Titles (appoint) Americal Titles (appoint) Ameri	16. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10
were way Destroncy Marface, series Period To Centrology Interface (supports Ct greekes).  And Commence interface for Commedia Valde (1975).  And Commence interface for Commedia Valde (1975).  And Commence interface for Commedia (1975).  By Commence interface (1975).  By Commence interface (1975).  PRINTER FISBONS  Series MARTA (1975).  Commence Interface Commence (1975).  PRINTER FISBONS  Series MARTA (1975).  Commence Interface Commence (1975).  The	100 00 00 00 00 00 00 00 00 00 00 00 00	CURANA Single without PRII CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40 ES CSX000 200K 80T CSX000 200 40T DS CSX000 400K 40 ES CSX000 200 40T DS CSX000 200 40T DS CSX000 200 40T DS CSX000 200 40T DS CDX000 2x 200 40T DS CDX00	2118.00 - 615.02 - 718.00 - 6181.00 - 61	Gringon Micropsech, Denic Commicros. Masse Misser Masse Misser Massem 0000  490	flace   flac	Jacobs Di. Carquisius Jacobs Networked Jain Carte Jinit's Quide to the Election Chirl's Quide to the Americal Americal Advanced User Suide 900 Little Guide 900 Alvanced User Suide 900 Alvanced User Suide 900 Alvanced User Suide 900 Alvanced User Suide 900 Comercion Before Computing Lemoster Graphics (1900) Comercion Before Computing Memorch Gumpe Book Memorch Computing Memorch Computing Memorch Computing Memorch Program Book Spectram Lines Isoprox Spectram Lines Isoprox Spectram Lines Isoprox Spectram Lines Isoprox Semondore Titles Isoprox Memorship Titles Isoprox Wei 20 Titles Isoprox Wei 20 Titles Isoprox Wei 20 Titles Isoprox Memorship Isoprox Wei 20 Titles Isoprox Wei 2	66. (100 (100 (100 (100 (100 (100 (100 (10
were war Dentorics Harriage.  Well-Print CT Centropics Interface (support Ct graphics).  And Contropics Interface for Commodore 103. It is Contropics Interface for Commodore 103. It is Contropics Interface for Commodore 103. It is Contropics of Print Interface for Commodore 103. It is Contropic for Commodore 103. It is Contropic for Commodore 103. It is contropical 103. It is contropic 103. It is contropi	100 00 00 00 00 00 00 00 00 00 00 00 00	CURANA Single without PS1 CSX100 100K 40T CSX2000 200K 40T CSX2000 200K 40T ES CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX000 200K 80T CSX000 200K 80T CSX000 100K 40 BT CSX00 200K 40 BT ES CSX00 200K 40 BT ES CDX000 2x	2118.00 2155.00 2155.00 2161.00 2181.00 2181.00 1191.00 1291.00 1291.00 1391.00 1391.00 1407.00 1008.00 100	Gringon Micropsech, Dest Commercia  Masic Mister Madem 000  sign C7.95 C7.15 sign C7.95 P7.15 FILST F8.95 F8.95 C6.95 C8.95 C8.95 C8.95 E8.95 E8.95 E8.95 E8.95	Factor to Lidea   Factor to	Jacobs Di Carquisiani Jacobs Nelvinced Jain Carle Jinit's Quide to the Election Chirl's Quide to the Americal Americal Advanced User Suide 900 Alvanced User Suide Memorich Gundes Book Memorich Groupers Memorich Gropping Memorich Compiling Memorich Compiling Memorich Compiling Memorich Compiling Memorich Trans (approx.) Americal Trans (approx.) Memorich Trans (approx.) Memoric	66 (100 (160 (160 (160 (160 (160 (160 (1
versions Lentonics stearhaid.  viete Peril CT Centricosis Interface to Tocomedow Vis26  1 to Centrolis Interface to Tocomedow Vis26  1 to Centrolis Interface to Tocomedow Vis26  1 to Centrolis Interface  1 to Centrolis Interface  I to Centrolis Interface  I to Centrolis Interface  Associat  PRINTER FISBIONS  See MX, EX. N.  PRINTER FISBIONS  See MX, EX. N.  PRINTER FISBIONS  See MX, EX. N.  COMpany  Conne Igrae 611  Tocomedow  Tocomedow  Activities  Tocomedow  Tocomedo	180 00 17	CURANA STOR Without PRI CSX100 100K 40T CSX2000 200K 40T CSX2000 200K 40T ES CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX000 200K 80T CSX000 200K 80T CSX000 400 40T CSX000 400 40T CSX000 400 40T CSX000 40T	2118.00 2118.00 2118.00 2181.00 2181.00 2181.00 2181.00 2201.00 230	Gringon Micropwech Danic Commercia Masic Mike Michael 1000  sign C7.95 C7.15 sign C7.95 C7.15 fill 85 F8.05 f6.95 C8.95	Factor to Lidea   Factor to	Jacobs Di Caraganian Jacobs Novinced Jain Carte Jinit's Guide to the Election Chief's Guide to the Election Chief's Guide to the Americal Americal Advanced User Suide 30C User Guide 30C Africaned User Suide 30C Consider Suide 30C Consider Suide Commission Belgero Commission Belgero Memorich Guides Book Memorich Computing Memorich Computing Memorich Computing Memorich Computing Memorich Computing Memorich Program Book  Commission Biles Inspire Jacobs In	56 (100 (100 (100 (100 (100 (100 (100 (10
were way 12-not once stearlies.  Intel® Period To Emitories Intel Size (supparts CB gratifies).  Intel® Period To Emitories Intel Size (supparts CB gratifies).  Intel® Period To Emitories Intel Size (supparts CB gratifies).  Intel® Company Size (supparts CB Size (	130 00 15	CURANA STOR Without PRI CSX100 100K 40T CSX2000 200K 40T CSX2000 200K 40T ES CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX000 200K 40T CSX000 200K 40T CSX000 200K 40T CSX000 400K 40-80T CSX000 400 40T CSX000 400H DS CXX000 40 80T DS CXX000 40	2118.00 - 2195.00 - 2195.00 - 2195.00 - 2196.00 - 2196.00 - 2296.00 - 2396.00 -	Gringon Micropsech Desi Commercia  Masic Micro Midden IOO  100  100  100  100  100  100  100	Factor to Lider   Section   Sectio	Jacobs Dt. Carquisius Jacobs Devinced Jain Custe Jinit's Quide to the Election Chirl's Quide to the Americad Americad Advanced User Suide SSC User Guide SSC User Guide SSC Cartifolds Commission Bettereor Miritial Memorich Gundes Book Memorich Grophers Memorich Grophers Memorich Completing Memorich Completing Memorich Completing Memorich Completing Memorich Trips Improv American Trips Improv Memorican Trips Improv Memo	26 (100 c) (10
services (Sections) startes, set services, see Sections (Sections) startes, set Sections (Sections) se	130 00 150 00 150 150 150 150 150 150 150	CURANA Single without PRII CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40 E0T ES CSX000 200K 40T CSX000 200K 40T CSX000 200K 40 E0T CSX000 200K 40 E0T CSX000 400K 40 E0T CSX000 400K 40 E0T CSX000 400K 40 E0T CDX400C 40 E0	2118.00 2195.02 2195.02 2197.00 2181.00 2181.00 2197.00 2207.00 2207.00 2307.00 2307.00 2307.00 2407.00 250	Gringon Microprech Desir Commercia Desir Commercia Masic Misce Mis	Factor to Lider Scorball   Section 1   S	Jacobs Dt. Carcanism Jacton Advanced Jain Carle Jinit's Quide to the Election Chirl's Quide to the Americad Americad Advanced User Suide 380. User Guide 1900 Afvanced User Suide 1900 Afvanced 1	26 (100 c) (10
terroring Dentificacy Starface, to Principles (Company of Committee) in the Sec European of Committee (Committee) in the Sec European of Committee (Committe	130 00 150 150 150 150 150 150 150 150 150	CURANA STORE without PRI CS.200 100K 40T CS.2200 200K 40T CS. CS.2400 400K 40 CS. Store with PSU CS.2400 400K 40-80T DS. Store with PSU CS.200 200K 40T DS. CS.200 200K 40T DS. CS.200 400K 40-80T DS. CS.200 400K 40-80T DS. CS.200 400K 40-80T DS. CS.200 400K 40-80T DS. CD.200 22-200K 40-80T CD.200 22-200K 40-80T CD.200 22-200K 40-80T DS. CD.200K 40-80T DS. CD.200 22-200K 40-80T DS. CD.200 22-200K 40-80T DS.	2118.00 2195.02 2195.02 2195.00 2181.00 2181.00 2193.00 2203.00 2303.00 231.00 2309.00 231.00 2309.00 2407.	Gringon Micropsech Desi Commercia Masic Micro Micropsech Masic Micro Midgm 1000  100  100  100  100  100  100  10	Factor   F	Jacobs Dt. Carquisius Jacobs Devinced Jain Custe Jinit's Quide to the Election Chirl's Quide to the Americad Americad Advanced User Suide SSC User Guide SSC User Guide SSC Cartifolds Commission Bettereor Miritial Memorich Gundes Book Memorich Grophers Memorich Grophers Memorich Completing Memorich Completing Memorich Completing Memorich Completing Memorich Trips Improv American Trips Improv Memorican Trips Improv Memo	56 (10 (10 (10 (10 (10 (10 (10 (10 (10 (10
terminist (Jentonics Starface, to Provide Prov	130 00 150 150 150 150 150 150 150 150 150	CURANA Single without PS1  CSX100 100K 40T  CSX2000 200K 40T  CSX2000 200K 40T  CSX400 400K 40E  CSX400 400K 40E  CSX400 400K 40E  CSX000 200K 80T  CSX000 100K 40T  CSX00 200K 80T  CSX00 200K 80T  CSX00 200K 80T  CSX00 200K 40E  CXX00 200	2118.00 215.02 216.00 216.00 2181.00 2181.00 2181.00 2181.00 2203.00 2303.00 2303.00 2303.00 2302 0202 02	Gringon Microprech Danis Commercia Masic Mikee Michael 1000  Magn C7.95 C7.15 Magn C7.95 C7	Face   Class   Face   Class   Face	Jacobs Di. Carquinisis Jacobs Networked Jain Custe Jinit's Quide to the Election Chird's Quide to the Americad Americad Advanced User Suide SSC User Guide SSC User Guide SSC Cartifolia Commission Before Commission Memorach Gurses Book Memorach Gregories Memorach Computing Memorach Computing Memorach Computing Memorach Program Book Memorach Trias Isponos COMPUTER SOFTWARE Spectram Trias Isponos Sommedicae Trias Isponos Studies Index Index Spectram Trias Isponos Januard Trilics Jappon Studies Studie	66 66 66 66 66 66 66 66 66 66 66 66 66
services (Jacobson, Starface, ble Peri GT Centrolis Intel Size (Juppan's CB probles).  In Size Peri GT Centrolis Intel Size (Juppan's CB probles).  In Size (Sea occisional Size (Juppan's CB probles).  In Size (Sea occisional Size (Juppan's CB Size (Sea occisional Size (Sea occision	### ### ### ### ### ### ### ### ### ##	CURANA STOR Without PRI CSX100 100K 40T CSX2000 200K 40T CS CSX400 400K 40 CS CXX400 40	2118.00 215.00 2161.00 2181.00 2181.00 2181.00 2181.00 2281.00 2381.00	Gringon Microprech Danic Commercia Masic Mikee Michael 1000  1000	Face   Class	Ja-ski Di. Carquinini South Jackton Advanced Jain Carle Jinit's Quide to the Ect or Chird's Quide to the Americad Americad Advanced User Scale SIC User Guide SIC List Guide SIC Advanced User Scale SIC List Guide SIC List Guide SIC List Guide SIC List Guide SIC List Sic List Memorach Guides Sid List Memorach Guides South Memorach Gropolery Memorach Forpatery Memorach Titles Ingonos SIC Lists Ingress	C   C   C   C   C   C   C   C   C   C
ter noise (Lectrons) starface.  The Print of Centroles) interface to pupper s Classification of Centroles in the face is pupper s Classification for Commission (Va20 CT).  The print of Centroles interface for Commission (Va20 CT).  The print of Centroles interface of Centroles of Centroles interface of Centroles of Centroles in Centroles of	### ### ### ### ### ### ### ### ### ##	CURANA STOR Without PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40 ES CSX00 200K 40T CSX00 200K 40 ES CSX00 400K 40 ES CDX400 2x 200K 40 ES CDX400 2	2118.00 2118.00 2181.00 2181.00 2181.00 2181.00 2193.00 2203.00 2303.00 231.00 2309.00 231.00 2309.00 2407.00 2509.	Gringon Micropsech Desi Commorale Masic Micro Medger 1000  100  100  100  100  100  100  10	Flat word   Flat	Jacobs Dt. Caraganiss Jacobs Networked Jain Carte Jinit's Quide to the Election Chirl's Quide to the Americad Americad Advanced User Suide 980 User Guide 990 Alvanoed User Suide Memorach Graphics Memorach Computing Memorach Computing Memorach Computing Memorach Computing Memorach Program Book  COMPUTIR SOFTWARE Spectram Lines Isoproe Jacobs Memorach Titles Johnstee	C C C C C C C C C C C C C C C C C C C
ter noise (Lectrons) starface.  The Print of Centroles) interface to pupper s Classification for Commission (Va20 Chromosos Interface Cond. Citizen Plus I.  PRINTER FISBONS  OF MX FIX TO Commission (Va20 Chromosos Interface Cond. Citizen Plus I.  PRINTER FISBONS  OF MX FIX TO Commission (Va20 Chromosos Interface Cond. Citizen Plus I.  OF MX FIX TO Commission (Va20 Chromosos Interface Cond. Citizen Plus I.  OF MX FIX TO Commission (Va20 Chromosos Interface Commission (Va20 Chromosos Interface Ch	100 00 100 100 100 100 100 100 100 100	CURANA STOR Without PRI CSX100 100K 40T CSX2000 200K 40T CSX2000 200K 40T CSX2000 200K 40T CSX400 400K 40 B CSX400 400K 40 B CSX400 200K 80T CSX000 200K 80T CSX000 100 40T CSX000 100 40T CSX00 200K 80T CSX00 200K 40 B CSX00 40	2118.00 2155.00 2165.00 2161.00 2181.00 2181.00 2181.00 2181.00 2331.0	Gringon Micropsech Dark Commercia Masic Micro Midden IOO  100  100  100  100  100  100  100	Factor to Lider   Factor to Lider	Jacobs Di. Carquinisis Jacobs Networked Jain Carte Jinit's Quide to the Election Chird's Quide to the Americad Americad Advanced User Suide SIC User Guide SIC Consider to Guide SIC Consider Suide Memorate Suide Memorate Suide Memorate Suide SIC Consider SIC Consider Suide SIC Co	C C C C C C C C C C C C C C C C C C C
the principal design of Company Services should be principal of the services of the size supports Of graphics of the foreign principal of the services of the	100 00 100 100 100 100 100 100 100 100	CURANA STORE without PS11 CSX100 100K 40T CSX200 200K 60T CSX200 200K 60T CSX200 200K 40T CSX300 400K 40 CSX400 400 CSX400 40 CSX40	2118.00 2150.00 2161.00 2181.00 2181.00 2181.00 2181.00 2181.00 2203.00 2303.0	Gringon Microprech Dans Comercia Masic Mike Michael 1000  sept	risco Lifar word proc. 1 (25 co. 118 c	Jacobs Dt. Carquisius Jacobs Dt. Carquisius Jacobs Dt. Carquisius Jacobs Dt. Carte Jin'is Quide to the Ect for Chirl's Quide to the Americad Americad Advanced User Suide 990 Late Build 990 Alvanoed User Suide Memoratic Graphics Johnston Joh	C C C C C C C C C C C C C C C C C C C
the proof of Centroles interface to company of growing to the proof of Centroles interface to company of growing to the proof of Centroles interface for committee 403. K Centroles Interface for Committee 403. K Centroles Centroles Interface for Centroles Centroles Interface for Centroles Inter	100 00 00 00 00 00 00 00 00 00 00 00 00	CURANA STOR WITHOUT PRI CSX100 100K 40T CSX2000 200K 40T CS CSX400 400K 40 CS CSX400 40 CS C	2118.00 2150.02 2163.00 2181.00 2181.00 2181.00 2181.00 2181.00 2281.00 2381.0	Gringon Microprech Danis Commercia Masic Miker Medem 1000  100  100  100  100  100  100  10	risco I Tan word proc. 1 (15) 00 anti-wish COU	Jacobs Dt. Caragains Jacobs Advanced Jan Carle Jin'i's Quide to the Ent for Lini's Quide to the Ent for Lini's Quide to the Americad Americad Advanced User Suide 990 Lini's Guide to Black Graph's Charts (880). Creation Graph's GBC1. Constitution Before or Minual Memorich Gumber Book Memorich Competing Memorich Competing Memorich Competing Memorich Competing Memorich Trans Ingento John Jin's Hoppins J	C C C C C C C C C C C C C C C C C C C
the service of Compress interface, the Period Compress City (1985) of Compress interface to Foodman Vasion (1985) of 1985 of 1	130 00 150 00 150 150 150 150 150 150 150	CURANA Single without PS1  CSX100 100K 40T  CSX2000 200K 40T ES  CSX400 400K 40T ES  CSX600 100K 40T ES  C	Z118.00 Z195.02 Z195.00 Z191.00 Z181.00 Z181.00 Z191.00 Z191.0	Gringon Microprech Dans Comercia Masic Mike Michael 1000  sept	risco I Tan vand proc. 1 (25 00 anti wish COU  (18 00 (18 00 (18 00) (19 00) (18 00) (18 00) (18 00) (18 00) (18 00) (18 00) (18 00) (18 00) (18 00) (18 00) (18 00) (19 00	Jacobs Di. Carquisius Jacobs Devinced Jain Carle Jinit's Quide to the Ect or Chirl's Quide to the Americad Americad Advanced User Suide 380. User Build Spice Time Sp	66 (100 (100 (100 (100 (100 (100 (100 (1
tele Period Centroles interface supports CI graphics set Period Centroles interface supports CI graphics set Centroles interface for Townsdow 79.26 1 to Centroles interface for Commiddee 403. K Casterian State Section 1 to Centroles interface and Committee and Committ	100 00 00 00 00 00 00 00 00 00 00 00 00	CURANA STOR WITHOUT PRI CSX100 100K 40T CSX2000 200K 40T CSX2000 200 40T CSX2000 200 40T CXX2000 20T CXX200	Z118.00 Z195.02 Z195.00 Z191.00 Z181.00 Z181.00 Z191.00 Z191.00 Z291.00 Z331.00 Z331.0	Gringon Microprech Danie Commercia Danie Commercia Masic Misser Misser Misser C7.15 args	risco I Tan vand prof. 195.00 anti wish COU  (18.00 (18.00 (18.00) (18.00) (18.00) (18.00) (18.00) (18.00) (48.00) (48.00) (48.00) (48.00) (18.00) (48.00) (18.00) (18.00) (19.00) (19.00) (19.00) (22.00) (39.00) (39.00) (39.00) (39.00) (49.00) (79.00)	Jacobs Dt. Carcanism Jacton Advanced Jain Carle Jinit's Quide to the Ect or Chirl's Quide to the Americad Americad Advanced User Suide 390 User Guide 1900 Alvanced User Suide 390 User Guide 1900 Alvanced User Suide 1900 American User Suide 1900 A	66 (100 (100 (100 (100 (100 (100 (100 (1
the period of Centroles into face trappers CB grothesis and the period of Centroles into face trappers CB grothesis and the period of Centroles into face trappers CB is Centroles interface to recommission of the Centroles of Commission of Centroles of	### 1230 CO ### 12	CURANA Single without PS1  CSX100 100K 40T  CSX2000 200K 40T CS  CSX400 400K 40T CS  CSX000 100K 40T CS  COXAU CS 100K	Z118.00 Z165.02 Z163.00 Z181.00 Z181.0	Gringon Microprech Danis Commercia Masic Mike Michael 1000  sign 67.96 67.15 sign 67.96 17.15 sign 67.96 18.95 18.	risco Lifar vand rec) . 195.00 anti wish COU	Jacks Dt. Carganian Jackton Advanced Jain Custe Jinit's Quide to the Ect or Chis's Quide to the Americad Americal Advanced User Suide SIC User Guide SIC List Guide SIC Advanced User Suide SIC List Guide Memorach Guines Book Memorach Guines Book Memorach Tillis Sappra I SIC List Ingrea SIC L	66 (100 (100 (100 (100 (100 (100 (100 (1
were way 12-not once stearlies.  where Peris Of Centropes interface supports Ct graphics.  It is Centropes interface for commission Vacada 1 is Centropes interface for commission of Vacada 1 is Centropes interface for Commission of Vacada 1 is Centropes on Commission of Company  Notice of Vacada 1 is Centropes on Commission of Company  Notice of Vacada 1 is Centropes on Commission of Company  Notice of Vacada 1 is Centropes on Company  Notice of Vacada 1 is Centropes on Commission of Company  Notice of Vacada 1 is Centropes on Commission of Company  Notice of Vacada 1 is Centropes on Commission of Commission of Company  Notice of Vacada 1 is Centropes on Commission of Comm	### 100 OC	CURANA STOR WITHOUT PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX000 400K 40-80T DS CSX000 400K 40-80T DS CSX000 400K 40-80T DS CSX000 400K 40-80T DS CXX000 2x100K 40-80T DS CXX000 2x1	Z118.00 Z165.02 Z161.00 Z181.00 Z181.0	Gringon Microprech Danis Commercia Masic Mike Medem 1000  100  100  100  100  100  100  10	risco Lifar vand rec) . 195.00 anti wish COU	Jacks Dt. Carganiss Jackton Advanced Jass Custe Jinit's Quide to the Ect or Chird's Quide to the Americad Americad Advanced User Suide SIC User Guide SIC Line Guide SIC Line Guide SIC Advanced User Suide SIC Line Guide SIC Line SIC	C C C C C C C C C C C C C C C C C C C
the proof of Centroles interface to recognize the proof of Centroles interface to recognize the Centroles interface to recognize the Centroles interface to recognize the Centroles interface the Centroles interface the Centroles the Centrole	### 1230 CO ### 170 CO	CURANA STOR WITHOUT PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40 BOT DS CSX000 400K 40 BOT DS CDX000 2x 100K 40 BOT DS CDX000 2x 100K 40 BOT DS CDX000 2x 100K 40 BOT DS CDX000 2x 200K 40 BOT DS CDX000 2x	E118.00 E15.00 E161.00	Gringon Microprech Danis Commercia Masic Mike Medem 1000  100  100  100  100  100  100  10	Flat an to Lider  Flat and to Li	Jacobs Di. Carquinisis Jacobs Networked Jain Carte Jinifa Quide to the Election Chiff Signife to the Forest Chiff Signife to the American American Advanced User Suide SSC User Guide SSC User Guide SSC Chiff Guide SSC Alvanced User Suide SSC Chiff Guide SSC Chiff Guide SSC Alvanced User Suide SSC Chiff Guide SSC Chiff Signife Commission Betweener Mirusa Memorich Gumpeting Memorich Competing Memorich Competing Memorich Competing Memorich Trips laggers American Trips laggers SSC Littles laggers Vic 20 Talles Jaggers Vic 20 Talles Vic 20 Ta	C (100 C)))))))))))))))))))))))))))))))))))
tele Period Control Starfact.	### 130 00   ### 1	CURANA Single without PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40R0T DS CSX400 400K 40R0T DS CSX400 400K 40R0T DS CSX000 200K 40R1 CSX000 400 40T DS CXX000 40R1 CXX000	Z118.00 Z165.00 Z165.00 Z161.00 Z181.00 Z181.0	Gringon Microprech Danis Commercia Masic Mike Medem 1000  100  100  100  100  100  100  10	risco Lifar vand proc. 195.00 anti wish POUL. 118.00 118.00 139.50 137.00 139.50 137.00 139.50 139.50 139.50 148.00 159.80 159.80 169.80 179.80 189.0	Jacks Dt. Carcanina Jackton Advanced Jan Carle Jin'i's Quide to the Elect or Chirl's Quide to the Americad Americad Advanced User Suide 390 User Guide 1900 Alvanced User Suide 1900 Alvanced User S	C (C
tele Period Contrological Interface supports CI graphics service Period Contrological Interface supports CI graphics service Period Contrological Interface Contrological Contrological Interface C	### 1230 CO ### 12	CURANA Single without PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40 BC ES CSX400 40 BC ES CDX400 XX400K 40 BC ES CDX400K 40 BC ES CDX40	Z118.00 Z165.00 Z165.00 Z161.00 Z181.00 Z181.0	Gringion Microprech Danis Commercia Masic Misses Mi	Flore I Tan word proc. 1 (Tan word proc.) . (95.00 antit with COU	Jackton Advanced Jain Carle Jinit's Quide to the Election Child's Quide to the Election Child's Quide to the Americad Americad Advanced User Scale SIC User Guide SIC List Guide SIC Advanced User Scale SIC List Guide SIC SIC Carle SIC SIC SIC Carle SIC SI	C (100 C)))))))))))))))))))))))))))))))))))
ties Point IT Centropies interface to company of grothics with Point IT Centropies into face outputs of grothics of Commission of Vacidity Point Point IT Centropies Interface for Commission 403: Kr ESM64 in Praulist interface plet Centropies	### 1230 CO ### 12	CURANA STORE without PS11 CSX100 100K 40T CSX2000 200K 60T CSX2000 200K 60T CSX2000 200K 40T CSX2000 200K 60T CSX3000 100K 40 ED CSX300 200K 60T CSX300 100K 40 ED CSX300 200K 60T CSX300 200K 60T CSX300 200K 40 ED CSX300 200K 40	E118.00 E15.00 E161.00 E161.00 E161.00 E161.00 E161.00 E161.00 E1761.00 E2761.00 E27	Gringion Microprech Danis Commercia Masic Misses Mi	Face I Tan word proc. 1 (15) 00 anti-wish COU  (18 00) (18	Jackton Advanced Jain Carle Jinit's Quide to the Election Chin's Quide to the Election Chin's Quide to the Americad Americal Advanced User Scale SSC User Guide USC Advanced User Scale User State State User SSC User Scale User SSC User Scale User SSC User Scale User SSC User Scale User SSC User SSC User User SSC User SSC User User S	66 (100 (100 (100 (100 (100 (100 (100 (1
tele Port of Centropies interface to recommedical Vaside Port of Centropies interface to recommedical Vaside Port of Centropies interface to recommedical Vaside Port of Centropies interface for Commedical Vaside Port of Centropies	130 00 15	CURANA Single without PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX000 200K 40-80T DS CSX000 400 40T DS CSX000 400 40T DS CSX000 400 40T DS CSX000 400 40T DS CSX000 40-80T DS CDX000 2x 200 40T DS	Z118.00 Z165.02 Z161.00 Z161.00 Z161.00 Z161.00 Z161.00 Z1761.00 Z	Gringion Microprech Danis Commercia Masic Mike Medem 1000  100  100  100  100  100  100  10	risco I Tan word proc. 1 (25 00 anti with COU  (18 00 (	Jackton Advanced Jain Carle Jinit's Quide to the Election Linit's Quide to the Election Linit's Quide to the Americad Americad Advanced User Scale SIC User Guide USC Advanced User Scale User SIC User Sic User Memorach Guines Sic User Memorach Guines Sic User Memorach Groppierg Memorach Program Book Americad Trilles Ingono Memorach Memorach Melbourne Melbourn	66 (100 (100 (100 (100 (100 (100 (100 (1
tele Port of Centropies interface to recommedical Vaside Port of Centropies interface to recommedical Vaside Port of Centropies interface to recommedical Vaside Port of Centropies interface for Commedical Vaside Port of Centropies	### ### ### ### ### ### ### ### ### ##	CURANA Single without PS1  CSX100 100K 40T  CSX2000 200K 40T CS  CSX400 400K 40R OT CS  CSX400 400K 40R OT CS  CSX400 400K 40R OT CS  CSX400 200K 40T  CSX000 100K 40T  CSX000 100K 40T  CSX000 100K 40R OT CS  COMMAND A COMMAND TO CS  COMM	Z118.00 Z181.00 Z181.0	Gringto Microprect Dans Commercia Masic Misser Miss	risco Lifar word proc. 185.00 antit with COU	Jackton Advanced Jan Carte Jin'i's Quide to the Entition Jin'i's Quide to the Entition Jin'i's Quide to the Americad Americad Advanced User Suide 390 User Guide 900 Alvanoed User Suide Memoratic Graphics Johnston Before or Minual Memoratic Graphics Johnston Before or Johnston Johnston Jines Isopore Johnston Joh	C C C C C C C C C C C C C C C C C C C
ter many Dentinous Starface.  The Print of Centroles Intel Size Exemplar's Cligophics.  It is Conscious Interface for Commiddine Va26.  It is Conscious Intel Size Interface.  The Conscious Intel Size Interface.  The Conscious Intel Size Intel	### 1230 CO ### 12	CURANA Single without PS1  CSX100 100K 40T  CSX2000 200K 40T CS  CSX400 400K 40T CS  CSX400 400K 40T CS  CSX400 400K 40T CS  CSX400 100K 40T  CSX000 100K 40T  COMMITTED  COMMITT	2118.00 2150.00 2161.00 2161.00 2181.00 2181.00 2181.00 2181.00 2281.00 2381.0	Gringon Microprech Dans Comercia Masic Mike Michael (CO)  sign (C7.96 (C7.15)  sign (C7.96 (C7.96)  sign (C	risco Lifar word proc. 1 (25 co. 118 c	Jackton Advanced Jan Carte Jin'i's Quide to the Ent for Jin'i's Quide to the Ent for Jin'i's Quide to the Americad Americad Advanced User Suide 980 User Guide 990 Alvanoed User Suide 990 Alvanoed Us	0
services (Lectronics) starface.  See Print Of Centronics interface to pupper s Ct projects.  In Company Starface to Commission Va20 (1700)  Print Of Centronics Interface for Commission Va20 (1700)  Print Of Print Of Parallel Interface for Commission (1700)  Print Of Print Of Centronics Interface for Commission (1700)  Print Of Centronics Interface for Commission (1700)  Print Of Centronics Interface for Commission (1700)  Print Of Centronics Interface for Centrolics (1700)  Print Of Centronics Interface for Centrolics (1700)  Print Of Centrolics (1700)  Pr	### ### ### ### ### ### ### ### ### ##	CURANA STOR Without PRI CSX100 100K 40T CSX2000 200K 40T ES CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX400 400K 40-80T DS CSX000 100K 40T CSX000 100K 40T CSX000 100K 40T CSX000 100K 40 BDT CSX000	Z118.00 Z181.00 Z181.0	Gringto Microprect Dans Commercia Masic Misser Miss	Face I Tan word proc. 1 (25 00 ant) with COU	Jackton Advanced Jain Carle Jinit's Quide to the Election Chin's Quide to the Election Chin's Quide to the Americad Americad Advanced User Suide SSC User Guide USC Advanced User Suide SSC User Guide USC Advanced User Suide SSC Occusion Graphics (BISC) Consider Graphics (BISC) Consider Graphics (BISC) Consider Between Minusi Memorich Gumperg Memorich Competing Memorich Competing Memorich Competing Memorich Trips Ispans John Commediae John Trips Ispans John Commediae John Trips Ispans John Trips Ispans John Trips Ispans John Trips Ispans John Commediae John Trips Ispans John Commediae John Trips Ispans John Trips Ispans John Commediae John Commedia	C (100 C)))))))))))))))))))))))))))))))))))


Range of programs available for MTX, BBC, Electron and Amstrad
Please order stating (1) Programs required; (2) Computer: (3) Amount enclosed; (4) Name & Address
All prices include, packing & VAT. Overseas orders welcome.





#### FRONT GUNNER, REAR GUNNER, BOMBARDIER and FLIGHT ENGINEER.

You will have to fly across Europe at low level to avoid radar; lcokout for the deadly ME109 night fighters, dodge barrage balloons, spotlights and flak. At the target you will need all your nerve and skill to control the aircraft and release your deadly payload at just the right moment while avoiding enemy attack.



Game Features: Superb graphics and sound, realistic joystick control, Pilot's screen and indicators, multiple screen navigators maps, front and rear gunners screens, bomb sighting screens, engineer's indicators, and much much more. The package comes complete with comprehensive flight instructions, maps, and confidential

documents including authentic material by Barnes Wallace and Wing Commander Guy Gibson.

Officially endorsed by 617 Squadron of the R.A.F.,

Dambusters is available for Atari and Commodore 64 computers with versions for Spectrum, BBC and Amstrad coming scon.



U.S. Gold is available from all leading computer stores and selected branches of

#### BOOTS - W.H. SMITH - JOHN

MENZIES - WOOLWORTH - WILDINGS

Dealers! For information on how to become a

U.S. Gold stockist contact CentreSoft.


Lightning, Microdealer Tiger and all other
leading distributors or write to:

U.S. Gold Limted, Unit 10, The Parkway

Industrial Contro, Heneage Street, Birmingham

B7 41Y. Telephone O21-369 3020. Telex 337268.

## Has anyone ever told you...



## ...YOU HAVE A WONDERFUL PROFILE!

Readership Profile, that is. It's the jargon we use to describe you — the buyers and readers of Your Computer — to other people, such as Advertisers. And we probably know more about you than you think!

For instance: 65% of you are under 24. 34% of you are considering buying a new computer — even though an overwhelming 96% of you already own one. On average, you each spent £376 last year on computers, software and add-ons, and during the next 12 months 75% of you intend buying more software, with 72% buying other add-ons. And that's not all

There are well over 130,000 of you buying Your Computer every month — making it the biggest selling home computer magazine in Britain. Which is good news for our Advertisers as it gives them the lowest cost per thousand of any magazine in the computer market — just £7.39 No wonder they love your profile as much as we do!

YOUR COMPUTER

Britain's biggest selling home computer magazine.





- Incredible pocket TV with a superb pinsharp picture
   Powered by lith um battery for
- long life
  Complete with pouch and earphore
- Battery pack x 3 £9.95 Mains adaptor £7.95

Only £8 monthlywith Spectrum Chargecard\*. APR 29.8% (variable).

#### **New Products!**

#### **Enterprise Computer**

- RAM 64K expandable to 3.8 megabytes

  ROM 48K including BASIC cannidge expandable unto 3.3 megabytes

  Very sophisticated operating system, providing a dynamic memory, management technique arcund a Z80A processor running 4MHz

  Built in word processor

  Graphics resolution upto 67.2 x 51.2, colours upto 256 on screen

  Siterio sound from 4 voices over 8 octaives

  Fully structured ANSI standard BASIC

  Keyboard, 68 full travel keys, space bar and built in joystick

  2 external joystick ports, 2 cassette interfaces

  Parallel printer port, RGB monitor output

  Full expansion possible via a 64-way interface

  RS423 senal interface and built in networs for up to 32 computers

  Cartridge ROM bay, to 34K





**Business Package** 

- Commodore MSP 801 printer
   Plus "Future Finance" & "Easy File"

Unly £23 with Spectrum Chargecard\*. APF 29.8% (variable)

Spectrum



Regular price if brought separately £359.87

Only £13 monthly with Spectrum Chargecard APR 29.8% (variable)

"Super Value"

## **Package**

#### Super Computer Offers from Spectrum



BBC Model B

with built in Speech Synthesiser worth £50

#### Sinclair Spectrum +

- "Fantastic Value for Money"
  - 48KRAM 8 oclours
- 10 octave sound
   Professional keyboard

Spectrum 48K Plus



Atari 800XL Starter Pack





Up to £1000 Instant Credit

\*There's up to £1,000 worth of Instant Credit available on a Spectrum Chargecard. See your local SPECTFUM dealer for written details (UK mainland only). Typical APR 29.8%.

for up to date, information & offers from SPECTRUM - see PRESTEL page 600181 for de:ails.

## **Super Value**

## Printers & Disc Drives

from Your Computer Specialist Nationwide



#### **Brother EP-44** Printer/Typewriter

Transforming Office Machinery', runs Brother's slogan - with these supercompact battery powered type-writers it's easy to see why.

- Top quality thermal nead
   4K of text memorise (3 A4 pages)
- Centering i required
   15-digi: LCD display for preprint corrections
   Line-by-line edit facility

Only £11 monthly with Spectrum Chargecard\*, APR 29.6% (variable)



#### Brother M1009 Printer

- 50 cps Bidirectional printing
   normal/enlarged/condensed/emphasizec/Elita/superscript/subscript characters
   Centronics interface
- Optional RS232 Interface
- Only £9 monthly with Spectrum Chargecard\*.

  APR 29.8% (variable)

#### **Brother HR5 Printer** with Commodore Cable

## Topquality Letterquality Bi-directional printing daisywhael printing Tractor-fed paper or single sheets Only £8 monthly with Spectrum Chargecards. APR 29.8% (variable)



Electronic daisywheel typewriter with RS-232C or Centronics Interface for computer printer

- 10 cps
   10/12/15 cpi pitch
   12 inch paper width/5 inch print width
   Normal/decimal labs

Only £15 monthly with Spectrum Char APR 25.8% variable)



#### Quendata DMP 1100 Printer

- Bi-directional printing
   Normal/enlarged/concensed/Elfe/characters
   Centronics interface
   Optional RS232 interface

Only £12 morthly with Spectrum Chargecard\*.
APR 29.8% (variable)



#### Juki 6100 Daisy Wheel Printer

- 2Copsiav, 18ops Shannor Text)
   1(712)15 or Proportional characterspacing
   Bidrectional friction-feed
   Tractor feed or cut paper

Only £17 monthly with Spectrum Ghargecard. APR 29.8% (variable)

## SD Only £8-monthly with Spectrum Chargecard\* APR 23.8% (variable)

#### Amstrad 3" Disc Drive

- 3 inch cisc drive
   Single sided, double density
   CFM & \_ogo
   Built in power supply camplete with in erface
- Only £9 monthly with Spectrum Chargecard\*. APR 29.8%(variable)



	Town State of the last	Section of the last of the las
2SX 100 40 Track 100K	SS	2124.95
CSX 200\$ 40/30 Track	100KSS	£159.95
CSX 400S 40/30 Track	100KSS	£189.95
CS 200S 40/80 Track S	S with PSU	£192.95
JS 2000 40 Hack DS W	th PSU	£169.95
CD 200 40 Track Dual D	rive	

Commodore 1541

**Disc Drive** 

Expansion tus for other peripherals
 Built in disc controller and operating system
 Dolly £9 monthly with Spectrum Chargecards
 APR 23.8% (variable)

#### Opus Disc Drives



#### **Entrepo Quick Data Drive**



Quick coerating system
 Extrablanmicrowafer and operating manual

#### Mitsui Quick Data **Drive for MSX**

**Exclusive** 

VSX	Innter Lead	£19.95
MSX	Montor Lead	£3.95
USX	Quickshot Liloystick	f9.95

#### **Dot Matrix Printer**

- 160 cps
   Bidirectional printing in text mode
   Normal/enlarged/condensed/
   condensed/enlarged/citter/
   Elite enlarged/characters
   Gentronics interface
   Optional RS232 interface
- Only £17 monthly with 3 pectrum Chargecard\* APR 29.8% (variable)



#### **Rotronics Wafer Drive**

Versatle twin datadrive for the ZX Spectrum Twin 128K drives 16K, 64K or 128K Waters

Only £8 monthly with Spectrum Chargecard\*. APR 29.8% (variable)

#### **Datafax Disc Interface**



Allows you to run 3-31/2" or 51/4" cisc drives Spectrum or Spectrum Plus

Only £8 monthly with Spectrum Chargecard\* APR 29.8% (variable)

#### Computer **Dealers**

or prospective dealers. If you would like to know more about becoming a SPECTRUM APPOINTED DEALER on an exclusive area basis, please write to Bob Cleaver, Spectrum Group PLC, Hunling Gate, Hitchin, Herls. SG4 OTJ. Te: (0452) 37171

**More from Spectrum** 

### **Super Value** Monitors & T.V.'s from Spectrum

**Fidelity Prism Monitor** for use with the Sinclair OL

Only £9 monthly with Spectrum Chargecard APR 29.8% (variable).

**Fidelity CM14** 



#### Commodore 1702 **Monitor**

- 14" colour, sound monitor
   PAL/FGB composite Tirt and volume
- controls Only £10 monthly with Spectrum Chargecard\* APR 29.8% (variable).

#### **Microvitech Cub** 1451 Monitor for use with the QL



Only £12 monthly with Spectrum Chargecarc\*.

APR 29.8% (variable).

#### Microvitech Cub

452/1431 Monitor Standard Resolution

Only £10 monthly with Spectrum Chargecard\* APR 25.8% (variable).



- Available in Green or
- Orange screen displays Glare or Non-Glare screens For office micros, or personal computers

Only £8 monthly with Spectrum Chargecard\* APR 29.8% (variable).

#### Tatung 14" Colour T.V.



- TV/RGB switchable
- 8 channels 14" tube

Orly £10 monthly with Spectrum Chargecard\* APE 29.8% (variable).

#### Sanyo CRT36 Monitor



Only £8 monthly with Spectrum Chargecard\* APR 29.8% (variable).

#### Super Value \_ ccessories

#### Super Value Package for Spectrum

**Currah Microslot for ZX Spectrum** Currah Microspeech for ZX Spectrum



 DK Tronics single port joystick interface

Quickshot II joystick

> SAVE OVER £5.00

Only £8 monthly with Spectrum Chargecard APA 29.8% (variable). Separately £46.85

**Joystick Converter for CBM C16 Plus** Quickshot 2 Joystick

Regular Price £15.70 **SAVE £2.75** 

Cnly £8 monthly with Spectrum Chargecard.
APR 29.3% (variable).

**DK Tronics Dual Port** Interface for Oric Plus Interceptor Joystick

Regular Price £21.95 **SAVE £3.00** 

Only £8 monthly with Spectrum Chargecard\*. APR 29.8% (variable).

**DK Tronics Single Port** Interface Plus Quickshot II Joystick for the Spectrum Only £8 monthly with Spectrum in min Chargecard

#### Omega Data Recorder

with Azimuth Tape Plus Gemini Carrying Case inc. 10 x C12

cassettes SAVE OVER £3.00 Ohly£8 monthly with Spectrum Chargecard\*, APR 298% (variable).

#### Cheetah Infra Red Joystick

Plus Currah Microspeech For Commodore 64

SAVE OVER €4.00

Only £8 monthly with Spectrum Chargecard\*, APR 29.8% (variable,



- Mcvable bridge Shalf below work finish surface Attractive design with natural pine finish legs and support rails and magnolia surfaces

Only £8 monthly with Spectrum Chargecard\* APR 29.8% (variable).

Not all stores carry every advertised item, please phone before making a journey, prices correct at time of going to press E&OE



Up to £1000 istant Credit

\*There's up to £1,000 worth of Instant Credit available on a Spectrum Chargecard See your local SPECTRUM dealer for written details (UK mainlandonly). Typical APR 29.8%.

for up to date, information & offers from SPECTRUM-see PRESTEL page 600181 fcr details.

## Your Computer Specialist Nationwide There's one near you!

#### AVON

BATH Software Plus, 12 York St WESTON-S-MARE E & K Computers, 32 Afred St Tel. (0534)419324

#### BEDFORDSHIRE

BIGGLESWADE HCCS Ltd., 22 Market Sq. DUNSTABLE Dormans 7-11 Broad Walk Tel: (3582) 23391/2

#### BERKSHIRE

BRACKNELL Computer Centre, 44 The Broadway Tel: (0344) 427317 SLOURH WIL Games and Computers 245 High St. Tel: (0753) 21554 WINDSOR Gadgets 30 Prascod St. Tel: (37535) 67211

#### BUCKINGHAMSHIRE

CHESHAN Read Photography & Computers 113 High St. Tel. (0494; 783373

#### CAMBRIDGESHIRE

HUNTINGDON T.S.2. Electronics, 3 All Saints Passage, High St. Tel: (p480), 411579 PFTFRROROUGH Lagic Sales 6 Midgale Tel: (0733) 49696

#### CHANNEL ISLANDS

GUERNSTY Gruts, 3-5 The Pollett, St. Peter Port Fel: ()481-24662 JERSEY Audio & Computer Centre 7 Peter St, St. Hellet, Tel: (0534) 74000

#### CHESHIRE

ALTRINCHAM Mr Micro 28 Hgh St. CHESTER Computer Link, 21 St. Werburgh St. Tst. (0244) 316616 CREWE Nicroman Unit 2, 128 Nantwich 3d. Tel: (0270) 216014

#### CLEVELAND

MIDDLESBOROUGH McKenna & Biown, 206 Linthorpe Rd. Tel: (0642) 222368

#### CORNWALL

ST AUSTELL A B & C Computers, Buchy House, 6 Lower Aylmer Sq. Tel: (0726) 67537

#### CUMBRIA

BARROW IN FURNESS Cumbria Audio Visual & Electrical (C.A.V.E.), 4B Cavendish Street (et (UZZ9) 23109 PENRITH Penrth Communications, 14 Castlegate Tel: 0768) 67:46 Open Mor-Fri till 8pm WHILLHAVEN P. D. Hendien 15 King St. Tel: (0946) 2063

#### DERBYSHIRE

ALFRETON Gordon Harwood 69-71 High St Tel: (0773) 832/078 HEANOR Logic Electrical Engineers, God frey St, Heanor Derby Tet (0773) 76980

#### DEVON

BRIXHAM Discus Computers, Beach Approach, Tel: (08045) 55532

7 Paris Street Tel: (0392) 21121 EXMOUTH Open Channel, 30 The Strand Tel: (0395) 264408 PLYMOUTH Syntax Ltd, 76 Cornwall St. Tet (2752) 28705 TIVERTON Actron Vicro Computers, 37 Bampton St. Tet (0884) 252854

#### DORSET

DORCHESTER Seven Counties Cptrs. 20 High Street East Tel: (0305) 56022 POOLE Lansdowne Cptr Centre 14 Arricale Centre Tel: (0202) 670901

#### DURHAM

DABLINGTON McKenna & Brown, 102 Bondgate Tel: (0325) 459744

#### ESSEX

BASILDON Godfrey's 28-32 East Walk (0268) 289379 BASILDON Godfrey's Computer Centre, 5 Landon Main Centre Laindon, Tel: (0268) 4:6747 CHELMSFORD Maxton Hayrran Ltd. 5 Brownfield 3d. Tel. (0245) 354595 GRAYS H Reynolds, 79 Orsett Rd. Tel. (0375) 5948

**SOUTHEND** Computer Centre 332 London Hd. Let. 10702) 337161

#### HAMPSHIRE

RASINGSTONE Fisher's 2-3 Market Place. Tel: (0256) 22079 PORTSMOUTH (Waterlooville)G B Microlani London Rd. (Opp. Co-op) Tel: (0705) 25991 SOUTHAMPTON LT.C. Ltd. 112 East St. Tel: (0703) 333958/24703

#### HEREFORD

HEREFORD Melgray H-Tech Ltd, 53/54 Commercial Str., Tel: (0432) 275737

#### HERTFORDSHIRE

POTTERS BAR The Computer Shop, 197 High St Tel: (3707) 44417 STEVENAGE 3 J Computers, 11 Town Square, Tel: (0438) 65501 WATFORD SRS Microsystems Ltd., 94 The Parade, High 3t. Tel. (0923) 20002 WELWYN GARDEN CITY D J Computers 40 Fretherne Rd., Tel (07073) 28435/28444

#### HUMBERSIDE

BEVERLEY Computing World, 10 Swaby's Yard Dyer Late. Tel: (0482) 881831 GRIMSBY RC Johnson Ltd., 22 Fnargate. Riverhead Centre. Tel: (0472) 42031 HULL The Computer Centre, 26 Anlaby Rd. Tel: (0482) 26297

#### ISLE OF MAN

DOUGLAS T H Colebourn Ltd. 57-51 Victoria St. Fel: ()624: 3482

#### ISLE OF WIGHT

COWES Beken & Son. 15 Bath Rd Tel: (0983) 29718

#### KENT

BECKENHAM Sura Computers 1td. 425

Gourt, St. Fefers Park Road Tel. (0343) 63284 (No Early Closing Day) BROMLEY Computers Today 31 Market Square Tel. (01) 290 5652 CANTERBURY Contentury Computer Centre, 56-57 Palace Street, Tel. (0227) 62101 DOVER Kent Photos & Computers, 4 King St. Tel. (0204) 322020 Tel: (0304) 202020

RAINHAM Microway Computers Ltd, 39 High St. Medway Towns., Kant Tel: (0634) 376702

SEVENDAKS Ernest Felder Computers, Durset Street, Tet (0732) 456803 SITTIMEBOURNE Computers Plus, 65 High St Tet (0795) 25677

TUNBRIDGE WELLS Modata Computers Ltd. 23-30 St Johns Rd. Tel: (0892) 41555

#### LANCASHIRE

PRESTON 4-Mat Computing Ltd. 67 Friargate Tel. (0772) 561952

#### LONDON

E6 Percivals 85 High St. North, East Ham. Tel: (01) 472 8941 E17 Erol Computers Ltd., 125 High Street Walthamstow Tet (01) 520 7765
FEZ Devron Computer Centre, 155 Mosigate
Tet: (01) 638 3339/1830
N14 Logic Sales, 19 Broadway, The Bourne,
Stuthgate. Tel: (01) 882 4942
N20 Cactlefurch Ltd. 1201 High Rd.
Tel: (01) 446 2280
N411 Computers Inc. 36 Golders Green Rd. N#11 Computers Inc., 36 Golders Green Rd. Tel: (01) 209 0401/0279
SET Vic Odcon's 6 London Bridge Walk.
Tel: (01) 403 1968
SE9 Square-Deal 373-375 Footscray Rd. New Ellham Tel: (01) B59 I516 SE15 Gastichurst Ltd., I52 Rye Lane, Peckham, Tel: (01) 639 2205

W1 Computers of Wigmore St., 104 Wigmore St. Tet. (01) 935 2452 W1 Micro-hoto,14-16 Quadran, Arcade, Regent Street Tet (01) 437 5336/5471 W1 Solic Feto & Micro Centre, 256 Tottenham Court Rd. Tel: (01) 580 5826 W1 Ransons, 4 Erlgeware Road. Tel: 01 724 2375

#### GREATER MANCHESTER

OLDHAM Home & Business Computers Ltd., 54 Yorkshire St. Fel: (061) 3331308
ROCHEALE Home & Business Computers,
75 Yorkshire Street, Tel: (070b) 344654
SWINTON Mr. Nicro Ltd., 69 Partington Lane. Tel: (061) 728 2282 Late Night Friday WIGAN Wilking Ltd., 11 Misnes St. Tel: (0542) 44382

#### MERSEYSIDE

LIVERPOOL florin & Business Cptrs 31 Bold St. Tot. (051) 708-0428 LIVERPOOL Beaver Radio, 20-22 White-chapel. Tel. (051) 709-9898 LIVERPOOL (Aintree) Hargreavis, 31-37 Warbreck Moor, Tel. (051) 525-1782

#### MIDDLESEX

TEDDINGTON Andrews, Bread S. PINNER Spectrum 91 Field Fort Rd. EastCop Tel. (01: 868-6830/6860 UXBRIDGE J K L Computers, 7 Windsor St. Tel: (0895) 51815

#### NORFOLK

KING'S LYNN Computer Plus, 40 Conduit St. Tel: ((553) 4550 NORWICH Norwich Camera Centie 20 White Lion Str. Tet. (8603) 612537 WORWICH Brainwave 11A Cas le Mtadow Tet. (603) 663796 THETFORD C B & Micros, 21 Guildhall Street Tel. (0642) 61645

#### NORTHAMPTONSHIRE

WORTHAMPTON Dormans, 22 Princes Walk Grosvenor Centra, Tet (0504) 37031

#### NOTTINGHAMSHIRE

NOTTINGHAM Jacobs Computers, 13 Middleçate Newark. Tel: (0636) 72594 WORKSOP Computagrafix 132 Bridge S. lel. (0909) 472248

#### NORTHERN IRELAND

Craigavon, County Armagh Tel: (0762) 332265 NEWRY Newry Computer Centre, 34 Monayhan St. Tat. (0593) 56545

#### NORTHUMBERLAND

MORPETH Telerents 31 Newgate St. To: (0665) 513 537

#### OXFORDSHIRE

ABINGOON Ivor Fields Computers, 21 Stert St. Tel. (0235) 21207 BANRURY Computer Plus, 2 Church Lane (0295) 55830 OXFORD Ivar Fields, 7 St Ebbes St. Tel: (0865) 247)B2

#### SCOTLAND

ABERDEEN Dee Micro 278 George Street Tel: (0224) 544350 AYR Vennals, 6A New Bridge St. Tel. (0292) 264124 DUNDEE Micromania 60 Cray St., Beughty Ferry Tet. (0382) 77:30 HAMILTON Tom Dickson Computers 8-12 Cadziw St. (et. (0698) 283193

#### SHROPSHIRE

SHREWSBURY Computerama 13 Castlegate. Tel: (C743) 60528 TELFORD Computer Village, 4 Hazeldina House Telford Town Centre. Tel: (0952) 506771

#### SOMERSET

TAUNTON Grays, 1 St James St el: (0823) 72936

#### STAFFORDSHIRE

STAFFORD Computerama, 59 Forgate St. STOKE-ON-TRENT Computerama, 11 Mkt Square Arcade Hanley. (0782) 258620 HEDNESFORD Discos Ltd., East Cannock

#### SUFFOLK

BURY ST EDMUNDS Guidhall Cotr Ctr. 11 Guildhall St. Tel. (0284) 705772 LOWESTOFT John Wells, 44 London Rd North Tel: (0502-3742

#### SURREY

CAWBERLEY Camera Arts (Micro Computer Division), 36 High St. Tel. (02°6) 65848 EPS3M The Nicro Workshop 12 Station Approach Tel. (03°77) 21533 WALLINGTON Surrey Micro Systems Ltd., 53 Woodcote Rd. Tel. (01) 647 5636 WORING Harpers, 71-73 Commercial Way, Tel. (04062) 25057

#### SUSSEX

BEXHILL-ON-SEA Computerware, 22 St Leorards Rd. Tel: (0424) 223340 BOGNOR REGIS Bits & Bytes High Str., Tel (0243) 867143 BRIGHTON Gamer 71 East S. Tel: (0273) 723681 BURGESS HILL Weald Optrs, 247-249 Lon-don Rd, Tel: (04446) 41501 CRAWLEY Gatwick Computer Services, 62

Boulevarc. Tet. (0293) 37842 LITTLEHAMPTON Nan Chase Ltd., 39 High St. Tet. (C903) 715674

#### WALES

ABERYSTWYTH AberData at Galloways, 23 CARDIFF Randall Cox, 18-22 High St Arcade, Tel: (0222) 31960 NEWPORT (Gwent) Randall Cox, 118 Commercial St. Tel. (0633) 67378 PENBROKE Randall Cox, 19 Main St. 064) 882376 WREXHAM Wiexham Computer Centre, 24 Abbet St. Clywd Tel: (0578) 358832

#### WARWICKSHIRE

NUNEATON Micro City 1A Queens Road Tel: (0203) 302049

#### WEST MIDLANDS BIRMINGHAM Software World 12 Ether

Street Te: (021) 643 7559 COVENTRY Greens, 22 Marke: Way. Tel (0203) 28342 DUGLEY Central Computers, 35 Church Hill Predict. Tel: (0384: 238169 Precinct. Tel: (0384) 238169
WALSALI New Horizon Computer Centres, 1 Georali St. Tel. (0922) 24821 WEST BROMWICH Bell & Jones, 39 Queens Square. Tel. (021) 553-0820

WOLVERHAMPTON Wolverhampton Computer Centre, 17/19 \_itcmield St. Tel (0902) 29907

#### WORCESTER

KIDDERMINSTER Central Computers, 20-21 Blackwell Street, Tel: (0562) 746941 WORCESTER David Warring Ltd., 1 Marmon House High St Tel: (0905) 27551

#### YORKSHIRE

BRADFORD Erricks Fotrsonic House

BRADFURD Efficies Fotisonic House
Rawson Square. Tel. (0274). 3)9266
DONCASTER. The Soft Centre 8. Queersgate Waterdale Centre Tel. (0302). 20083
ROTHERBAM GT Leisureworld.
Cascade Dentre Tel. (0709). 67391
SHEFFIELD. HYL. Computers. 012. Coclesall.
Rd. Tel. (0742). 661328 YORK York Computer Centre 7 Stonegate Arcade, Tel: (0904) 641E62





# Herbie Briggs has just destroyed the myth that all floppy discs are created equal.

They seem equal. Until you look at the seams.

That's where equality ends.

Most companies seal their discs with a spot here, a spot there. Leaving most of each seam not sealed at all.

Sooner or later, the seams might do what comes naturally: they bulge. Warp. Pucker. Open up.

Pens, pencils, fingernails—even a fouryear-old's, like Herbie—can catch and snag in those wide open spaces.

That's sloppy. And dangerous. Because if you put a sloppy floppy into your disc drive, it can jam your drive. Ruin your drive head. Lose your data.

So much for their seams. Ours are different.

THE SLOPPY FLOPPY:
Sealed with a spot here,
a spor there. Leaving
unsealed seams
everywhere.

Memorex uses a process we developed, called Solid-Seam Bonding.

Solid-Seam Bonding scals shut every inch of every seam of every Memorex\*floppy disc. Tight as a drum. That makes the Memorex floppy stiffer. Stronger. And your data safer. To resist bulging, warping, puckering, or opening up.



To resist all the things that can jam your drive, ruin your drive head, or lose your data.

Which proves that a Memorex floppy disc isn't equal to all the others. It's better.


Solid-Seam. Bonding is just one example of the extra care that goes into every Memorex floppy disc. Be it 8," 5¼" or the new 3½." Extra care that lets us guarantee every Memorex disc to be 100% error-free.

The next time you're buying a floppy disc—or a few hundred of them—just remember this:

It's always better to be safe than sloppy.
For more information on the full line of Memorex quality computer media products, including computer tape, call Memorex U.K. Ltd., 96-104 Church Street, Staines, Middlesex.
Tel: 0784 51488

Your Data. When it matters, make it Memorex."

**MEMOREX** 



## Nice Password. Shame about the Identity.

It's a unique combination.

Your Special Identity Number and Personal Password. The valuable key to huge databases teeming with activity, set on our Mainframes across the nation.

On Micronet 800, you're a valued individual, adding your own special flavour and personality to the database.

Take our exciting new "Gallery"-You control your personal screens for all to see. The intriguing "Chatline" public conversation service gives you freedom to express your views and meet some remarkable people.

All part of a tremendous Communications section that networks you to 50,000 Micronet and Prestel users across the country. Try Teleshopping, or interview celebrities live on "Celebrity Chatline" every Wednesday night.

And there's FREE (& instant)
National Electronic Mail, plus International Telex, and the Contact and
SwapShop bulletin boards.

Get computer news first on Micronet's daily (and controversial), "Newsflashes" and read up on the latest reviews and courses. Feast from our regularly changing menu of programs to download straight into your micro - absolutely free.

You also get access to Educational Computing's "School Link" and Prestel's huge 300,000 page database, including world news, business & share bulletins and optional homebanking. For only £16.50 per quarter, that's less than the price of a daily paper!

Micronet is unique amongst networks and bulletin boards as it keeps your phone costs very low with special <u>local\*</u> rate calls whenever you connect up – that's around 40p for a whole hours entertainment each evening.

The only accessory you need is a Modem, to get the best value for money around in micro communications.

Fill in the coupon for the full facts and send to Micronet 800, 8 Herbal Hill, London EC1R 5EJ. But be warned, Micronet 800 is a 'living' service with ever-expanding features. So maybe you'd be better to call in at your local Micronet 800 Action Station. There are thousands of Micronetters waiting to meet you!



## TRIPPING UP DOWN MEMORY LANE

WITH RAM CHIP prices tumbling downwards, the biggest plus for Acorn's new 64K machine is the £170 it costs more than the old BBC Model B. In 1983 when memory chips were scarce and expensive there might have been some justification for a big price hike for a computer with more Ram. But now Atari's 128K XE for £170 puts paid to the memoryequals-price myth.

Computer manufacturers pay less than £1 for a 64K-bit Ram. Take four of these and you've got 32K of memory and a little change left over. Back in 1981 the ZX-81 retailed at £70 and its 1K memory was a major production cost - a 16K Ram pack cost £50. Today micro-makers find themselves staring up at Ram mountain.


The turning point was the 1983 chip famine. Machine manufacturers over-ordered to ensure an adequate supply and then cancelled their bids as they satisfied demand. It takes time for a chip producer to ramp up production and it's difficult to scale down output precisely at the point demand peaks. The result? - over-supply and cheaper chips for everyone.

Add to that the sudden arrival of a major new source of memory chips in the Far East like Samsung and the competition hots up even further. Korean Samsung aims to put \$750 million into chip manufacture over the next five years and has already spent \$300 million in the last year to crank its output of memory chips up to six million 64K-bit Rams a month. Compare that with Hitachi, the biggest memory-maker at 15 million a month. It seems that Samsung has already pulled in some big customers like Sinclair, who has been using their chips since September.

But just how useful is all this extra memory to home computer owners? 54K is the most an eight-bit chip like the Z-80 or 6502 can address without resorting to bank-switching. Perhaps adventure writers will benefit from the extra space but it will take some time for software houses to capitalise on it. In any case, it is often argued that more memory just make programmers flabby - some of the best software around was written for small memories with economy

What really counts is the power of the main processor and graphics chips, and for serious applications the quality and price of storage devices.

Editor: TOBY WCLPE, Assistant Editor: MEIRION JONES, Production Editor: IAN VALLELY; Software Editor: SIMON REESLEY; Commercial Software Editor: PAUL BOND Editorial Assistant: LEF PADDON; Editorial Sceretary: L'NN DAWSON, Editorial: 01-661 3144. Advertisement Manager: MICE, RATNIEKS 01-661 3127; Senior Sales Executive JULIAN B.DL.2KE 01-661 8458; Advertisement Executives: NIGEL 30RRELL 01-661 3660 KAY FILBIN 01-661 8484; Northern Office: GEOFF PARKER 061 872-8861; Advertisement Secretary: MAXINE GILL; Classifiec: SUSAN PLATTS 01-661 3036; Publisher: GAVIN HOWE: Group Advertisement Manager SHORHAN GAJIAP. Your Computer, Room L.221, Quadrant House, The Quadrant, Sutton, Suriey SM2-5AS. Editorial Susiness Press International Ltd 1985. Printed in Great Britain for the proprietors Business Press International Ltd. 1985. Printed in Great Britain for the proprietors Business Press International Ltd. Quadrant House. The Quadrant, Sutton, Suriey SM2-5AS. Tel: 01-661-3500, Telewgrams: 89208-BIPRESG, ISSN 0263-0085. Printed by Riverside Press Ltd, Whi stabe, Kriti, and typese by InstepLtd, London ECI. Subscriptions: U.K. 112-50 for 12 issues, ABC 131,765 Juni-December, 1984.



Emlyn Hughes hopes micros can keep hooligans out.

## STOP THE HOOLGAN

AS THE FINAL WHISTLE blows on another troubled soccer season ex-Liverpool star Emlyn Hughes suggests micro-technology can reduce football hooliganism.

Instead of the referee's red card a white card could curb trouble on the terraces. Al. bona fide fans would be issued with photo cards with an identifying magnetic stripe. This would have to be passed through a reader on the turnst:le connected to a micro at the ground. Convicted hooligans would be put on a mainframe central register of banned fans which

would be used to update local computers each week.

But unless all football clubs agreed to join there would still be problems with away supporters and uncommitted fans. Dav.d Crolts of Sperry which is proposing the scheme in association with Emlyn admits that it would only be foolproof if everyone was forced by law to carry an identity card.

Meanwhile our Robot Competition winner Guy Taylor has a different approach to stopping soccer hooliganism with technology - see page 67.

## **Cheap Tatung**

TATUNG has joined the price war by chopping £150 off the 64K Einstein, which has a built-in 3in. disc drive.

Some dealers are now offering a rackage of an Einstein with a single drive, colour menitor and £190 of software for £500, which could make it tough competition launched last year.

for the new Amstrad CPC 664 which, like the Einstein, is Z-83.


At £350 the Einstein comes with various bundles of software depending on the whims of individual suppliers. The tw.n drive version now costs £500 the same as the single when it was

## D-FOR BBC B+ New Acorn is not enough

even Acorn enthusiasts are all giving the new B+ BBC micro a D-. Meanwhile the top man in charge of selling BBCs and Electrons, consumer director Peter O'Keefe, appears to have vcted with his feet by resigning from the company as soon as the Plus was launched.

The redesigned Plus board has two extra Rom sockets, 64K Ram, with Basic and operating system combined on a single 32 kilobyte chip to make space for a built-in WD 1770 Disc Filing System - which means you can plus a drive straight in. But although the new DFS has the advantage of utilities like Verify and Format on Rcm, many commercial disc-based programs are currently protected by calls to the 8271 DFS chip Acorn has used up till now and so will not run on the Plus.

Externally the Plus retains the BBC micro's case but inside the new simplified board should make it cheaper to produce than



New board simplifies BBC - but not by much.

the old B, despite the improved specification. With BBC micros already looking overpriced at £330 this makes it all the more remarkable that Accrn intends to sell the Flus for £500 - when the 64K Amstrad 664 costs £50

less and includes a disc drive and colour monitor, while the Atari 130 XE has twice as much money for a third of the price. No wonder one dealer told us he was "dreacing" the arrival of the BBC B Plus.

## Trading **Standards** clamp down on piracy

IF PIRATES think that the heat is off them until William Powell's Copyright (Computer Software) Amendment Bill becomes law, a recent case in Bath may make them think again.

Rod Frans of New Generation Software called in the Trading Standards Officers when he saw half-price versions of NGS's Knot ir. 3-D and Quicksilva's 3-D Ant Attack advertised for sale by

After several months work the TSO established that these were illegal copies made by one Antony Yarpold of Mill Hill, London and he was successfully prosecuted under the Trades Description

Meanwhile, Powell's Bill is now through the House of Commons and the Federation Against Software Theft hopes that it will be law by July.

#### **Hotline for** warriors and Wallies

IT'S FOR YOU-HOO, Software houses have at last discovered the phone. Mikro-Gen is now operating a Telephone Tranquiliser Service on 0344-56447 for Everyone's a Wally fans who need desperately to know what Wilma should do when she's read the looks. In stark contrast, if you want to go nuclear in PSS's Theatre Europe, an authorisation phone call must be made first and PSS lays on the drama before giving the code word.

#### Long live QL-Com

QL-COM LIVES. Despite the collapse of OEL which developed the QL-COM telecommunications package for the QL, the modules will still come to market under the name Q-Link now that Tandate has bought the rights.

## INSTANT HAIRCUTS ON 64 DIGITISER



From picture to screen by video digitiser.

CRL'S NEW VIDEO DIGITISER for the Commodore 64 could be a breakthrough on the road to realistic graphics. For around


£150 the cartridge, which plugs into the back of your 64, allows you to take a picture frem a video camera or recorder and present it on screen as a 160×200 pixel image, which can be stored or altered by introducing new colcurs or zooming in on small areas of the picture. It could be used by a hairdresser to show a picture of a customer's head and then show what different haircuts would look like on screen rather than waiting till the scissors have done their worst to find that it is not what the client wanted, CRL may use the digitiser themselves to make background effects in games more realistic and to improve animation. The digitiser comes complete with software to output images to a colour printer and is designed to be used with graphics pads like the Koala and lightpens. And if that isn't enough for CEM graphics enthusiasts, SMC is introducing a Magic Mouse sprite and icon designer for the 64 at £60.



it's packed with intriguing puzzles — and prize competitions devised specifically for microcomputer owners.



This is an example of one of the many types of puzzle to be found in Micro Challenge - but it's also your chance to win a superb JVC portable colour television with remote control. Solve the problem, using skill, judgement and your own micro, then send the solution, on one of the prize puzzle entry forms from the May/June issues of Micro Challenge, to the address given in the magazine, marking the coupon AP1. (A proper form must be used; no photocopies or facsimiles are permitted). The competition closes first post on June 17, 1985, and the first correct entry opened wins the prize.



Moving at the speed of light you could still snap up our fabulous launch issue. Order a regular copy from your newsagent now. Details of subscriptions or postal deliveries contact: MICRO CHALLENGE Somers House, Linkfield Corner, Redhill, Surrey RH1 1BB

AS: WRITE THIS, Stever. Jones of Manchester is on his way to the offices of Scorpio Games World to collect another royalty cheque for his game Manic Mushrooms - or so he thinks. Waiting for him will not be Eamon Andrews and the This is Your Life team but a list of questions because Scorpio really wants to know why his game looks so much like Manic Climber - a Spectrum game by Hugh Dereli published in Your Computer last September. Scorpio was sceptical at first when we phoned to say that Dercli had seen Manic Mushrooms reviewed in another magazine and had his suspicions. Then we asked Scerpio to load up the game and then push 1, 2 and Caps Shift simultaneously. As the copyright sign and Dereli's name appeared on screen there was a gasp at the other end of the line followed by a promise to "do something nasty to the fellow who sent it in", then a more considered offer to pay all royalties to Dereli.

AMONGST THE LOTS at the Soft Aid auction in aid of Ethiopia at GLC County Hall, London on June 15 will be the last remaining piece of the original Imagine. Days before the most-hyped company in the history of computers crashed we were sent the inlay card of a game which never was - Cosmic Cruisers and stapled to it the traditional bribe, in this case a packet of Smash instant potato.

FIVE OF THE WORST games ever is how James Learey of Firebird is describing Don't Buy This, the company's latest release. Instead of the usual copyright warning is an invitation to copy it if you don't mind wasting a tape.

SINCLAIR'S RECENT TV ADS which showed him jumping dozens of feet in the air may have been good for Sir Clive's ego but have done little to shift QLs which have not even been produced for the last two months because the warehouses were bulging. Now his press campaign comparing the QL with disc-drive based IBM PCs is raising eyebrows. Apparently if you ask a dealer what micro he or she would buy given up to £2,500, the answer would be a QL. We cannot find one dealer who agrees - can you? Name names Sir Clive.

## HARDINES


## Atari shows Hanover discs

THE ATARI "Power without the price" slogan takes on a new meaning as Tramiel's men still refuse to put an exact price-tag en the 10Mbyte hard disc.

But what is clear is that the cisc - first seen at Germany's vast Hanover Fair mascarading in a 1050 floppy disc drive box - will trample current hard disc prices and should cost as little as £500 for around 8Mbytes' formatted storage.

Like Atari's 16-bit, 512K 520 ST, the hard disc is already out with software developers, albeit in pre-production versions. The controller board has yet to be scaled down to fit into box size.

Computer-watchers should spot the £700 ST in the shops by July - although small production runs have already started and the hard cise should be visible a month or two later. With Atar: putting all its efforts into getting the ST and peripherals including the half-megabyte 354 and 1Mbyte 314 disc drives ready to time, other products in the company range have been hit by the "delayed" kiss of death. Others have not



Open the box. Jack's lad Sam Tramiel with hard ST.

been so lucky. While the 65XP portable and 65XEM music machine are "delayed" the 65XE, 130ST and 260ST are dead.

Not deterred by these early

fatalities, Tramiel is still promising a 32 bit "Vax in a box" for the autumn, and is even talking about a Turbo 68010-based ST for the end of

## 564 FOR YORKIES NOT OR YUPPIES



CPC-664 with Yorkie man Alan Sugar.

AMSTRAD'S NEW DISC-EASED CPC 664 is only the first of a number of new Amstrads. Alan Sugar plans to release an Amstrad with a built-in modem

and other variants with extra memory are likely products.

The 664 has a built-in 3 in. 180K disc crive instead of the cassette in the 454 which will continue in production at its old price. Like the 464 the 564 comes with a monitor and the whole system - computer, drive and screen - costs £339 with a monochrome display and £449 for colour. Sugar says all his products are aimed at the "average truck driver and his wife" rather than the Yuppies and technological whizzkids which seem to be some other companies' targets.

But Amstrad is also aiming the 664 at small businesses with claimed CP/M compatibility. Unfortunately the 664 has insufficient free memory to allow some CP/M classics such as WordStar - to fun in their full form. Amsoft will market its own business software some of which requires an additional £160 FD 1 disc drive.



#### BUSINESS COMPUTERS

Epsor PX8 £900 (£872) £892, Commodore PC10 £1595 (£1564) £1664, Sanya MBC775 £1920 £1899 £1999 Canon A200C £1809 (£1586) £1886, Sanya MBC550 £723 (£69£) £799.

#### ORIC AND SINCLAIR COMPUTERS



#### COMMODORE COMPUTERS

Commodoe C16 Starer Packs E119 (E119) E151.
Commodore Plus/4 E147 (E142) E174.
Commodore 64 £185 (£194) £228. Convertor to allow most certification more asset are condess to be used with the Vic 20 and the Commodore 64 £69 £1.
(E9) £11. Commodore casester recorder £43 (£44) £50. Centronics printer interface for Vic20 and the Commodore 64 £45 £41. £46 Disc drive £197 £207 £222. £20 pointsr/blotte £99 £56.

#### AMSTRAD, ATARI, ENTERPRISE AND MSX COMPUTERS

Amstrad Colour Computer, 1342 (1934s), 1398. Amstrad Green Computer £232 (£247) £287, Atari 8COXL computer £129 £136) £150. Atari data recorde: £34 (£37) £47. Atari data f£189 £209 Atari 1020 printer £93 (£39) £115. Enterprise 84 computer £234 (£236) £258 MSX Gcldstar £263 (£193) £213.

#### **ACORN COMPUTERS**

Asom Blootron £110 (£110) £13c. BBC Model B £354 (£343) £383 BBC Model8 with disc interface £474 (£461) £491. Co our monitor £168 (£228) £268. Kendadouble density disk interface system £137 (£131) £141. See bolow for suitable disc diseas.

#### CUMANA DISC DRIVES

To suit disc interfaces of Sinclair QL. Spectrum, and BEC B. 3inghr. 40 inauk single sided £164 L£ 63) £183, 40 tr. double sided £139 (£168) £189, 80 tr. ds £219 (£209) £229, Dual: 40 tr ss £294 (£280) £320, 40 tr ds £325 (£325) £365, 80 tr. ds £414 (£390) £430.

#### PRINTERS



MCP40 4 Colour printer/plotter E109 (E1 101 E1 22. Brether HR5 (162 | E161) E193. Shinwa: CTI CPA BC Centronics parallel virsion £218 (£22) £258. RS232 version £238 (£240) £282. Carnen PW1080A £005 (£301) £352. Epsen RX00 £249 (£240) £241 £241 £242 £242 £243 £2431 £316. Epsen FX80 £333 £305 £335. Combined mitrix printers and electric type-writers: Brother EP22 £135 [£124] £144. Brother EP44 £230 £228 £248

#### SWANLEY ELECTRONICS The computer Export Specialists

Dept. YC, 32 Goldsel Rd., Swanley, Kent BR8 8EZ, England

Tel: SWANLEY (0322) 64851

Official orders welcome. UK prices are shown first and include past and VAT. The second pilos in brackets is for export customers in Europe and notively insured arms a notively. The third pine is for export a extremel outside Europe (including Australia sto) and includes insured airms) postage.



To: Opus Supplies Ltd, 55 Ormside Way, Holmethorpe Industrial Estate, Redhill, Surrey.	My Access Barclaycard (please tick) no. is:	Oppus
Please rush me the following: (PRICES INCLUDE VAT AND CARRIAGE)	Name	Opus,
Organiser Desk(s) at £59.95 each (inc. VAT)	Address	55 Ormside Way.
l enclose a cheque for £or please debit my		Holmethorpe Industrial Estate, Redhill, Surrey.
credit card account with the amount of £	Telephone	TELEPHONE: 0737-65080

#### **TOP 20**

		O CONTRACTOR	2000
1	R.I.P.	M. Troric	Vc
2	Rockman	M. Troric	Vc
3	Mickey the Bricky	Firebird	Va
1	Naster of the	Activision	64
2	Basetall	Imagine	64
3	Rock 'n Bolt	Activision	64
1	Chuckie Egg II		Sp
2	Booty	Firebird	Sp
3	Gyron	Firebird	Sp
1	Wizardore	Imagine	Ec
2	Football	Addictive	Ec
	Nanager	Ganes	
3	Vini Office	Dalabase	Ec
		Pub.	
1.	Blue Max	US Gold	At
2	Fort	US Gold	At
	Apocalypse		
3	Spitfire Ace	US Gold	At
1	BMX Racers	M. Tronic	16
2	Vegas Jackpot	M. Tronic	16
3	Class c	Melbourne	18
	Adverture	House	
	Chuckle Egg	A&F	EI
2	Class c	Melbourne	El
	Adventure	House	
3	Ghouls	Microower	El
- 1	Decathlor	Ocean	Am
2	Sorcery	Virgin	Am
3	Jat Set Willy	G/Projects	A.m
1	Jet Set Willy	S/Projects	Ms
2	Flight Path	Anrog	Ms
3	Crazy Golf	Mr Micro	Ms
Vc=	Vic-20 64 = CBM	64	
Sp=	Spectrum Bc = 6	BBC At = Atari	260
	CBM 16 EI - EIG		000
Am=	Amstrad Ms=1	MSX.	75

#### TOP 3 BY MACHINE

	1	Dragon Tcrc	Hewson Con.	S
1	2	Booty	Firebird	S
	3	Super Gran	Tynesoft	S
ţ	4	E/eryones a Wally	Microgen	S
4	5	S:ar Strike	Realtime	S
	6	Death Star	System 3	S
		Interceptor	Activision	S
+	7	Ghostbusters		
1	8	Alien B	Ult mate	S
1	9	Airwu f	Elite	S
+	10	Wild Bunch	Firebird	S
•	11	Moon Cresta	Incontivo	S
•	12	Shadow Fire	Beyonc	64
	13	Gyron	Firebird	SI
1	14	Monkey Magic	Solar	1
	15	Brian Jacks Challenge	Martech	S
t	16	Mini Office	Dalabase Pub.	S
1	17	Go Go Ghost	Firebird	6
*	18	Wizardore	Imagine	B
	19	World Series Basetall	Imagine	3
000	20	30 Timetrack	Antog	13

Position Source = WH Smith



#### MAXAM-UM HYPE

I DON'T KNCW about the quality of Arnor's assembler board MAXAM, but the quality of their marketing must be pretty good if they have been able to convince you that any Amstrad owner who does not have their product cannot possibly be a "serious" user.

One thing I co know is that the quality of the cassette-based assembler I bought from Arnor some time ago leaves much to be desired. Corruption of the source-code after saving and loading is all too common, often a load of garbage being added on at the end or, more seriously, great chunks of code disappearing altogether, making the thing completely unreliable

In any case, the suggestion that a "serious" user must have a £60 addon to be able to program in machinecode is utter nonsense. Any programmer worth his cr her salt should be quite capable of utilising Ram effectively, without need of extravagant luxuries.

If you really want to recommend a useful utilitarian product, I suggest the assembler Deep Thought, available from Ultrate: (Computing), Floor B, 93 Mount Road, High Barnes, Sunderland at the rather more sensible price of £8.95. Its author Phil Murray may not be a very slick trarketeer, but he strikes me as a darn good programmer.

Nick Godzoin. Eyerrouta, Berwickshire.

#### **POKING ABOUT**

I WRITE TO your regarding software protection on the Commodore 64. The following is a list of Pokes which help to prevent unlawful copying of programs.


1. To prevent the use of the Stop

a; PCKE 808,251 b; POKE 808,239

2 To prevent a program being Restered:

POKE 808,255

Eelcw: Rusty by Gareth Thomas of Caerphilly. See page 67.



3. To prevent a program from being listed:

a) POKE 775,0

or b) POKE 774,131 : POKE 775,164 or c) POKE 774,226 : POKE 775,252

Part (c) produces a cold start if ar. attempt is made to list the program. 4. To prevent a program from being Saved.

a) POKE 818,131 : POKE 819 164 or b) POKE 818,226 : POKE 819,252

Part (b) produces a cold start if anyone tries to save the program. 5. To prevent a program from being

Saved and listed: a) POKE 808,255 : POKE 818,32

6. The following Poke causes a cold start if an error occurs:

a) POKE 768,226 : POKE 769,252.

S F A Shah, Enjield, Middlesex.

#### CHEAP PRESTEL

FURTHER TO Robert Evans' letter -May issue - re "Prestel Warning" to modern users, I would like to point out the statistics of Prestel telephone call access. At the present time over 96 per cent of the U.K. telephone population has Prestel available at the local rate - i.e. 40p for one hour - and the remaining percentage is under review.

In all Prestel/Micronet literature it gives details and invites any potential customer to check the access rate by dialling 100 and ask for the Freefone Prestel Service.

> Clair Walker, Micronet 800.

#### **ELITE TIPS**

To REACH Elize is a hard task as a lot of you have probably gathered by now. If you want to keep a low profile with the Galactic Police don't trade in slaves, nurcotics or firearms. If you aren't a trader a fuel scoop is generally useless. For the combeteer if you want to reach Elite quicker don't bother to pick them up, shooting them down increases your

Your Computer now has its own Prestel Mailbox. Our number is 019991800. If you have any program enquiries send us a message. We will try and give you an answer within a few days.

rating - I'm talking about the five sided Thargon Rem-craft. I ust bought a fuel scoop to make my Status page look pretty. Every ship, besides cobras and vipers gives a bounty and increases rating.

Useless equipment. Right beam/pulse laser Rear beam/pulse laser

If your're a combateer include fuel scoops and large cargo bay on your list Missiles near the useless pointhe useless point because most pirate ships and all Thargoid battle cruisers are equipped with ECM systems. Try not to make more than 3.5 to 5.2 light year jumps because every so often a whole fleet of Thargoid battle cruisers catch you while you are jumping to your already programmed world. If you manage to destroy all of 5-10 cruisers you'll have enough fuel to escape out of Witch Space.

If you have an energy bomb it's well worth the trouble to press Tab. A list of objects wnich improve your rating.

Cobra mk III Mambas Pythons

Sidewinders Thargoid Invasion Ships/Battle Cruisers

Thargons Vipers Asteroids

Missiles If you're a fugitive you'll get frequent visits from vipers from locations 1, 2, 3 and 4. If you're an offender and are attacked by a viper patrol don't fire back. Look for pirates, shoot them down and hopefully you're offender tag will be eliminated. Using escape capsules returns your legal status to clean.


A Mannan, Seaforth, Liverpool.

#### ENTERPRISING

A SMALL bunch of Enterprise owners wish to start up an independent users group for the machine, as we feel it deserves more support than it is currently receiving

I would be grateful to hear from any other users who are in a position to offer assistance, or simply want to oin us as a member. If interested please send a SAE for full details of the club.

Mark Lissak. 10 Mansfield Road, London NW3 2HT. (continued on page 27)



July Manual Control of the Control o This whole page was printed in just one run using the special commands contained in the latest and most sophisticated printer utility ever written for the Commodore 64 / NOW, YOU CAN BE THE MASTER OF YOUR PRINTER WITH, CENTIPEDE Cxcommodore &- CENTRONICS The Advanced Interface / Printer Utility COMPATABLE HARDWARE — CABLES

The printer is connected to the 64 via the user port.. Pins A to I are used— (PA2 to strobe and FLG to Acknowledge. A proper shielded multi-core cable is supplied (if needed) rather than ribbon. It works fine with 'EAST SCRIPT'. SOFTWARE - This program is filted a disposable Auto-Relocater which encoles it to Co-exist with most other utilities. You can, it desired, specify an address on localing. Another feature to put you in control! IF YOU ALREADY HAVE A CABLE - WE CAN ADVISE YOU ON ITS SUITABILITY - YOU WEED ONLY FURCHASE THE SOFTWARE. THIS PROGRAM HAS BEEN TESTED WITH BOTH DOT MATRIX AND DAISY WHEEL TYPE PRINTERS WITH EXCELLENT RESULTS VERSATILE As stated at the top of the page, this whole page was printed out in just one run and not just Proof of what is possible when using 'CENTIPEDE'. So far I have mixed Hires with the printers' own fant. There's more! Above. I have taken a piece of Hires screen, and by using a simple FOR-NEXT loop, have dumped it here using each of the modes available on my printer. I even have a choice of 4 ROTATIONS! (The 4th can be for shading), the rotation can be used in both low and hi-res and, can be either a whole screen or just one character square. There are over 20 commands, and 255 secondary addresses, giving the user plenty of freedom to make his printer perform whatever tricks it was designed to. (and perhaps a few the makers hadn't thought about!). The writer has even made some amendments to the operating system of the 64. Just to make life a little easier. (cu can print. "CBTSINGER CONTROL COMES" or maybe... "TBM(clr)(rvs)(yel)\*\* Control codes" if you're just not in the mood for opening and closing files, then you can use the '\*\* command which does it all for you!! Generally, the use of ESC codes has been cut to the minimum so you may enjoy using your printer to the maximum. Of course, you can still use this utility as though the extra features didn't exist. We don't want to change tradition ...Too much. Whichever way you want to use your printer. You'll find the way with "CENTIPEDE". USE THIS UTILITY TO DUMP PICTURES FROM 'DOODLE' & 'KOALA PAD', for just: Multi-Core cable + £10 EXTRA ALL INC: THE PRINTER USED FOR THIS PRINTOUT IS WE THINK, THE ULTIMATE MACHINE. HIGH SPEED (120 cps), LTR QUALITY, OVER 70 ESC CODES.

ITS CALLED THE SCROTCA SP-1200 PLUS AND COST JUST 1292 INC. CENTIPEDE & CA AND COST JUST £292 INC. CENTIPEDE & CABLE PHONE OR WRITE FOR PRICES OF EPSON [July range available]
Some other makes of printers we have to offer Prices inclusive - except delivery

[Diese LTR-1 PRINTER £ IGD INCLUSIVE LOQ Printers from£249 WE HAVE MANY MORE PRINTER OFFERS - WRITE OR PHONE, NOW! - AND CHECK OUT OUR EXPANDING SOFTWARE RANGE MUSHROOM SOFTWARE IS MARKETED BY :-193 ROMMANY ROAD, LONDON SE27

## INX TOUCH

#### How to write for Your Computer

We called this magazine Your Computer precisely because we welcome your views, tips and hints and even your criticisms of machines and scftware in general. Here's how you go about getting your name into print. Your article should be typed, doublespaced, on A4 paper. A name and address on each sheet would help. Don't forget to tell us which machine it runs on. With programs please include a cassette cr d sc and some indication of how long it is. Please put what machine it's for on the envelope. Dor't forget full instructions to us how to load and list your program and how to enter it for the readers.

The article must be submitted exclusively to Your Computer. We pay £35 per published page that's as it appears in the magazine and includes Illustrations.

#### Telsoft

Telsoft is Your Computer's software downloading service. Any program for the Spectrum or the BBC and soon the Commodore - which has a telephone symbol next to it is available on the service. Both 1200 and 300 baud speeds are catered for. For more details call Colchester (D2C6) 8063. No more lonely nights typing in encless pages of hex digits

#### Message service

You can get messages to us in two ways. Either use the Prestel Telex Link to 892084 BISPRES G or you can use our very own modem, day or night on 01-661 8978. The modem is V21, 300 baud, even parity, 10 bits per character. You simply transmit in upper case "YRC" - our adcress code, and wait for the acceptance code "+++ STF GO". Then off you go. Don't forget to tell us who it's for. Sign off with "NNNN" - again in upper case.

(continued from page 25)

#### MONITOR BUGS

THANK YOU for publishing my Amstrad monitor program in the April issue of Software File. Since sending you the program I have identified a bug which occurs under certain conditions. The fix for this requires the lines listed below to be changed/added.

- 34 FOR pointer = &ABB3 TO &ABDE:FEAD a:POKE pointer, a NEXT
- DATA &ed, &73, &ee, &ab, &d5, &c9, &00, &33, &33, &ed, &73, &ec &ab
- DATA &ea, &ab, &ed, &7b, &ee, &ab, &c9
- POKE &30, &C3:POKE &31. &BA:POKE &32,&AE:REM set restart 6 ready to jump to breakpoint handler at &ABBA 420 CALL & ABB3, address

Denis P Riley, Nuneaton, Warwickshire.

#### SNAKES ALIVE

UNFORTUNATELY, THE listing and article published last month for my game, Snakes Alive contained a number of errors which would have prevented most people from correctly assembling the program.

To start from the text, the two big errors are, first, that in the load instruction, for relocating the program to lower memory, which should read:

LOAD "CODE 24000 and not

CODE 2400

You may have realised this, as 2400 is an address in the Rom, but the second mistake straight afterward is not so obvious. I said after the load instruction, to then use that to load in code previously typed from listing

Unfortunately, since the magazine used its own listing and checksum method, the two larger listings have been interchanged. This means that if you have not yet typed in any code, you should begin with listing 3 after listing I, and later load in code from this listing. If you have already typed in all the code, however, it is necessary to swap around the two blocks of code. This is most easily done if you only have a 16K Spectrum, with:

LOAD ""CODE (load in your finalised code): SAVE "MOVE!" CODE 28384,4384 (save on a spare tape) : RANDOMIZE USR 0 ; and then; LOAD""CODE the finalised code again) 28384. (this moves the first part up): LOAD""CODE 24000 load in the previously saved MCVE!" file)

And then, resave it all with the nstruction given in the article. Alternatively, i. you saved both code blocks after their completion, you could simply load them in the other way around.

Next, and perhaps most important, the USR statement in the loader program is wrong. This one's my fault, I'm afraid. It should read: USR 30066

USR 30069



ବିପ୍ରପତ୍ତି ଅନ୍ତର ଅନ୍ ଅନ୍ତର ଅନ 

50FCF0000004F8A000000FC480000545CAE00 000050F6F2000050FCF8A000

\$2F0F00000CFEF9F0000458F0F000000CFQ400

Now comes the nitty gritty; because of the denseness of the print of the main listings, there are several places where the hex code is unreadable, or has even vanished. These, if you have avoided typing them in, may be corrected by loading in the relevant listing code and the hex loader, and entering the following addresses, codes, and checksums.

Listing 2: The amazing disappearing checksums in the first two lines are 389 and 777.

29544: 02143EDA910/47EB = 552 29552: 788638F60232475B = 968 29560: 7EE6033630CDDB70 = IILI

Listing 3: The somewhat unreadable figures in the first 20 or so lines are mostly 4s, 1s, 7s & 0s. Only if these are correct will the checksum be correct also, so if you are unsure about a digit, use trial and error to cetermine the correct one.

29456: 93 IF 8F CF DF 8F 8F 9I =

D R Aspmali, Brentwood, Essex.


#### CORRECTIONS

Mark Jones' Ploiline program in the May issue works perfectly as it stands out by changing just five lines of code it can be speeded up substantially. To do this replace the following lines: BRA.S LPA LSLB # 1,D3

LSLB # 1,D6 ROLB # 1,D5 DBRA DC,LPA1

with LSLB DO,D3 LSLB DO.D6 ROLB DO,D5

Line: 340 to 380 in Litting 2 for May's Amstrad program Jumper are not dearly printed. An improved Esting is riven above.





## lcould

Basic animation on page 31 should have given you a few ideas of your own. So for this month's £15 competition we would like you to write a short program — no more than 20 lines — to produce a simple animation sequence. The restrictions are that it must only use PRINT statements and alphanumer c characters nc POKES and no userdefined characters.

If you are short of inspiration just consider the ways in which films animate their title sequences. You could, for instance, have a jumble of letters troop onto the screen and then re-arrange themselves into a message

April's competit on was to simulate a kaleidoscope, to write a drawing program which would mirror a figure drawn in one quadrant in each of the other three quadrants. From a large number of entries we picked as the winner a Spectrum program from R. Doughty, 13 Hall Road, Stowmarket, Suffolk, As well as allowing you to draw diagonal lines and move the cursor without drawing it includes an option for erasing lines - a vital feature in any drawing program and one left out by many of the programs submitted.

as-"c" THEN LET PA-"e" SJ8 150 30 TO 25 DT 0929 1.1-3,913 DRAW 0 PLOT OVER 1, 4-3, 443 DROW O 0.7 OVER 1: (0.9 0. DRHW 0 -0.8 OVER 1: (40.9 0. DRHW 0 "P" THEN PLOT 2.9 PL P OT 256-2,176-9 PL

## Starting out in home computing? First Bytes is for you. Just write to Your Computer with any hardware or software problems, no matter how small or simple.


#### A bluffers' guide to micros

NAME DROPPING is a necessary activity in any social circle and the world of microcomputing is no exception. Film buffs will tell you that Douglas Trumbull did the special effects for 2001 a space odyssey and then went on to make his own movie Silent Running, throwing in the fact that he has developed a revolutionary new technical system for cinematic projection. A dedicated afficionaco of popular music will know the names of at least two members of Frankie Goes To Hollywood apart from Holly Johnson.

So with the micro-buff. Any fool knows that Babbage's assistent, Lady Augusta Lovelace was the daughter of the poet Eyron. Most people who ment on the Turing test of artificial intelligence have taken the trouble to find out that Turing was ar. English mathematician and not a town in northern Italy.

It is not just that microbuffs know a lot of technical jargon. Each specific type of computernik has his or her own touchstones, his or her own idols, according to how they employ their micro. The computernik who actually uses his home micro for word processing may be able to talk freely about WordStar or Tesword and Perfect Writer even though he only uses the Quicksilva Wordprocessor on an antiquated Spectrum. A database freak will be glad to swop terms like dBaseII, DMS, FMS-80 and, of course, Superfile. Company names like Caxton, Compsoft and - if they read Practical Computing - Southdata will trip off their tongues. But they are hardpressed to name names; there is a facelessly bureaucratic quality about their hobby, though an astute and envious few will point out that Ashton Tate made a million out of dBaseII.

But for the computer gamester, it's a different story Whether he's into arcade action or intellectual adventure, whether he has bloodshot



stering eyes or a tendency to introduce the fact that he had a big problem with a dragon last night into an otherwise sane conversation, there is a veritable galaxy of stars inhabiting his firmament. Tony Crowther, Jeff Minter, Matthew Smith, Derek Webster, Eugene Evans, Kevin Toms: these names trip off the tongue as easily as an Arsena. supporter names the team which wor. the 1971 League and FA Cup

Matthew Smith got pioneer status for the late lamented Bug-Byte's Manic Miner - a game which was not only the first of its kind on the Spectrum, but which also had injokes about other programmers. Eugene's Lair - one of the screens in the game — was peopled by hostile toilet seats. There was even a pun on Manic Minter.

Eugene, you should know, wrote the seminal Arcadians - a straight shoot-'em-up that people with real street cred will still perversely quote as being their favourite game. The media seized on him as the ultimate whizzkid - enough money to buy a Porsche, not old enough to drive it.

Derek Webster wrote Codename MAT, the Star Raide:s derivative for the Spectrum that is played practically non-stop in right-thinking computer clubs the length and breadth of this scaptred isle.

Kevin Toms created the excellent Football Manager - all the fun of failure, without the strain of being repeatedly fired.

eff Minter became justly famous for Gridrunner - which became top-selling game in the USA. A real achievement for a British CS Emergency tender by Steven Bryan of Derby. See page 67.

programmer, it went to ett's head and he now writes games which are too fast for anyone to play, save the small faithfull colony of acolytes and llamas clustered in tents around his remote country cottage. Occasionally he emerges from retreat to say things about Tony Crowther (of Killer Watt, Blagger and Son of Blagger

If you don't feel up to comparing programming techniques, the best ploy is erudite reference to historical figures. Scott Adams of Adventure International is the man who single handedly put CAGs (computer adventure games, to you, on home micros. If the relative merits of flight simulators are being discussed you should take the opportunity to reveal that you know Bruce Artwick wrote the IBM PC flight simulator, "which has to be the yardstick by which such programs are judged." This has the double impact of (a) airing your knowledge, (b) implying that you have regular access to a rather pricy personal computer. Likew.se, if military strategy games become a burning issue, you should mention that Chris Crawford really wrote the definitive program with Eastern Froat. This naturally brings up the subject of Atari, founded by Nolan Bushnell with \$500 he go: from selling his first arcade game to Bill Nutting Associates. They didn't buy his second game, Porg, which was released in 1972 and made Atari a household word, in the States at any

Paul Bond

# PACKAGE DEAL!

For serious users of the BBC Computer. A professional trio which can be integrated to produce an information

management system of exceptional power.

#### **SCRIBE**

THE PROFESSIONAL WORD PROCESSOR designed for the serious user ■ All operations fully prompted

■ No special knowledge of the computer system necessary = Cocument size NOT limited by computer memory ■ Automatic disc buffering ensures text is moved betweer'disc and computer memory without user intervention # Up to 255 pages in a single document # 80 column display

on screen underline and right justify

See it as it will be printed. SCRIBE comes in a chip with 5 minute fitting instructions, utilities discland manual DISC MACHINES ONLY. £59.95 + 60p p&p



A superb record keeping system with an incredible operating speed. 95 fields per record

■ One record 2 Kbmax

One field 300 characters max ■ 4000 records per database ■ 16 level

conditional search ■ Find any record in 2 secs = Wild card search = Record match = 8 automatic sub indexes Total flexibility of output via report writer wth auto write backto any field Maths pack Semi programming anguage.

Integrates with Scribe to give conditional search with MAIL MFRGE and high powered report formatting

Database is in a chip. DISC MACHINES ONLY

£49.00 + 60p p&p. Scribe & Database in one chi



Double density disc interface for the BBC computer.

A high capacity database or word processor is enhanced even further with this state of the art disc interface.

The many features include almost 800 Kb of CONTINUOUS file space on a standard 80 track disc drive Automatically read standard Acorn files Compensate for discs formatted in single density Provide up to 159 files IN ONE DIRECTORY Automatically read, write and format double sided drives to appear as one disc surface ■ Allow maximum use of MERTEC Scribe and Database.

Fitting to your computer is made exceptionally safe and reliable by providing connection via a flexible ribbon cable. Full instructions provided.

£109.25 + 90pp&p

NOW AVAILABLE IN ONE GREAT PACKAGE

Purchasers of MCP software are provided with a free update service and an unmatched level of technical support. (Jpcates subject to postal charge.)

QTY -	è following products/information (Delete as		A.
QTY		arthedr mit dans	
In enclose £	Inc P&P My Credit Card No. is	on ler and I d	
	Visa □.	Access □	Tick which
Name	As Ass. Turned 1 700 cm of 100 cm		The same
Address	EN THE PROPERTY OF THE PARTY OF	THE RESERVE OF THE PERSON OF T	12411



To: MERLIN COMPUTER PRODUCTS.

33/36 Singleton Street, Swansea SA1 3QN. Telephone: 0792 467980





MERLIN COMPUTER PRODUCTS

IMPORTANT NOTE:

Please check with us if you decide to use any other disc interface than Acorn or Double-Dos with Scribe or Database.

6d 105 Øa 13

20

35 56 30

e 3

5 4 7

3

## Doing a Disney

THE MARKETING men say that one of the most important selling features of a micro is its graphics capability Presumably this is because buyers not only want to be sure that their choice of home computer can faithfully reproduce the pixellated nightmares of Cauldron or Combat Lynx but also want to try their hand at a few home-brewed attempts at the animater's art and games writing.

Sadly, many will quickly surrender their good intentions and return to the passive role of admiring the work of others; and this despite the comparative simplicity which userfriendly innovations such as the sprite - pioneered on the Texas TI and then refined by Commodore for the 64 and responsible for much of that machine's success.

New First Bytes isn't the place to tell you how to create the next charttopper but we can get you started. Spare a few moments thought on the computer games and you'll reach the conclusion that they're all based more or less on the same logic. In this, Graphic A (which could be a cute moving character, a sparkling laser beam, or whatever - perhaps controlled by a joystick) shares screen space with Graphic B (which could be a static element such as a building; or an animated static element, such as an escalator; or an animated or non-animated moving element, such as a space ship). And when they touch or collide, something happens.

So let's take that universal micro truth to develop a child's counting game that uses only Print statements - thus you should be able to Run it on your micro, whatever make it is.

To start, we want to position the cursor, and thus fix the initial Print position, at the beginning of a line about half way down the screen. If yeu have a Commodore 64, for example, you can achieve this with the line:

10 PRINT [CLEAR SCREEN] TAB(255) TAB(240)

or if you prefer, 10 FOF L = 1 TO 10 20 PRINT 30 NEXT L

Since it's our aim first to make an astrostar move across the full width of the screen, it's necessary to signal how many moves this will take. So make M equal the number of characters your micro's display can accommodate on a line - it's probably 38 or 40:

Incidentally, it doesn't matter that your program lines will jump from 10 to 40 if you chose the one-line cursor routine given above. Now set the loop to print the astrostar that many times in total:

50 FOR A = 1 TO M Now we get to the interesting bit: 60 FRINT .... 70 FOR D = 1 TO 200 80 NEXT D 90 NEXT A

Be sure to include the semi-colon a: the end of line 60. If you now Run this demo, you'll see that a line of stars is printed the full width of your screen, with a short breather between each. Not quite animation, though. But now List the program and retype line 90 onwards as follows:

90 PRINT CHR\$(157) " "; 100 FOR D = ' TO 100 110 NEXT D 120 NEXT A

Run it to see what happens and now take another look at the listing. Every time that lines 60 to 80 are executed, they print a star and hold it on the screen for the brief period sct by the delay loop. Then line 90 backspaces the curso: (I've usec the allmicro standard code rather than a graphic symbol) and prints a space or blank (" ") over the star. Another brief pause, then line 120 calls for a new star to be printed at the next position along the line, when the whole process is repeated.

Experiment with different letters, figures and other keyboard characters between the quote marks in lines 60 and 90. Just for fun, delete lines 70 and 80 and 100 and 110 altogether.

This demo simply moves a single graphic - now let's try for both movement and arimstion. following short program could be developed into something quite cute by adding a few extra lines to provide X number of turns, a final score, and maybe a snatch of music or sounce effects. Its main purpose, though, is to demonstrate that simply alternating two images at the same spot on the screen — in this case, the letters O and C — is enough to create the illusion of animation:

10 PRINT [CLR SCREEN] TAB(255) TAE(240)

20 R = INT(RND(1)\*(40-20)) + 20 30 LET M = 40 40 FOR P = 1 TO M 50 PRINT "."; 60 NEXT P

70 PRINT CHR\$(145); 80 FOR A = 1 TO M 90 PRINT "O";

100 FOR D = 1 TO 100 110 NEXT D

120 PRINT CHR\$(157)" C"; 130 FOR D = 1 TO 100

40 NEXT D 50 PRINT CHR\$(157)" ";

60 F A = R THEN 180 70 VEXT A 80 PRINT:PRINT "MUNCHWAN

GCBBLED"A' POWER PODS."

190 INPUT "FOW MANY ARE LEFT OUT OF 40";P 200 IF P=M-A THEN PRINT 'YOU RERIGHT ' Y O U R E R - 'P"LEFT.":GOTO 220

210 PRINT "SORRY, YOU'RE WEONG - "W - A"LEFT." 220 END

You'll recognise much from the earlier demo - it's just worth mentioning that line 20 is used to generate a whole number between 20 and 40 - your micro may use a slightly different syntax. In line 70, CHR\$(145) is the code for cursor up.

John Ransley



### Choosing a printer

CHOOSING A printer can be almost as difficult as deciding which micro to buy. There are at least three different types of printer widely available and dozens of different makes. So here is a brief guide to some of the points that should be borne in mind by the firsttime buyer:

INTERFACES: If your micro has a built-in printer port then you will have no problem connecting up to a printer Most makes of printer come with either a social RS-232 interface or a Centronics style parallel interface, and sometimes offer a choice of each.

If you own a machine like a CBM-64 or a Spectrum which does not have a standard printer port then you would be well advised to buy an additional interface - usually a cable together with interface software on tape or Rom. Generally speaking the dedicated printers produced by manufacturers to run or their own micros are not to be recommended. Their only advantage is that they plug straight in and handle graphics characters.

Commodore printers, for example, are less flexible than other dot matrix printers in the same price range and at least in this writer's experience are not always reliable; while Sincair printers give a notoriously poor quality printout.

PRINTER TYPE: At the moment the three main types are dot matrix, daisy wheel, and thermal, Daisy wheel printers use the same mechanism as electric typewriters to give a very high quality - usually termed Letter Quality - printout Their drawbacks are that they are slow, noisy, and expensive, and generally provide only one or two different typefaces.

Dot matrix printers, by centrest, form their letters as patterns of dots in the same way that letters on screen are built up from pixels. This means that although dot matrix printers do not offer the same print quality as daisy wheels, they can provide a far greater range of print modes.

The Epson FX-80, to take an example, has 64 different print modes, such as emphasised, bold, double width, as well as graphics and usercefined character options.

Epson printers dominate the dot matrix market and so software manufacturers are more likely to configure their programs to work with Epson printers than any other make. Many of the non-Epson makes - Epson clones - offer comparable performance and are often cheaper. But it is a good idea to look out for a printer which uses the same control codes as Epson.

A further point to check if you are buying a dot matrix printer is that it has both tractor and friction paper feeds. Tractor feeds only take perforated printer paper while friction feeds allow single sheets to be used.

Thermal printers also have dot matrix mechanisms but instead of using an inked ribbon burn the letters onto heat-sensitive paper. This is their main disadvantage - the fact that they only take coated thermal paper.

COST: Just how much you are prepared to spend on a printer obviously depends on what you intend to do with it. If you are only interested in taking listings then a cheap thermal primer should fit the bill: the Alphaccm printer is particularly good value while the Brother thermal printer gives a surprisingly high quality printout. Epson's new thermal printer, the P-40, also looks promising - see page 33.

If you are planning to use the printer for business purposes you will need a daisy wheel. Otherwise - for wordprocessing and suchlike - you should consider a medium-priced dot matrix printer, probably in the range £200-£300. Do not be daunted by the fact that it may cost twice the price of your micro: you can use it on a bigger machine.

Simon Beesley



#### **DMP 105**

Printer Tandy £170

The dot matrix printer has friction or tractor feed, Centronics and RS-232 Interfaces. Two small DIP switches. The switches control which interface is currently active and the speed of the RS-232 interface - 2400 or 600 Baud only.

Characters are printed or a 9 by 7 matrix in expanded, normal elite and condensed fonts, both bold (except expanded) and/or underlined. Graph cs are 800 dots per line, or a coarse graphics mode.

The printer has a very good optimising function, there appears to be little wasted motion as the head takes the shortest route to print the next line.

The working print speed was better than competitive 80cps printers and as quick as some 100cps printers.

#### Formula 1

Joystick Kempston £16.95

Fash oned from rigid blue plast c, this looks like the sort of solid joystick you need if you are an arcade or decathalon fan. Four microswitches, plus two for the fire buttons gives it a good positive feel.

#### P40

Printer Epscn

A thermal dot matrix printer w th RS-232 or Centronics interface, 80 characters per line at up to 45cps; mains or rechargeable battery powered with four character sets and graphics image mode under software control. It comes with an operations and interconnections guide as well as sample programs and should be suitable for most home computers



Epson F40.

#### Quick Data Drive

- CBM 64
- Dean Electronics
- £99.99


YOU CAN always spot a Commodore owner. He's a patient sort of chap. Both disc drive and cassette have got a reputation for being on the lethargic side. From the same stable that brought Spectrum owners the Retronics Wafadrive, Dean has adapted the technology to the Commodore. It is a single drive unit which simply plugs into the cassette port.

The system is booted up by inserting the system wafer, pressing Shift/ Run, and then pressing a red button on the drive. This loads in a short program at normal cassette speed which then auto runs, setting up the wafer system. It also loads a number of utilities into the Ram behind the Kernel, so all the C64's user Ram is available. After this initialisation, all the usual cassette commands control the drive.

The operating system is perhaps the crive's weak point. There are commands for transferring programs from wafer to cassette to disc or to a

second wafer drive, but there are no commands, rename or backup files. Random access files are not sup ported. An advanced operating system correcting these shortcomings is said to be under development and should be available as a software upgrade in three to four months.

However, the data drive does score over the Commodore drive in a number of ways: it is cheaper, it is quicker, and for software houses, the wafers offer a greater degree of protection due to the two speed system.



#### Sound Sampler

- Spectrum 48K Datel Electronics
- F49.95

WHAT DO YOU do with your Spectrum when you've finally got fee up with the mindblowing tedium of blasting little green splodges into oblivion? Rather than consign the thing to the back of the wardrobe, you might like to turn it into a powerful musical effects machine.

Until now, digital sound samplers have been the province of rock millionaires with nothing better to do than sample the particularly satisfying crunch you get when smashing a TV tube. Well, new you too can join in this fun hobby.

What Datel's little gadget does is stere sound input from a microphone or your hi-fi and allow you to mess around with it, the results are really quite amazing. You do also need an amplifier to output the sound from the unit:

With the hardware, which clips onto the expansion socket, you get a tape with four effects programs on it and three sheets of clear and concise nstructions

The first program goes through the first principles of sampling and playback. There are effects such as echo, chopping and reversing. You can vary the time of the echo up to over a

The second program turns the Spectrum into a keyboard, the note you play modulating the sound you have sampled. The method of changing octave is somewhat clumsy, but it is an effective sample. The real meat is in the third program which allows you to compose a tune of up to 1,000 notes and rests, each with selectable length and pirch over four

Assuming you've got a Stradavarius handy, all you have to do is play one note into the mike, write a little tune and Yehudi Menuhin wouldn't know the difference.





## THE BEST THING SINCE THE REAL THING

A Spitfire flight simulation set in 1940. Ground features and realistic air combat.

Spitfire 40 is available from W H Smith , Boots Spectrum Spectrum and good software stores everywhere.



MIHHUHSUFT, Mirror Group Newspapers Ltd





Holtorn Circus, Landon EC1P 1DO Tel: 01-822 3580

#### A VERY SPECIAL COMPETITION

Target: To rise through the ranks of the RAF elite to Group Captain, VC, DSD, DFC

Reward: For the lucky few, a day out at the Battle of Britain Museum plus a test flight in a high performance aircraft. Details in every

Spitfire40 pack

COMMODORE 64 (IDYSTICK ONLY)
DIEK E12.95/CASSETTE E9.95

- \* \* \* \* Best of its type
- Very good \* \* \*
- Good \* \* \* Average
- **Eelow par**

#### Grandmaster

Chess Audiogenic £8.95

\* \* \*

Give any grandmaster the brain of a C-16 and he'll soon find his game suffering. Audicgenic's Grandmaster program is no exception. The C-16 version plays a far weaker game than the CBM-64's but it's still good sound chess, with 10 levels, a crisp display and a limited takeback facility.

#### Pinball Wizard

Amstrad CPC-464 CP Software Arcade £8.95

\* \* \*

From the people who brought you Superchess, Backgammon and Bricge Player. While this may not compare with David's Micnight Magic from Ariolasoft for the CBM-64. t is nevertheless an enjoyable game.

Choice of five speeds and the excellert ball movement make this a realistic and colourful simulation of the old arcade favourite

#### Talisman

Spectrum Games Workshop Boardgame £8.95

An adaption of the hit boardgame of the same name, this computerised version suffers in comparison. In the course of this graphics adventure you confront various monsters, collect objects finc to lowers and face various tests, either on your own or in competition with other players, either human or computercontrolled. A little short on explanation as well

### Revs

- BBC
- Race game
- Acornsoft
- £14.95 (£17.65 disc)

OK, so Pole Position is a damn good game, but it's not really racing is it? Things improved a bit with Software Invasion's 3D Grand Prix, but Acornsoft has set itself the imposing task of simulating a formula three racing car.

There are seven controls, accelerator, brake, steering, and gear up and down. The space bar amplifies the action of the steering. It can also be controlled by joystick, which is probably much easier First disappointment is that the brake is very hard to get at, and you can't redefine the keys. On screen you have a cockpit view of the road ahead. The screen display is good, the graphics smooth.

There are two main indicators in front cf you, rev counter and gear indicator. There are also rear view mirrors. To start off with, you can do a practice, with no other cars around, just to get used to the feel of the controls. After you've got used to :hat you can go into competition.

Right, after practice the drivers are lined up in order of times obtained in practice. Several players can take part, practising in turn and then taking part in the tace one after another. So how does she handle? Well, unless you've

#### Spy Hunter

- Spectrum 48K
- Shcot-em-up
- US Gold
- ₹7.95
- \* \* \* \*

IF YOU'VE seen this one in the arcades, you'l need no encouragement from me. A fast and furious race game, with the narrow road ahead teeming with enemy agents bent on your destruction. Only your agility, driving and good shooting will save you, your country and probably civilisation.

On the roads there are three types of enemy car which must be dealt with in different ways: shooting up innecent bystanders is flowned upon, but good fun. On the water, there are no daytrippers, but the rocks, torpedoes and barrels will keep you busy. There is even a helicopter to contend with. Tricky if you naven't got your missile loaded up yet. You start off with just a machine gun, but missiles, smoke cannisters and oil pods can be acquired by entering the weapons truck.

The controls are easy to use, with steering, accelerator and brake, Weapors are fired by a combination of stick and fire button to control which weapon is fired.

Lee Paddon


ever driven a Formula three car, realism is hard to assess, but the game is certainly a great test of skill.

Lap Time

If you are not to consign yourself to the back of the field or to the track side catch netting, then every corner must be right. Hours of practice pay off here, the approach speed, braking, gear changes, the exact time you turn into the corner. The difference between success and disaster is very small The 20 other drivers vary from the amateur through to the excellent and passing most of them requires skill and patience.

This game deserves as big a following as Elite. Not for the faint hearted, it demands total concentration at all times. Real pit stops might have been nice, perhaps some better scenery except you haven't got time to look at the scenery. If you ever make the winners' rostrum, you'll have earned the champers.

Lee Paddon



Spy Hunter.

#### **Blagger Goes** to Hollywood

- CBM-64
- Alligate
- Arcade adventure
- €9.95

\* \* \* \*

THE POWER of bluff may have influenced Alligata in the naming of this program- there is a band and there will soon be a computer game with a similar name. But with its 3-D graphics, four-way scrolling and clever sound track, the new release in Alligata's Blagger series swiftly shrugs off any accusations of "passing off".

Blagger's plan is to steal a march on the competition by getting hold of the rushes of Steven Spielbum's next blockbuster. But first he has to get across 12 hostile film sets, each with the appropriate sound track,

Paul Bond



Drop Zone.

#### Drop Zone

- Atari
- US Gold
- Defenderesque
- £14.95


DEFENDER-FREAKS will swoon when they see Drop Zone by Archer Maclean of Arena Graphics. It has even smoother scrolling, faster action, more vivid sound and the kird of pyrotechnics that get Guy Fawkes turning in his grave It also has an amazing attract screen and a scintillating high score routine. Underneath it's the same old wonderful/boring (delete according to taste) Defender, but never mind the scenario, look at the scenery!

Instead of the quick scribble of landscape in Defender, Drop Zone takes place against a realistic, 3-D lurar landscape. And when you get killed, the explosions are like a

(continued on page 37)

#### COMMODORE 64 OWNERS

The Ultimate Reference Book



Programming The Commodore 64 by

Raeto Wast
Comprehensive and readable teaching and refarence back on the 64. Takes over where Commodore's manual leaves off; much larger than most computer books. Programs available separately on disk or on two tapes — save keying in time.

Topics include course in BASIC avantaments.

keying-in time.

Topics include course in BASIC programming, how BASIC works, Extending BASIC, machine language course, RCM guide and memory maps etc., through coverage of graphics and sound, tape and disk handling, hardware.

"Best of all his books... required reading for all those who wish to make full use of their 64s" — Jack Cohen.

Pregramming The Commodoie 64 (R. West). £14.90 in UK.Europe, £10 pages, & "x9 %" paperback. 17 chapters + aprendices. ISBN 0 9507650 2 3. Published by Level Ltd (Computer Publications, P.O. Box 438, Hampstead, London NW3 IB4. Programming the Commodore 64. Disk £8.90 (inc. VAT). ISBN 0 9507650 3 1. Programming the Commodore 64. Tapes £9.50 (inc. VAT). ISBN 0 9507650 4 X. Programming the VIC (West). £10.90. Large paperback. ISBN 0 9507650 1 5. "Packed with virtually all the information you are likely to need" — J. Goldsmith. Programming the PET/CBM [West]. £18.90. Large paperback. ISBN 0 9507650 0 7. "Jinquestionably the most comprehensive reference I have seen" — Jim Butterfield.

Sand orde Publicatio	DER FORM ers and make chemies payable to Level Lte ins), c/o Biblios Distribution, Star Road, Pa , West Sussex RH13 8LD.		r.
Quantity	Title	Price	To:al
	Programming the Commodore 64 (West)	214.30*	-
	Programming The Commodore 64-Disk	18.90**	1
	Programming The Commodore 64-Tape	es [9.90**	
	Programming The Vic (West)	E10.90*	
	Programming The PET/CBM (West)	£18.90*	
	*Add f	1 each postage	
	**Add 50p e		
	TO OUR HER PARKET	TAL PAYMENT	0. 19
NAME	es senties bearings!		a family
ADDRESS	S		

#### **BETA BASIC 1.8**

ENHANCED BASIC FOR SPECTRUM 48K FOR GRAPHICS — STRUCTURED PROGRAMMING DATA HANDLING

Release 1.8 is more powerful than ever! We don't have space to do this program justice — if you can't believe the ad, send us a large S.A.E. for further just ce — if information.

Features: Commands are single-entry keywords in graphics mode. Syntax is checked on entry. Fully compatible with Spectrum Basic. Microdrive compatible. Comprehensive manual. NOTE: Release 1.0 is still available for 16/18K Spectrum at £11.00.

ALTER screens colours ignined or specific AUTO lies rumbaring BREAK out of zode loops CLOCK digital clock CURSOR CONTROL CODES allow strings to have complex shapes. DEF LEY usz definable keys DELETE's a block of lines DO-LOOP shucture DPOME double polys EDIT specified line ELSE liused with 1F. THENI EXIT seves DO-LOOP.

Fit.L encloses area with specifies ink or pater GET west for keypress JONN two program lines RETHs string RETHS string RETHS string Institute of the USED Need with GETO, GOSUE) User ) weed with 0010, on ERROR tap crises (with URE STAT and ERFOR) PLOT 1 string timey contain cursor control codes? POR 1 string timey contain cursor control codes? POR 5 string POR Basic's stack PROC, DEF FROC, END PROC (for named procedures)

RDSUM versatilk renumber
RDLL all er part of screen in any
direction by spessived sumber of
possis, with or without set to best
SCROLL KER ROLL, but without or
SCROLL KER ROLL, but without or
SCROT program inces
TRACE program versation
UNTIL used with DO or LOOP
USES USES WITH PROGRAM
WITH PROGRAM
VISION WITHOUT
WHILE USES WITH POOR
XSS, YOS moure PLOT origin
XPQ, YR3 change PLOT scale

#### **FUNCTIONS**

entu (bit bybit)
BINE decimal to brary
CHARE rember to 2 chalacters
COST fast softle
DEC retardacimal a docimal
DPEM double PEM
FALED filed arms

Only £11.00 inclusivet Opgrade price for Release 1.0 owners is £4.00. This includes a 12-page supplement to your manual. Please quote date of purchase. If you did not purchase from us, state supplier and return original cassette.

Please send me:
Beta Basic, Release 1.8. Payment of £11.00 is endosed.
for £11.50 for foreign orders. Cheques payable to BETASOFT. I don't believe it. Please send me full details of Bata Basis 1.8. I analose a stamped addressed envelope. NAME:.....

> BETASOFT 92 OXFORD ROAD, MOSELEY, BIRMINGHAM B13 9SQ.


## present

YC OB 85 ZNEW



The only fully automatic and professional utility for transferring Spectrum programs from:

CARTRIDGE to CARTRIDGE or DISC to DISC or WAFER TO WAFER OF WAFER 4 CARTRIDGE to TAPE



'An ingenious piece of software." • • • • Performance PCU • • • Features "A valuable utility for microdrive users: Sinclair User

"HIGHLY RECOMMENDED." NEW! Part ② now fully automatic-you pust START/STOP the tope-transfers, modifies relocates, re-structures & relps to RUN also hyper/ turbo, headeriess, extra-long uncluding 48 K) parts, etc.

A rovelty maze arcade game. Superb graphics and action. An extensive map, over 250 locations, full of features and creatures unseen as yet. New, furny, addictive, compelling.

A WINNER! PCWeeky A Star Game.'

COMPLETE MUSIC SYSTEM FOR THE ZX SPECTRUM "A very professional piece of programming, easy to use, excellent screen presentation, error trapping and helpful prompts" zx computing "Extremely user friendly, lets you get started within minutes"

"The notation has to be seen to be balleved."
"Puts many expensive professional systems to scance."
"Exadent aid to backing the lastic of music," Which Mich." "Great for The Listener." "If you are interested in music and own a computer then get it."

ZX Computing

Sheet music quality printout on dot matrix pri-Microdrive compatible !NEW SUPPLEMENT for £4.95 - DATA CONTERTER to use music

OF JOPITED in your own programs - MICRODRIVER puts MT onto m'd ives NEW! The best possible success ratio, the easiest & fastest in use Please send SAE for details. Deliveries normally by return. Trade enquiries welcome. (European orders please add £1 overseas £2)

MUSIC TYPEWIPITER £ 9.95 F MT Suppler enclose a cheque/PO for £..... £ 5.95 🗆 MUSIC TYPEWRITER £ 9.95 [] MT Supplement € 4.95 □ or debit my No € 5.50 □ TRANS-EXPRESS: part 3 only £ 9.95 □ £14.95 🗆 all parts on tape or cartridge Name ...... Card expiry ...... 1)+2) on tape £ 7.50 ar Rotronics wafer £12.95 Updates of TRANS-EXPRESS or MUSIC TYPEWRITER £3.50 □ Signature \_\_\_\_\_\_ Date \_\_\_\_\_ TRANS-EXPRESS upgrades from tape to cartridge € 6.95

77 Dyne Road London NW6 7DR





24 hrs orders 01-625 9463 2



### Sinclair QL Assembler

Assembler Sinclair £39.95

\* \* \*

The Sinclair QL Assembler comprises of an editor and assembler, a set of QDOS library files, pocket sized manual and a blank Microdrive cartridge - for a back up copy. The editor is the standard Metacompco editor, this rurs as a separate job from the GST Assembler. The assembler shows all the standard directives and on completion of cne assembly allows you to assemble another file.

### Mighty Magus

Spectrum Arcade adventure Quicksilva £6.95

\* \* \*

Magus Delvin is too into matters cosmic to deal with Fraugy the Dragon, who is biting the knights. scrambling the damsels and pillaging the villages. So you, his humble acolyte must penetrate the firebreather's lair and slay him in his place of power. And get out acain.

### Zapp

**OPC-464** Z-80 assembler Hewson Consultants £14.95

\* \* \*

Zapo is not an arcade game, despite the name, but a cassette-based Z-80 Assembly Programming Package dedicated to the Amstrad CPC-464.

Together with an assembler, the package contains an editor, a breakpoint monitor, a cisassembler, a hex editor and a cassette file manager. The Zapp assembler recognises all the standard Z-80 instruction mnemon cs with one exception - and the monitor displays instructions in disassembled and hex form, together with the address and the register values before the instruction is performed

(continued from page 35)

firework cisplay. Judge by appearunces and this is one of the very best games there is.

Of course, the action is not quite the same as Defender. Instead of piloting a space-ship, you are a Jetpac type lunanaut. The Landers have turned into detailed satellites called Planters. They don't carry off your "men" - these are little blue halls instead of matchsticks - they drop pink Anti-men on them. It's fatal when they meet.

You don't just protect your men, you collect and roll them into a protective hangar.

One near addition is that you can make yourself invisible, in which condition you become a black shape against the black sky - and if you fly low, you appear as a tlack cut-out.

There are some new eremies too, including storm clouds or Blunderstorms, which can destroy you with theatrical lighting bolts.

Jack Schofield

### Hitchhiker's Guide to the Galaxy

- Atari 800
- Softsel
- Adventure
- £32.95

WHO AM I: You are Arthur Dent, a character in The Hitchhiker's Guide to the Galaxy - you know, the adventure game of the TV series of the book of the radio series of the original idea by Doug as Adams. Of course, you won't always be Arthur Dent, but shouldn't you be worry.ng about something else? The worle is going to end ir. 12 minutes.


INVENTORY: OK, keep your dressing gown on! You have a mce box with a colourful glossy manual attached, a double-side game disc (one only, so look after it), a reference card for the particular machine you're using - Hm, Aari, eh? Well, they're all the same in text mode - a destruction order for your house (in English), a destruction order for your planet (is that Vogen?), a small packet of fluff, an Official Microscopic Space Fleet, some peril-sensitive sunglasses - completely opaque black

LOOK. Well, you've got an American micro and a disc drive and a screen. This is text only, so you've got to read, ok? No pretty pictures. In the top right-hand corner there's your score and the number of moves you've taken. A "move" means vou've typed something in that I understand, and I've gone to the disc and fetched a reply.

Are you sare you want to play this game?

Of course you do. It's obscure, cranky, deliberately misleading, incredibly verbose and often genuinely funny. Jack Schofield

The Hitchhiker's Guide to the Galaxy.



Super Pipeline II.

### Super Pipeline II

- CBM-64
- Plumbing Game
- Taskse!
- £8.90

PATROLLING A pipeline fixing leaks may not sound like a promising basis for a game bu: Super Pipeline II turns out to be high y playable with a frantic and frenetic quality all of its cwn. You may recall from Super Pipeline I that the game casts you in the role of Foreman; while you cannot mend leaks yourself you can direct a workman to a trouble spot and shoot down the pests that harass him while he hammers the pipeline back into shape. Your aim is to keep the water flowing.

This sequel could be described as more of the same but also bigger and bette: than the original. There is an extra workman, more pests, 16 screens, and some entertaining cartoon sequences to round off each screen. When you complete Screen 1 a character in a Sinclair C5 drives along the bottom of the screen, jumps out, and then reduces the vehicle to a heap of plastic.

On top of this the game sports one of the best displays of animated machine parts.

It is coping with creatures at the same time as tending to yet another leak that makes the game so maddeningly frustrating.

Simon Beesley



Wizadore.



Grand National.

### Wizadore

- BBC
- Imagine
- Arcade adventure
- £7.95

DESPITE THE the tawdry old scenario - red dragon Smaun, the Golden Swore was smote, dark evil spread its wings etc. etc. - this is a pretty, and pretty good, game.

As the last of the Arch Mages you have to enter the castle of Wizadore and reclaim your inheritance by finding the 'three spells of destruction'.

Peter Connor

### Grand National

- ZX Spectrum
- Simulation
- Flite
- £6.95

THE OPENING screen gives you the runners - you can page through a field of 4t horses.


Then you can choose which horse you want to ride - and here comes the interactive bit, you control your mcunt by using the Z and X keys to move him left and right, whipping him on with the O key and jumping using the P key.

Paul Bond

# the only choice Control Cont











North Sea Bullion

Galaxia


**Fruity Frank** 

Star Avenger


Shadow of the Bear








Database




Zen Assembler



Artwork

Bridge





This superb book is designed to let every CPC 464 user, at whatever level, get the most from his computer. After an introductory section on the special Basic features, the book looks in depth at the excellent sound and graphic facilities.

ZEN
and the
Amstrad
CPC 464
by Ian R. Sinclair

This book covers the CPC 464 itself, a detailed guide to Zen, an introduction to the Z-80, ROM, and RAM, subroutines, screen and keyboard, cassette LO and how to plan a program. The text is littered with illustrations, diagrams and helpful program examples.

An outstanding selection from Kuma's rapidly expanding range of Entertainment and Application Software for the Amstrad CPC 464 Micro-computer.

Now available from selected branches

of Co-op, Granada, LASTY and John Menzies

Kuma Computers Ltd., Unit 12, Horseshoe Park,
Horseshoe Road, Pangbourne, Berks RG8 7JW.

Please send full catalogue on Amstrad CPC464
products.

Name
Address

Phone

I own an Amstrad CPC 464 computer 
Trade Enquiries Phone 07357-4335

### Star\* chart

Elite

C64 Shoot-em-up Firebird £14.95

A game that needs no introduction. Perhaps the most successful game ever for the BBC, with an estimated 25 per cent of Beeb owners buying a copy—the other 75 per cent copied it off their males. If it gets that sort of take up from C-64 owners, which it richly deserves Firebird might be able to buy out B.T., and Acornsoft will be as sick as the proverbial parrot.

in case you've been on another planet, the game is all about fly ng around zapping aliens, doing a little haggling for commodities and new gismo's for your ship. Brilliant on the Beeb, it's even better on the Commodore with music the Blue Danube á là 2001 when docking, Trumb es which are cute little furry creatures - and the whole game is in memory at the same time. The controls also seem easier to handle.

### Execution

Amstrad Hangman Datacom £8.95

\* \* \*

Hi-tech Hangman, but with words like capsicum, karabiner, yean and xenolith, this one had us sourrying for our dictionaries. Various levels of difficulty and help, but if you don't get it right, the gradually assembling squad of Imperial storm; roopers will vaporise you. Gnoochi, we of course guessed.

### Gauntlet

Amstrad Arcade Micropower £9.95

Gauntiet and Killer Gcrilla
— two for the price of one.
A sensible approach to the
Amstrad retread syndrome,
this double-decker provides
competent Defender and
Kong-style games.

(continued from page 37,

### Starion

- Spectrum 48K
- Melbourne House
- Shoot-em-up
- ■£7.95
- \* \* \* \* \*

This GAME should have beer subtitled "Crossword Solvers From Cuter Space — They Carne, They Saw, They Filled in Five Down!" The baddies invented time travel before you did, and have done their best to mess up space / time using anagrams (gasp)! But don't let this faintly absurd plot put you off, beneath all this lies a superb space shoot-em-up.

In a bid to forestall the conversion of Elite to the Spectrum, Melbuarne House have come out of their well-worn adventure rut and shown us what vector graphics on the Spectrum are all about. What the aliens lack in tactical gumption, they make up for in firepower. Hurtling towards enemy saips, laser blazing, dodging the missiles whistling past your snip, and then pulverising them into oblivion. When you blow a ship away, it drops a letter, which you have to pick up by driving into it.

When you've destroyed all the ships in that zone, you get a break from the frantic action when you try to unscramble the letters to form a word atting a clue from one of the time zones in the block. You then have to fly through a time gate, which looks suspiciously like an Elite

### **Dambusters**

- CBM-64
- US Gold
- Flight Simulator
- £9.95/(£14.95 disc)


\* \* \* \*

WITH THE silence of the still summer night broken only by the steady throbbing of the powerful avec engines, you stear your Lanc onto a steady course, destination, the Kulii Valley. Not content with just flying the thing in this simulation, you have to drop the bomb, navigate, fire two guns and keep an eye on the engines

Instead of the familiar pattern of warfare, that of long hours of monotony followed by a few seconds of shear terror, what you get is continuous frantic action. The game is a superb simulation with nice graphics on seven screens, one for each crew member location. But is it actually playable? Is doing seven things at once just too much to ask of anyone?

There are three different games: a practice bomb run, the full game, and a short cut which has you already in the air. Opposition comes in the form of flak, night fighters, barrage balloons and searchlights. Basically the tip is fly high and dive late as you turn to make your approach over the lake towards the dam itself. Navigating is easy, your navigator makes the course which the pilot follows using a mark on his compass.

That's about all the advice I really




spacestation, to the correct time zone. Do this 243 times (only) and you earn the ultimate acolade of becoming the Creator. It would take some game to make me do anything 243 times, but this just might be the one.

The various objects, ships, planets, missiles and letters all spin round, move toward, away and around your ship. The controls are comprehensive and responsive, the display moves very rapidly and smoothly. You have an instrument panel which shows the relationship to you of the various objects in the zone as well as speed, fuel, and "lives" left.

Although it might not have the depth that Elite promises, the graphics are going to be difficult to top. So if you really can't wait for vector graphics, or you like anagrams and crosswords then you could do far worse for the modest price.

Lee Paddon



Dambusters.

Lee Paddon

have to offer and I'm probably untit to even offer that. Having written off several squadrons of bombers, I have no more than glimpsed the dain, and by that time had a bomber that was held together with a wing and a prayer. Having made your bomb run, and dropped your "dustbin", a graphic of your bomb skipping along is shown and, with a bit of luck, a dam with a rather large hole in it. If unlucky, you will get a diagnosis of what was wrong.

Demancing, realistic, good graphics and sound, everything you could want from a simulator, except perhaps being able to finish it would be rice. Helps if you have at least six pairs of hands.

Arnhem.

### Arnhem

- Spectrum 48K
- CCS
- Wargame
- £8.95

"I THINK YOU might be going a bridge too far" were the prophetic (continued on page 41)

### MODEM HOUSE

The Single Source Solution for **ALL Computer Communications.** 

Modern House are pleased to announce the following special offers, available from your local dealer, or direct by mail.

### Micro Packs

All micro packs include all necessary items to turn your micro into a communicating machine

Open the door to a whole new world

Spectrum (all models)	
VTX 5C00 modem	£49.95
Optional extras for use with VTX 5000	
User to User software (on cassette)	23.95
Ascii format software to link to bulletin	
boards etc	£6.95

boards etc£6.99	)
MICRO PACKS	
BBC B micropack (acoustic modem)£39.9	5
BBC B micropack (modern 1000)	5
Commodore 64 micropack	
Commodore Pet range£39.9	•
Apple II range excluding IIc£99.9	5
Apple II range excluding no	5
Apple IIc£129.9 Amstrad CPC 464 micropac k	
(acoustic mocem)£89.9	2
Amstrad CPC 464 micropack (modern 1000)£99.9	
Dragon 32 & 64	
Tandy Model I & III	5
MSX machines including word processor and database£199.9	E
ACT Assista	9
ACT Apricot £179.9	5
ACT Sirius£179.9	9
Victor 9000£179.9	
IBM PC & most compatibles£179.9	6

Sinclair QL Complete Communications ★ ★ including V21/V23 Auto Answer Modem P.O.A.

Dec Rainbow 100......£179.95

MODEMS	
Acoustic Modem	£29 95
Modem 1000	
Modem 2000.	
Telemod 3	
Teletext Adaptors	
TTX 2000 (Spectrum all models)	£129.9E
Optional Extras & Spares	
BBC (Micronet) Rom	£15.00
IBM PC Colour Rom	£57.50
IBM PC Monochrome Rom	
IBM PC Hercules Rom	
Leads	

A complete range of multi baud rate modems are also available at prices ranging from just over £100 to over £2,000. We think it is the biggest stockholding in Europe. Just ring:

### Modem House

**Computer Communication Consultants** Iolanthe Drive, Exeter Tel: 0392 69295

### ASO Connections L

MONITOR LEAD	S	RIBBON	CABLE Ipri
OC to Microvice  V to Computer  Something Something  C to Fidelity etc.  Lo Fidelity etc.  Lo Fidelity etc.  Lo Microvitac  Lo Microvitac  Lo Microvitac  Lo Microvitac  Lo Microvitac  Lo Microvitac  Homer Microvitac  Lo Microvitac  SC LO Hitachi  Ony to Fidelity etc  ISX 15 Ferguson  L to Ferguson	£1.20 £1.25 £2.95 £4.95 £4.95	9-way 10-way 11-way 13-way 13-way 20-way 22-way 23-way 31-way 31-way 53-way 63-way 63-way	60,13 60,15 60,18 60,20 60,22 60,30 60,40
		LUGL	CONTRACT

DC AMPHENOL		
6-way pluç	£4.95	
6-way soctet	£5.95	

DISK DRIVE LEA	DS
Dual disk drive power had	£4.50
Dual disk dive land Im	£10.25
Single disk trive	
power lead	£2.75
Single disk trive had 1m	£7.25
Disk drive estit lead 1m	£7.25

### CASSETTE LEADS agor to cassette £2.20

BC to Acor	£2.25	
PRINT	TER LEAD	S

### ALL 1 METFE LENGTH

BC	€9.95
BBC serial	€8.95
AMSTRAD	£16.75
MEMOTECH	£12.75
EINSTEIN	£12,75
BM PC	£15.75
The second secon	

IBM PC	£15.75
SPEC RUM interface	
to FS 232	£9.75
ATARI	£15.25
ATAR	€123.05
APRICOT	E15.20
DRAGON	£9.95
QL	£10.75

WSA

RIBBON	CABLE Ipri	ce per ft)
	Gray	Rainbow
9-way	£0.13	£0.24
10-way	£0.15	£0.28
14-way	£0.18	£0.32
15-way	£0.20	£0.36
13-way	£0.22	£0.40
29-way	£0.30	20.00
21-way	£0.36	EO.GO
25-way	E0.40	£0.65
25-WAY	£0.45	£0.70
31 way	£0.60	EQ.80
37-way	E0.65	£0.85
53-way	€0.70	£0.90
53-way	£0.35	£1.25

### ONNECTORE 2 x 23-way (ZX81) 2 x 28-way (Spectrum) £1.85

£1.40 £1.60

DOUBLE SIDED PLUG BOA ZX-81 23-way Spectrum 20-way

ADDITIONAL IDC 56-way Card Edge for Extension Lead £4.25

D CONNECTORS			
Solder	Bucket	Male	Female
9-way		10.75	£1.00
15-way		£0.95	£1.50
25-way		£1.50	£1.90
37 way		£2.40	62.25
FOODS	£0.95		

IE-EFRUNE CU	VIVO
Eurface master jack rocket Surface extrasocket	£3.75 £2.50
Cual ortlet adaptor	£4,25
line jack cod 3mr	€85
4 core cable per metre All surface units shutters	£0.48
approved.	17 C

### CONNECTORS IDC

	Card	Trans	2 How
	Edge	PCB	Socket
10 was	61.20	:Q.03	09.03
14 way		-	£0.90
16-way	£1.60	£1.2)	£1.00
20-way	£. 90	£1.35	£1,20
26-war	£2.40	£1.60	£1.45
34-way	£3.10	£1.95	£1.60
40-wst	E3.40	E2.03	E1.85
50-wa/	£3.85	€2.25	£2.00
60-we/	£4.80	£2.60	£2.25

### SPECTRUM EX. LEADS

6 nch extensions calhe	District State
M to F	£10.50
6 inch F to 2M's	£14.75
12 inch extension cable	
MitoF	£10.75

### DC SHROUDED HEADERS WITH EJECTING LOCKING ARMS

1	Staight	Right angle
10-way	€0.85	£0.90
14-way	£1.00	£1.20
16-way	€1.25	£1.45
2C-way	11.40	£1.60
26-way	11.70	£1.95
34 way	12.00	£2.30
4C-way	22,15	£2.45
5C-way	12.30	12.65
66 way	22.45	C2.85

### BBC MONITOR STAND



### DISTRIBUTION SOCKET



4-way too quality mains railing so wred up with mai

### SPECTRUM DRIVES R\$232 WAFA lead 1m £10 50 Cantrorics WAFA lead 1m£10 50 Micro Extr. lead 12" £6 00

IDC D	CONNEC	TORS
	Mala	Ferrale
1-way	£2.70	£3.20
15-way	€3.20	£3.70

### IRADE ENQUIRIES WELCOME

75p P&P IN U.K. Access & Visa accepted. Add 15% VAT to all orders Cheques made payable to

> RSD Connections Ltd, Dept YC6 PO Box 1, Ware, Herts. Tel: 0920 5285





The Software Library is your key to a vast treasure trove of tapes costing up to £18 each. They are yours whenever you want them, three at a time... and a full week's rental won't ever cost you a penny in hire fees!

Only the original Software Library has the resources to make such an amazing offer—free software for life! Our ten megabyte computer ensures fast service; our illustrated, descriptive catalogue makes it fun to choose from over 80 top arcade games, 124 Adventures, simulations and other games, and over 120 great utilities and serious applications; 65% are for the Spectrum, the rest divided between Commodore 64 and ZX81. New releases are constantly being added. Joining this money-saving scheme should cost you £24; as an introductory offer, you can join this month at half price—£12. From then on, you can take away three tapes from our shop whenever you wish; or if you order by post, all we ask is 30p post/packing per tape. The rental is perfectly free in either case.

What's more, you can sell your surplus software to other members (we have over 5,000!) and recoup the cost of membership in no time at al. We offer huge discounts on peripherals and tapes... and so much more. Phone us now on 0730 892732, quoting your Access number, or return the coupon without delay!

GUARANTEED to save you more than any other software library scheme! <

SOFTWARE LIBRARY FARNHAM HOAD, LISS, HANTS GU33 BJU

NAME...... lenclose cheque / P.O. for ¿

OVERSEAS: pin here for \$18 or join one of our foreign ora Postfach 7806, 4800 Birdefeld: W. Germany, Jacobsmitela 8-3400 Mol, Belgium Jabo bovers Hollandi, 122 S Circular Dublin 8: Peler Lykkesvej 33, 2200 Oppenhagen 5; 80x Manzini Swaziland, France 6 Italy soon. Branch terms Allsoftware hired with supplier's permission.



## Star4

### Sheep Dog Trial

BBC Micro Educational Jacaranda Wiley £14.95

Two players have to get their sheepdogs to herd five sheep into a pen.

You can use your dog tactically to split up the other herd. Claims to develop logical thinking, use of grid references, forward planning.

Enjoyable, but an ordinary chess game would do the job as well and cheaper.

### Nicotine Nightmare

ZX Spectrum Anti-smoking Atlantis £2.99

\* \* \*

Should deter dad from blowing smoke all over you when you're trying to use the Spectrum.

First you have to put out six cigarettes, then you have to find your way into the evil digarette factory and stop them making the little gaspers.

Graphics are a little primitive, but not bad value for the price of two packets of fags.

### Super Huey

Commodore 64 Flight simulator Audiogenic €8.95

\* \* \* \*

Yes, I know we reviewed this last month and we never review programs twice, but we felt you should know you can get the identical Cosmi game at three pounds less than the one ir the US Gold cover.

Seems Cosmi gave US Gold and Audiogenic nonexclusive licences. Seems ike Ocean Software and Centasoft distributors who own US Golc, not to mention All-American, UK Gold and Eurogold, plus the Imagine title, are trying to push prices rather higher than they need be.

(continuea from page 39)

words of Eisenhower when General Montgomery revealed his audacious plan for a quick end to the war in 1944 by caputuring three bridges over the last major river obstacles between his army and the heart of the German Reich.

Arnhem seeks to recreate this battle through five different scenarios. Some cover just a part of the pattle, and once you've mastered these, you go on to the whole thing, fighting the whole battle. As this can take up to eight hours, you, and probably your Spectrum will be glad of the load/save option.

The level of simulation is origade/battalion level and there are 13 different unit types, each with different strengths and weaknesses. The sideways scrolling map depicts the area from the XXX corps front line near Eindhoven to Arnhem.

The sys.em used sets a new standard for realism in wargame simulations. Units can dig in, get in to column for road movement, they have morale as well as variable strength and effectiveness. It stimulates beautifully the difficulties both sides faced in trying to deploy their forces effectively in the difficult Dutch countryside

The XXX corps advance had to be made up a single road, where even light resistance caused delay. Meanwhile the Germans were attempting to recapture the bridges from the lightly armed paratroopers before XXX corp arrived.

There are a few minor cuibbles supply was very important in this battle, both for the airborne and ground troops; no attempt is made to simulate this. Also the system only allows you to attack once per turn, but in the other half of the turn you can move normally but not attack!

These minor points aside, this is probably the best wargame on the Spectrum to date.

Lee Paddon

### Chucky Egg 2


- Spectrum
- A&F
- Arcade aoventure .
- ■£6.90

IT WAS too much to expect really. How could anyone come with an idea as simple, as funny, as infuriatingly addictive as Chucky Egg? A&F have wisely chosen to depart from the formula of their classic game in its successor.

Chucky Egg 2 is more in the mould of the arcade adventure, even though it features the same herc -Hen House Harry - and another eggy plot. This time Harry's job is to help get chocolate eggs made.

He must collect the ingredients, put them in the va: and then find the components of the toys that go inside the eggs. Once an egg's finished he has to send it on to despatch.

Refore he can enter the factory he has to get past a huge and slavering red dog. A bone comes in useful. Once inside, the first screen - of 120



Talladega

- CBM-64 Audiogenic
- Car racing £8.95

\* \* \* \*

THE SMELL of burnt rubber, the shrick of metal on metal. No, not an overheating Spectrum but Talladega, probably the best car-racing game on the market. As you hit the first bend of the race proper you realise that this program leaves Atarisoft's Pole Position standing on the grid.

Despite Talladega's scrolling landscape Pole Position may still have the better graphics but Aud.ogenic's race-track action is far more authentic, exciting and complex. Instead of the other cars in the race being no more than obstacles



Chucky Egg 2.

- presents the problem of getting through a room in which deadly spiders are bouncing up and down on their heads.

Then it's on to a maze full of birdies, a stomping boot that seems just a little too familiar from other games of this ilk, mixtures of ledders and platforms, and so en.

There isn't too much to surprise you in the way of gameplay, but it's all very well designed and it's certainly not an easy game to crack.


I don't think anybody's going to play this game for three weeks nonstop in order to get a high-score of 10 billion, but it's good fun and has lots of tricky puzzles to crack. Peter Connor

between you and a fast time, in Talladega they are out to w.n. Rival drivers will do anything to balk you.

Talladega.

Each car can be identified by its colour or race number and each seems to drive in its own particular way. Number 43 likes to race from the front, number 11 is fond of burning you off with turbo overdrive, while the white car spends most of its time slamming on its brakes just in front of you.

As you scream round the standard or random circuits of 30 laps vital information flashes up on the screen above your view of the track. You must pay close attention to the fuel and tyre-wear gauges, as well as speed, lap time, race position, lap number and the closest car in front if you are to time your pit stops correctly. Slipstreaming saves fuel, the turbe boost wastes it if mistimed. Toby Wolpe



Rock'n Bolt.

### Rock'n Bolt

- **CBM-64**
- Activision
- Chinese puzzle
- £10.99

\* \* \*

CONSTRUCTION TIME again. The game is a little reminiscent of CAD/CAM Warrior, but not so bering. Your little man appears on a lift at the base of the screen and has to hop across the slanted threedimensional display bolting together herizontally sliding slabs of metal. A blueprint is displayed at the bottom right-hand side of the screen, and you have to match your work to this.

Paul Bond

### CUB AND QL-THE PERFECT PARTNERSHIP

This Cub colour monitor is TOTALLY compatible with the Sindair QL.

graphics capabilities with the facility for displaying full 85 column text whilst doing full justice to the colour potential of the QL. Its new cabinet with Tilt and Swivel Plinth harmonises perfectly with the QL's simple yet functional appearance.

Best of all, a price of only

### £295

inc. V.A.T. and Tilt and Swivel Plinth keeps your bank balance in the black too.

### **SPECIFICATION**

Model - CUB 1451/DQT3

14" QL monitor

RGB/TTL input

Tube Resolution (pixels) - 653 (H)

Pitch - 0.43 mm

Bandwidth - 18 MHz

Antiglare CRT



Microvitec plc., Futures Way, Bolling Road, Bradford, West Yorkshire ED4 7TU. Tel: (0274) 390011/726500. Telex: 517717



AVAILABLE FROM HIGH STREET COMPUTER RETAILERS AND BRANCHES OF W. H. SMITH, BOOTS, JOHN LEWIS PARTNERSHIP, LASKEYS, CURRYS, THE NAME CUB'IS A REGISTERED TRADE MARK OF MICROVITED PLC.

### The crystal ball

Steve Jackson is perhaps best known as one of the two authors - lan Livingstone is the other of Penguin's top-selling Fighting Fantasy game books. Steve co-authored Warlock of Firetop Mountain and wrote Citadel of Chaos to name bu: two.

Now Steve has teamed up with Adventure International to bring us a new series of computer games entitled Swordmaster.

Games Workshop's superb Tower of Despair is now available for the Commodore 64 - £8.95 as well as the Spectrum -£7.95. The sequel, Tower II The Key of Hope, should have been released for the Spectrum - £7.95 - by the time you read this

Duckworth's have published a new text adventure for the Amstrad Colossal Cave Adventure by Peter Gerrard

### A helping hand

Martin Scanlan of Newcastle-On-Tyne has been having a little difficulty with 1942 MISSION from CCS. Having landed, he cannot shake off the parachute. Here's how:

ETUH CARA PPOR DNEH TETU HCAR APEV OMER

Level 9's Emerald Isle has been a huge success so it was inevitable that many pleas for help would soon be heard throughout the land. Here's a trio of tips:

How do I remove the plank? REMM AHEH THIT WTIN ETSAF NU What do I do with the clock? YEKL LAMSE HTHT IWTI

DNIW Where is the small key? REDL UCBE HTEN INAX E Our man with the brass lamp and the key to a thousand mysteries sheds light on new adventure programs. Lost?

Never fear, Hugo

### Gremlins

North is here.

- Various £9.95-£7.95 text only versions
- Adventure International

THERE WERE three warnings . . .

"Keep them out of light, especially

"Den't ever get them wet. Keep them away from water.

"But the most important thing, the thing you must never forget . . . no matter how much they cry, no matter how much they beg, never, never feed them after midnight."

If you've seen the film or read the book, those wise words should be instantly recognised as referring to the dreaded Gremlins. Film and TV tieins are all the rage at the moment and Gremlins The Adventure is one of the best I've seen. It stays faithful to the original film while managing to stand as an excellent game in it's own

Like all A.I. adventures, this is a text adventure with added instantaneous hi-res graphics. The pictures are superb throughout. Be warned, though - not all versions contain the graphics. Those that co are the Commodore 64, Spectrum and Amstrad while the Commedore 16, B3C and Electron versions are text only, due to memory limitations.

As in the main part of the film, a town has been overrun by gremlins. It's your job to track down and get rid of every one of them. If you've seen the film, you should find many of the solutions to the puzzles coming easier to mind than those who haven': - remember the microwave oven and food blender? - Yuk!

Just getting going is not too easy since you begin the adventure in a room with a vicious, dart-throwing gremlin. How can you grab the flashlight while being peppered with lethal darts? And where has Gizmo

The graphics are superb and often very funny - pay an early visit to Dorry's Tavern, go right up to the bar and you'll see what I mean. Gremlins should be a sure-fire winner for Adventure International and deservedly so.

### Dead at the Controls

- 48K Spectrum Artic Computing
- £6.95

DEAD AT THE controls is a new text and graphics adventure from a company whose earlier adventures have proved popular. Sad to have to report that although the graphics in this one



are fast and attractive, the game itself is pretty boring.

The top half of the screen is used

for an impressive graphic illustration of the current location. Beneath this is a one line description of the place together with a list of objects that can be seen - they don't appear in the picture - and the possible exits from the location. Your input and the program's responses appear below this. The character set has been redesigned and looks quite ettractive.

When you enter the same location er subsequent locations, the picture is suppressed but can be recalled by typing "look". It has to be said that many of the graphic illustrations are

Although the graphics are colourful and the program has a fast response, the rest of the game is dull.

### Castle Dracula

- Amstrad Duckworth

ANY TEXT adventure for the Amstrad is worthy of attention since there are so few about. This one features good old Count Drac and has plenty of tongue-in-cheek - or should that be teeth-in-neck - humour.

The plot concerns your attempts to serve up the Count with a stake. There are plenty of puzzles and locations to get your teeth into. Good

## SEEN IT, READ IT, HI

"WE SPENT ABOUT two or three weeks getting into Frankie Goes To Hollywood, trying to sort out what was hype and what was real, what we could throw away and what we could use in the computer game."

Denten Designs' Ally Noble describes the approach she and her colleagues John Gibson and Karen Davies adopted when they got together with Ocean Software and ZTT, Frankie's production company, to create an arcade strategy adventure based on the FGTH album *The Pleasure Dome.* And sorting out what's hype and what's real is something the home computer software buyer has had to do more and more as companies produce not just films of books, or sounctracks of movies but computer games as well.

Spin-off games assaulting, or due to assault, your senses this month include (apart from Frankie Goes To Hollywood) Minder featuring Arfur the loveable Cockney rogue, and a game based on the new James Bond movie A View to a Kill. More pop music connections here, since Duran Duran did the soundtrack. Some of their music will be included in the game, along with John Barry's famous James Bond theme.

A three-parter, the 007 game from Domark features arcade sequences based on action in the film. There is a maze-chase through City Hall, a section set down a mine, and a sequence based on Roger Moore's search through Paris for Grace Jones. There will be plenty of people to play the game of the film in this particular case since Domark will be producing versions not just for the Spectrum, CBM-64 and Amstrad CPC-464 but also MSX, IBM and Apple versions — together with an Enterprise version.

Implementation for a wide range of machines makes sense if a spin-off program is to be successful. You are not appealing to the closed orders of the computer gamer where games are famous in their own right, perhaps even dictating the purchase of a particular machine. The spin-off should reach a broad church, but without incurring the scorn of hard-core computer users.

Activision's Ghostbusters would seem to

## SPIN-C


have succeeded admirably in this respect; even gamers who express doubt about what actually goes on in the game usually show admiration for the quality of the graphics and the excellent music synthesis. This game appeared first on the Commodore 64 in the UK — and generated slipstream sales on the Spectrum for which a version was released later. Would it have done so well if its premiere had been on the squeaky Spectrum?

Opinions differ as to marketing strategies. Ocean's Frankie game will probably be released in its Spectrum form first, although Ocean supremo David Ward is of the opinion that it is preferable to release all versions simultaneously — this means you only have to do one lo: of marketing. While both versions will feature synthesised music, the feeble sound facility of the Spectrum will be compensated for by audio remixes of Frankie songs that Ocean hope will be exclusive to their cassettes.

Frankie say when a character is born he acquires at once such an independence, even of his own author, that he can be imagined by everyone in many other situations where the author never dreamed of placing him. Huh? Well, once Paul Merley of ZTT realised what computers could do, he, Ocean and Denton Designs set out to create a game that was in harmony with Frankie's "creative concept".

"He wanted us to emphasise the essential mundaneness of life — but contrast that with the fact that there are many ways of escaping it," said John Gibson, one of the several ex-Imagine refugees that make up Denton Designs. Only as a completely fulfilled individual can you enter the Pleasure Dome. Until then, you're just a shadow.


The central character in the game is the



Frankie looks down on the Wirral peninsula.




Mundane . . . or is it?



## EARD IT, PLAY

Paul Bond meets the people behind the game of the band and gets a hard sell from Arthur Daley.






V/hat's behind the facade?



There are many ways into the Pleasure Dome



Roger Moore as 007 in his latest Bond film A View to a Kill — or should that be A View to a Quick Killing?



Frankle goes back to Liverpool in the latest spin-off computer game.


Frankie emblem, the figure clutching a star on the back of your Two Tribes twelve-incher. He enters an average street composed of four houses. Even the most ordinary facade can conceal strange goings on. Inside you will find a hall with three doors - you see, there are many routes by which one can enter the Pleasure Dome. The further you progress into the game the more connecting routes between screens are built up. Part of the game involves a murder mystery - you discover someone who is dead, but smiling. Maybe it's just a Duran Duran fan.

Whether you're in the mundane kitchen or mundane sitting room, you can change all this by following your pleasure metive. Touch the TV and the screen engulfs you. Great use is made of "windows" in this game - a touched object en arges to allow you to examine it more closely, say, the title on a book.

Like Frankie the game tries hard to be all things to all people, so the complex web of the adventure is knitted together by arcade sequences like "The Power of Zap" in which hitting a bouncing ciamond will pitch you into a variety of different scenarios.

All the sequences force you to use the joystick in different ways, at least on the 64 version. Wacky ideas include a sequence in which you have to defend Liverpool's art galleries from bombers and, another sequence, Karen Davies' pet project based on a classical painting. You mutate into a devil, enter the painting and steal all the cherubs' halos. Reagan and Thatcher make their appearances too - "We weren't consciously influenced by Spitting image, but maybe subconsciously" - and the climax of the game is described as controversial but not offensive.

Denton Designs have worked hard to produce a game that stands in its own right, with



Would you buy a flood damaged sink from this man? Arthur Daley, alias George Colc, cleans up.

or without the Frankie sticker on it. "We think pop fans will buy this game and enjoy it, but we've aimed it at computer people," says programmer John Gibson. With its innovative mix of ideas and excellent graphics, this game should prove a nice little earner for Ocean.

Which brings us unsubtly to the case of Mr Arthur Daley and DK'tronics Minder computer game. As with Frankie Goes To Hollywood, there was a "creative concept" to be wrestled with. "There are two approaches to any program", says programmer Don Priestley, "IBWCBD or IBWMBD - it blodcy well can't be done, or it bloody well must be done." But how to computerise slang, parter, bluffs, facial expression, plots on the border of credibility?

In the computer game Minder available in itially on the Spectrum, you step into Arthur's shoes, with £2,000 in your mitts and two weeks to make as much cash as possible. You also have a small selection of goods to sell so I suppose you could characterise this as a kinc of strategic trading game. The four main scenarios are the Winchester Club where Arthur does all his trading and keeps his ear to the ground, Terry's flat, Arthur's lock-up and various dealer's premises.

Talking to characters in the Winchester Club is simulated by a rogues gallery of head and shoulders portraits hanging up around the bar. You press the number of the one you want to talk to or sometimes they make the first approach. What they say appears at the bottom of the screen and their lips move.

The programs parser - which interprets your commands - is very user-friendly and accepts pretty wide variations of entry, things like "I'm asking a pony?" when you are hinting how much you want to pay.

George Cole, who pertrays Arthur in the TV series, was there to launch the game. He has something of a vested interest in micros or at least he's invested a lot in his son Toby's Commodore 64, "He uses it to look at the Ladoroke's Telebetting page on Prestel" grins George. And Toby's favourite game bearing in mind he hacn't had a chance to play Minder yet? Well, it's another spin-off: Ghostbusters.

AMSTRAD IS ONE of the few success stories in the computer scene at the moment. With no overstocking problems, it has remained a of from the recent vicious price war. So it is in confident mood that Amstrad has revealed its follow-up to the CPC-464: the 654.

The new machine is hardly a radical departure from the 464. The most obvious difference is the replacement of the built-in cassette by a disc drive. The keyboard has also been revised, and the Rom upgraded.

The disc drive is a single-siced 3in,drive with 150K capacity per side. A few commands are available as Basic extensions, all the tape commands operate the drive, other utilities — backup, format and so on — are available from within the CP/M operating system, which can be used instead of AMSDOS.

### Cassette interface retained

There is a slot in the back for a second drive — either 3in, or 5.25. The cassette interface is retained, which now uses an external domestic tape deck via a Dragon style lead.

The keyboard has a new grey and blue livery, but more importantly, it has been recessigned so that the keys are in steps, which will do much to endear it to typists. The cursor keys have also changed to an MSX style cluster, which helps when editing and playing games which often use these keys.

Some useful information on ink colours and key numbers has been printed on top of the drive housing. The new Rom, which proudly announces itself as version 1.1 of Locomotive Basic, has a few extra commands. Perhaps most significant of these is the Fil. command. This simply fills the area around the graphics cursor

New looks at the "turbo" versions o two old favourites. Lee Paddon revs up the 664 while Jack Schofield opens the throttle on the 130. remarkable for what it doesn't offer. It doesn't offer more Ram, despite the low cost of the chips today. It doesn't offer sideways Roms

bounded by any series of lines, with the current ink colour. The Frame command synchronises updating screen graphics with the sync pulse. This produces smoother graphics, and simply replaces the widely used system call which did the same job on the 464.

Further improvements in graphics come in the form of the Mask command. This allows the user to draw either the traditional solid line or a series of dots. From this idea stems the need for a graphics paper command to determine the colour of the dots missed out by the Mask command. A new optional parameter determines the way that lines drawn on the screen interact with lines already there.

The machine's error handling system is completed with the Derr statement. This is because, unlike tape errors, disc errors are not always fatal. This variable holds the number of the last disc error which occurred so the program can take appropriate action.

You can also now use the Auto function with Edit; this allows you to edit a whole block of code without having to call up each line indivi-

dually. How useful this will prove in practice is open to doubt. How many of your programs have regular line numbers? It might have been handy had a renumber command been included.

All of these additional commands might leave the 464 owner asking where he stands. All programs that use legal system calls, and don't use up the Ram taken by AMSDOS will run on the new machine. However, software written for the 664 won't necessarily work with the 464, although it seems unlikely that anyone would go out of their way to use the extra commands for a commercial program. It is not planned to offer the new Rom as an upgrade to 464 cwners.

All this information is a lot to cram into a manual. Not only do you need a Basic primer, but a guide to AMSDOS, CP/M, and Logo, the language supplied free with the system disc. Amstrad has proved equal to the task. The manual kicks off with a foundation course explaining some of the basics to the novice; after that is a detailed alphabetical list of the keywords, with details on syntax and program examples. Next come some notes on handling data on cassette and disc.

Although there are many good things in the 664, the new machine is perhaps chiefly

remarkable for what it doesn't offer. It doesn't offer more Ram, despite the low cost of the chips today. It doesn't offer sideways Roms—the facility is there in the hardware, but extra circuitry is required, you don't just plug them in. There is still no warm reset, except in CP/M, so if you get yourself tied up in knots with ink colours, sounds and graphics, it's just too bad.

### CONCLUSIONS

- The machine in mary ways represents yesterday's technology. The hoary old Z-8C, and CP/M. The choice of the 3in. disc format is rather suspect, it now looks as if the 3.5in. format, which offers nearly twice the capacity, will dominate the budget drive market with Apple and Hewlett-Packard adopting it.
- All that said, at £339 for black and white or £449 for the colour version, there is little doubt that the system offers unrivalled value for money.
- offers unrivalled value for money.

  Unlike the much vaunted 16-bit invasion, this machine is here today, debugged, and with a rising tide of commercial software support. Many companies see the machine as the natural next conversion after Spectrum and Commodore releases.
- The clean Basic, simple DOS and clear manual offer computing without tears for the beginner while civing the expert plenty to play with.



WHATEVER ELSE you might say about the new Atari 130XE, it's great value. You get a 6502-based micro with 128K of Ram, 11 graphics modes, five text mcdes, four sound channels, a very good fall-stroke keyboard and a penny change from £170. That's £60 less than the official price of a slow, less stylish Commodore 64, and half the going rate for a fast 32K BBC Model B.

Fortuitously, Atari has ended up with the best of both worlds. The customised chips, which provided sprites, a 256-colour video display and sound in the cays when firmware had to compensate for the very high price of Ram allow good graphics in only 8K of screen Ram, but you also have more memory than you know what to do with.

The 130XE has two standard joystick ports, a cartridge slot, a reset key, an on/off switch with red indicator LED, a serial bus, an expansion port and a composite video monitor output as well as a TV connector.

On the serial I/O port, SIO, you can hang a daisy-chain of existing peripherals including the 1050 disc drive, various printers, touch tablets, track-balls, light pens, the dedicated Atari stereo cassette deck - ordinary recorders not allowed - and the Minor Miracles WS-2000 modem. Compared with the cost of expanding an Electron or Spectrum Plus to a similar level, the Atari 13CXE is actually cheaper.

Furthermore, matching 3.5.n. - not nonstandard 3in. - floppies, cheap hard discs and printers are claimed to be on the way.

The 400/600XL/800 compatibility also allows the new Atari to run a vast range of existing software and peripherals. The machine comes with a brief list of about 800 programs already available.

rewrite of Defender. Everything ran correctly, though an XL Translator program is needed for some early software

The most noticeable difference from the previous Ataris is that the video display signal is much stronger. It produces an image that is sharper and has much higher contrast. This is a particular benefit with the AtariWriter word processor and VisiCalc spreadsheet. However, it is less kind to the cruder graphics of some older games, including Defender.

All round, the 130XE is smart and well mace, but there are a few points I don't like. For example, the function keys are not as handy on the top as they were, on the 800XL, down the side.

Also the top right f-key is a system reset or "warm start". This is unprotected, which is going to cause some people anguish with a few programs outside Basic.

The "enhanced" partridge slot has unprotected plastic pins which are going to get broken off. As the slot is in the back, instead of on top, you may have to lift the machine to slot a cartridge in. The real reason it has been taken round the back is to save on the expansion port. This used to be a full pirout from the mother board. Now the expansion por: is just the cartridge slot plus the missing lines to a small extra port. These points may seem trivial, but the Atari 800 and 800XL were in these respects better designed.

The only other real limitation of the new machine is the Atari Basic. Although this is friendly, offers syntax checking on line entry, and was considered very good when it first came out, it was written in 1979. Atari has fitted the latest further-debugged Revision C Rom of the original, but people now deserve a faster language with better control structures, such as Optimized Systems Software's Basic XL. OSS wrote Atari Basic, and its compatible XL upgrade should have been built into the machine instead.

Optional programming languages include Microsoft Basic, an excellent Logo, Forth (various), Pilot, Tiny C, C-65 and the most brilliant language of all, Action! This is a highly-structured, compiled language which is somewhat like C crossed with Pascal, is almost as easy to write as Basic, but runs almost as fast as assembler.

When it comes to the Atari's extra memory, you have to appreciate that you can't simply bung a extra 64K of Ram chips into a 64K machine. The 6502C can only address 64K, so when you allow for the Basic, what you have is under 38K - roughly the same as the Commodore 64 and Spectrum.

To make the extra Ram accessible, Atari has added a new custom chip called Freddy, as memory manager. The extra Ram is available in 16K pages which are accessed according to the formula

POKE 54017,193 + 4\*ADDRESS - 16 \* NOCE

That won't scare readers of this magazine, but it will bother Uncle Ernie who thinks Print Fre(0) should give 131,072 bytes free.

So far there is no commercial software that can use the extra Ram. Atari is planning to launch an enhanced version of its popular word processor, Atar. Writer Plus, and more serious software to utilise it. Examples are a productivity range of iWord, iCalc, iBase. iPlot and iLan, a home finance program Silent Butler, and a do-everything wonder package modestly called Infinity. Networking is planned. I wouldn't expect any of these Real Soon

However, these developments show that Atari is now heading in a different direction towards the more serious, more experienced user, and away from its reliance on games. Of course this is also the direction of Commodore, which has built CP/M into its forthcoming C128 replacement for the antiquated C64, and Amstrad, with the repackaged 664.

Atari has also produced a new disc operating system, DOS 2.5. This has the power and ease of use of DOS 2 and none of the cisadvantages of the enhanced-density DOS 3. It comes with a "silicon disc" program which allows spare Ram to be used as a virtual disc drive, greatly speeding up disc operations.

### CONCLUSIONS

- The Alari 130XE is a well designed, well firished micro.
- Being 800XL compatible, the 130XE is well supported with existing software and peripherals.
- The Atari 130XE costs £169.99 inc VAT. On ts price/performance atio - bits per buck - and facilities this makes it.
- in theory, better value than any other machine on the market. In practice it will be a while before the extra Ram is exploited by any commercial software.
- In the long term, the Atari 130XE will appeal to those well recled buffs who want to do word processing and other serious stuff.



## What do you get if you cross a Commodore 64 with a CP/M business machine and a new 128K micro? Arthur Young finds out.


128k IS THE 1985 fashion adopted by manufacturers eager to stimulate a depressed home computer market. Within the constraints of current technology memory expansion is the obvious way to create a new product, as Atari and Enterprise have already shown. In reality just expanding Ram from 64K to 128K advances home computing only marginally.

The Commodore 128 follows in the wake of the unsuccessful C16 and Plus 4 — both victims of Commodore's incompatibility of models that alienates software houses who are not prepared to support an ever increasing variety of machines in smaller numbers. In upgrading their product range Commodore had to come up with a machine that met the fashion yet was compatible with other Commodore products, especially the CBM-64.

Commodore deserves applause from all quarters of the industry for at last establishing compatibility within their range, yet producing a really exciting new machine. The Commodore 128 is in fact three computers in one.

It is a 128K machine with a much improved Basic. It is to all intents and purposes a Commodore 64. It is also capable of running CP/M and well warrants the description of both home and small business computer.

The three computer identity is achieved by an architecture that combines the 6510, the 8502 and Z80A microprocessors, a combination that allows for three main operating modes. Five modes are available on the 128, Commodore 64K mode, Commodore 128K mode and CP/M mode and optional 80 column screen modes available in 128 and CP/M mode only.



defaults to the 128K mode with a 40 column screen. The 128K mode runs an extended version of Commodore Basic 4.0 known as Basic 7.0. An optional 40/80 column key located in the down position — like shift lock — activates 128K 80 column mode. The other modes are attained via Basic commands or by having a Commodore 64 cartridge plugged for CP/M mode, into the game port for 64K mode, or CP/M utility disc in the disc drive when the computer is turned on. The 80 column mode can also be activated from Basic using an Assign Command.


The 128K mode provides all the normal Commodore 64 facilities. However, on switching on an impressive "122365 bytes free" message is displayed on the screen. In 40 column mode a VIC 11 chip provides a composite video output, 30 column mode is produced by an RGB output from an 8563 video chip. The 128K Ram is divided into two banks; the lower bank for the text portion of Basic programs, the upper for variables strings and arrays. Sound is produced in all modes by a SID chip.

In 64K mode the 128 behaves exactly like a Commodore 64.

The screen displays the familiar "38911 bytes free" message and a 40 column screen only is available. Initialisation is achieved from Basic by the command "GO 64", alternatively the machine will default to the 64K mode driving power up when a Commodore cartridge is located in the expansion-game port.


CP/M mode is initialised by default in powering up if a CP/M utility disc is located in an attached drive, or from the 128K mode by using the basic command "BOOT". The C128 runs CP/M version 3 using the on board Z80A processor running at 4MHz.

Basic 7.0, which is available in the 128K mode, is the most extensive version of Basic yet to be released by Commocore. It is an enhancement of CBM Basic 4.0 with a fotal of more than 140 commands, functions and statements. Structured programming commands, similar to those used in Simon's Basic make Basic 7.0 also



the easiest Basic yet released by Commodore, being literal without being wordy. Some commands give Basic the structured programming power of Pascal or Fortran, notable are a Do/Loop/While/ Until/Exit command and a Print Using command with an accompanying definition command Pudef. There is also an extension to the If . . . Then statement using Begin and Bend to define any number of lines to be executed as part of the then condition. Error trapping within programs is handled by a Trap and Resume combination.

In addition the Commodore 128 offers a number of commands to help enter and debug programs. There are the regular Auto and Delete and a Help key that homes in on syntax or division by zero errors highlighting them on screen in reverse viceo. Particularly useful are Tron and Troff, a function that traces each line of a program as it is being executed and prints the line number to the screen.





Built into the C128 is a handy 14 command monitor.

The graphics facility of the CBM-64 was one of its more attractive features. This is retained on the C128 in the 64K mode. In 128K mode there are commands to draw, move fill and manipulate points, lines and shapes on a high resolution screen. A single command produces split screen for text and graphics. In all 128K mode allows for normal text screen, highresolution screen, split screen text/high resolution, multicolour high resolution or split screen with multicolour and text. Screen type is chosen using a new command Graphic, other new commands are Circle, Box, Pain: and Draw. 128K mode provides the same 16 colours that are available in 64K mode. However, because of the two screen mode, higher resolution is possible and the maximum is 640 by 200.

As ir. 64K mode 128K mode allows for up to eight sprites, these can be readily created using a sprite generator package resident in firmware. Three sound channels are available. The sound is controlled by five basic commands Vol, Envelope, Filter, Tempo and Sound.

The dowdy shoebox image of the Commodore 64 has been replaced by a slimline beige console that any style-conscious businessman should be pleased to have on his desk. A full size typewriter style keyboard has 92 keys, that travel and locate well.

The keyboard is in six parts: a standard wordprocessor type layout with symbols, numbers and letters; a 14-key numeric pad; four double function programmable function keys, six cursor control keys; and a further two rows with 40/80 column key, line feed, cap lock and so on. Interfacing with the C128 is achieved via a range of ports located to the side and back. These are a user port, a cassette port, two games ports, serial port — Commodore standard, RF/TV port, audio input and output ports, composite video/RGBI video.

Two new peripherals are already on the way to accompany the new machine. To many people's relief a new disc drive the 1571 will replace the old 1541. The 1571 will be a 5.25in. disc with a 350K capacity.

The other peripheral is a matter of necessity rather than choice, that is unless you want to have two monitors. 80 column mode produces an RGBI output.

### CONCLUSIONS

- By the end of 1985 the Commodore 128 will be a strong contender for micro of the year. Already in excess of 6,000 software titles are in existence.
- In CP/M mode the C128 is a realistic small business computer, in 64K mode it is a home machine, in 128K mode I have no doubt it will prove its worth.
- The one doubt that exists about its future is the price, which is in the hands of the dollar/pound dealers.

John Dawson continues his mini series on databases with a look at how information is extracted and how to secure it.

### \*STARBASE\* (KEYTEAM SOFTWARE) MIKE CHALK (C)1984 PRESS LETTER KEY FOR UTILITY SBU01 Recover deleted records Increment field SBU02 SBU03 Field statistics SBU04 Configure printer Print file review SBU05 SBU06 Print record cards SBU07 Build print format SBU08 Print address labels form SBU09 Print Move records SBU11 Calculate ASCII form print SBU13 Merge subsets <S> STARBASE <Q> QUIT

LAST MONTH I described different types of database structure and related that to the four databases for the BBC microcomputer that I am examining. This month I'll go on to see how you can extract information from the database and how secure the data is from unauthorised prying eyes. Next month I'll deal with how easy or difficult it is to build the form' that you need to enter information into the database and serting, searching and the general cost/benefit of each program.

It's worth spending some time thinking about the output that you want from the database you are going to create. It isn't all that easy to predict in advance what information you will need or what form you will want it in but planning will certainly pay off.

Suppose you had a program, at one mad extreme, that was quite complicated to set up, took up hours of your time typing information in front of the VDU and then committed all that tidy, structured information safely to disc—and then cid Nothing else.

Pretty good, not a bad definition of a Write Only Memory (Wom — a sort of upper class Rom). The whole purpose of creating a database is to supply you with relevant, timely and accurate information when you want it. A database, after all, is nothing more than a program to organise and manipulate information for you.

Information can be extracted from your databases either by displaying it on the VDU or by printing a list of selected items. None of the programs, for example, will output information using the speech processor as they are supplied although the utility software supplied with Stardatabase could be extended to use this form of output.

At the most dramatic level, the type of information and the number of items you need to be able to handle in relation to a single record may determine your choice of program. Figure 1 sets out the basic statistics about each of the programs. The Acornsoft database is limited in some respects when compared to the Datagem and Stardatabase programs but it costs so much less that things like the seven character field title length may not matter to you.


The maximum record length for the Acornsost program is not stated in the instruction manual but is calculated from the number of fields and the maximum field length. The Stardatabase program is curiously limited to a maximum search sort depth of five characters. This is an important handicap as it is very convenient to store dates in the form YYMMDD — Year, Month, Day.

### Scribe will handle text

If you want to print out a batch of invoices that have been entered since a particular date, make a list of who owes a subscription to the club, or find a particular birthday, you will have to do this as a sequential search on more than one field, that is year first and then the month and date.

The Scribe database is the only program of the four that can claim to handle text. 913 characters — the maximum field length — is a responsible paragraph of about 150 words and this, combined with the facility to wordwrap text when it is printed makes the Merlin database very attractive for generating s; and ard contracts, leases or letters, or for managing projects where extensive free text comments are necessary. The fuzzy search


## DATAE



conditions of Instring and Not Instring will work on the whole of a 9.8 character field.

Stardatabase will also avoid broken words at the end of lines when a record is printed using one of the disc based utility programs. Note that Stardatabase has no output facilities to a printer in the Rom chip itself.

Datagem and the Acornsoft databases suffer from their association with the View word processor. Both programs will create macro





fields for View although this is much easier in the Acornsoft program. The problem is that a View macro field may not be more than 132 characters leng and View will not wrap words that run beyond the right margin.

Consequently, the output capabilities of both programs are severely limited for anything more complicated than a name and address file or short items of information to drop into a View text file where variations in

length will not upset the formatting of the output too greatly.

Both Stardatabase and the Acornsoft database are accessible from Basic programs. The Acornsoft instruction manual says:

"Each datafile starts with a large block of information which relates to the format of the file. The names and lengths of the fields are contained in this block which is called the control block . . . A record is stored as a series of fields one after another. These fields have the following format - The start byte 00 - A byte containing the length of the field - 2 to 240 bytes of data in reverse order . . This is used occause it is the same as is used by Basic's Print&F,A\$ and Input&F,A\$. Thus it is a simple matter to produce routines which can read and write the fields."

Stardatabase, on the other hand, provides both prewritten Basic utilities and a number of "spooled" procedures which can be incorporated into your own Basic programs. The procedures make use of special function calls in the form \*SBnn.

These \* commands are intercepted by the Stardatabase chip and, consequently, the Rom must be in place in any machine which is to run a utility program. The following procedures are supplied:

Load record

Save record

Open up side 0 or side 1 of the disc for access

Load file

Load the bit map of which records are current

Load information about the felds in the record

Load the input pard to the screen Save the bit map

Save the current screen as an input card Check, Set and Clear positions in the bit

Clear the input card ready for new data Find the specification of a feld

List the field types in a record

Load a subset of records from the database.

the data buffer

Save a record in the subset to the disc Get a field from the record currently in the

Save a field in the record puffer and several more

Stardatabase does offer a comprehensive system for creating and then manipulating data according to your own requirements. The Acornsoft program is less sophisticated in the form in which you purchase it but has the same scope for handling information.


The Scribe database relies on exporting information to the Scribe word processor for report writing and a compiled Report Writer programming language which will allow mathematical operations on fields within a record, placing the result into another field in the same record and many other functions.

### Mail merge is excellent

Unfortunately, the Report Writer module for the Scribe database was not available when this art.cle was written - early April - and it's difficult to judge from the provisional manual just how powerful or useful it will turn out to be. However, the mail merge and report formatting facility using the Scribe word processor is excellent. You can't perform calculations on the data but it is easy to layout a standard letter or invoice.

Datagem is self contained. Having bought this program first, I now use Stardatabase and the Accrnsoft program because the Datagem catabase is time consuming and inflexible when you are rying to print out information. I gave the Datagem system four sters in figure 1 fer a commercial data handling program because many operations are predetermined and simply have to be carried out at set times.

Once a Datagern database has been configured and the outputs have been established then it's a very good program for (continued or



## 

### THE TASWORD WORD PROCESSORS

The extensive features of the Tasword word processors are ideal for both the home and business user. Every Tasword comes complete with a comprehensive manual and a cassette or disc. The cassette or disc contains your TASWORD and TASWORD TUTOR. This teaches you word processing using TASWORD. Whether you have serious applications or simply want to learn about word processing, TASWORD and TASWORD TUTOR make it easy and enjoyable.

### TASWORD TWO (Spectrum)

### 64 characters per line on the screen!

"Without doubt, the best utility I have reviewed for the Spectrum" —oweconyumn; weekly APRIL 1884 "If you have been looking for a word processor, then look no further." CPASH JUNE 1884 The cassette program is supplied with instructions

for microdrive conversion.

TASWORD TWO® ZX 40K Spectrum

cassette £13.90 microdrive cartridge £15.40

### TASWORD EINSTEIN

A sixty-four character per line display and the ability to hold over five hundred lines of text at any time are just some of the features of this, the must recent, of the Taswords. Full interaction with the cisc system—e.g. Tasword detects the presence of added drives and allows their use.

TASWORD EINSTEIN Taxung Einstein

disc £19.95

### **TASWORD 464**

"There is no better justification for buying a 464 than this program."

POPULAR COMPUTING WEEKLY NOVEMBER 1934

A particularly sophisticated yet easy to use program. Now available on disc. The cassette version is supplied with instructions for transferring to cisc.

TASWORD 464° Amstrad CPC 464

cassette £19.95 disc £22.95

£13.90

### **TASWORD MSX**

With all the features of the Spectrum Tasword Two including the amazing sixty four character per line display. The Tasword MSX machine code program utilises the 32K of memory not normally available to Basic allowing over five hundred lines of text to be held in memory.

TASWOFD MSX\* 64K MSX Computers Fully inclusive mail order price

(cassette includes both disc and tape versions)

### THE TASCOPY SCREEN COPIERS

The TASCOPY screen copiers print high resolution screen copes with different dot densities and patterns for the various screen colours. This gives the screen copies a shaded effect which presents on a monochrome scalethe colours on the screen. With TASCOPY you can keep a permanent and impressive record of your screen pictures and diagrams. TASCOPY supports all the printers mentioned under TASPRINT.

### TASCOPY (Spectrum + Interface 1)

The Spectrum "ASCOP" is for use with the RS232 output on ZX Interface 1. It produces monochrome copies (in achoice of twosizes) as well as oppies with the shaded "grey scale" effect described above.

TASCOPY ZX Spectrum

um cassette £9.90 microdrive cartridge £11.40

### TASCOPY 464

Adds two new commands to the 464 Basic to give both a standard shaded screan copy as well as a "poster size" copy which is printed onto two or four sheets which can becut and joined to make the poster

TASCOPY464AmstradCPC464 cassette £9.90

disc £12.90

### TASCOPY OL

TASCOPY OL adds new commands to QL Superbasis. Execute these commands to print a shaded copy of the screen contents. Print the entire screen or just a specified window. TASCOFY QL also produces large "poster size" screen copies on more than one sheet of paper which can then be cut and joined to make the poster, and high speed small copies

TASCOPY QL Sinchir QL

microdrive cartridge £12.90

### THE TASPRINT STYLE WRITERS

A must for dot-matrix printer owners! Print your program output and listings in a choice of five impressive print styles. The Tasprints utilise the graphics capabilities of dct matrix printers to form, with a double pass of the printhead, output in a range of five fonts varying from the futuristic data-run to the hand writing simulation of Palace Script. A TASPRINT gives your cutput originality and style! The TASPRINTS drive all Epson compatible eight bin dot-matrix printers, e.g.

AMSTRAD DMP 1 EPSON FX-80 EPSON RX-80 EPSON MX-80 TYPE II NEC PC-8023B-N

Five impressive print styles for your use:-

MANNESMANN TALLY MT-8C STAR DMP 501/515 BROTHER FIR5 SHINWA CP-8D COSMOS-80 DATAC PANTHER DATAC PANTHER II

### COMPACTA - bold and heavy, good for emphasis

DATA-AUM - A FUTURISTIC SCRIPT LECTURA - clean and pleasing to read MEDIAN - a serious business-like script Palace Script - a distinctive flowing font

Typical Tasprint output. Please note that different makes of printer produce different sized output.

### TASPRINT (Spectrum)

Drives all the printer interfaces compatible with TASWORD TWO and can be used to print TASWORD TWO text files as well as output from your own Basic programs.

TASPRINT 48K Spectrum

trum cassette £9.90 microdrive cartridge £11.40

### TASPRINT 464

Can be used to print AMSWORD/TASWORD 464 text files in addition to output from your own Basic programs. Drives the Amstrad EMP 1 in addition to the printers listed to the left.

TASPRINT 464 Aristrad CPC 464 cassette £9.90 disc: £12.90

### TASPRINT OL

TASPRINT OL includes a screen editor used to modify files created by other commercial software, such as QUILL, or by the user from EASIC. These modified files include TASPRINT control characters and may be printed, using TASPRINT, in one or more of the unique TASPRINT fonts.

TASPRINT OL Sinclair OL

microdrive cartridge £19.95

MSX · TATUNG FINSTEIN · ZX SPECTRUM · SINCLAIR QL · AMSTRAD CPC 464

## THVARE 1 asma

### OTHER TASMAN PRODUCTS FOR THE ZX SPECTRUM

### TASMERGE

### The Mail Merger

Transfer data from MASTERFILE to TASWORN TWO! Letters and forms typed on TASWORD TWO can be printed with addresses and data taken from MASTERFLE. The mail merge facility allows, for example, multiple copies of a letter to be printed, each containing a different ame and address taken from you MASTERFILE data. To use TASMERGE you must have one or more microdrives as well as TASWORD TWO and MASTERFILE by Campbell Systems. (version 9 or later).

TASMERGE ZX 48k Spectrum

£10.90

### TASWIDE

With this machine code utility you can write your own Basic programs that will, with normal PHINT statements, print onto the screen in the compact lettering used by TASWORD TWO. With TASWIDE you can double the information shown on the screen

The Screen Stretcher

TASWIDE ZX 16K + 48k Spectrum

### TASMAN PRINTER INTERFACE

Plug into your Spectrum and drive any printer fitted with the Centronics standard parallel interface. Scuplied complete with ribbon cable and driving software. The user changeable interface software makes it easy to send control codes to your printer using the method so successfully pioneered with TASWORD TWO. The cassette contains fast machine code high resolution full width SCREEN COPY SOFTWARE for Epson, Mannesmann Telly, Shinwa, Star, and Tandy Colour Graphic (in colour!) printers


TASCCPY, shaded screen copy software for this interface (value £9.90 - see cescription on left) is included in this package.

CENTRONICS INTERFACE ZX Spectrum £35.90

### **COMPUTER PRINTER CABLES**

RS232 for ZX INTERFACE 1 MSX CENTRONICS AMSTRAD CPC 464 CENTRONICS £14.50 £16.00 £9.90

£5.50



Available from good software stockists and direct from



Springfield House, Hyde Terrace, Leeds LS2 9LN. Tel: (0532) 438301

If you do not want to cut this magazine just write your order and	COMPUTER ITEM PRICE
TASMAN SCFTWARE, Dept. YC, Springfield House, Hyde Terrace, Leads LS2 9LN.	- F
enclose a cheque/P.O. made payable to Tasman Software Ltd.  OR charge my ACCESS or VISA number	E E
No.	Outside Europe add £1 for eachitem armai £ TOTAL £
ADDRESS	Send me the FREE Tasman produce describing your products: tick here:  I would like to know more about your programs for
	OL Tatung Einstein ZX Spectrum MSX Amstrad CPC 464

(continued from page 51)

many purposes. But try to set up a quick and nasty output form for a new purpose and it may take you some time to unravel the input form which is not kep; separate from the print format card.

Printing address labels is one of the standard functions of most database systems. Standardshape is very good at doing this and can cope with up to eight labels across a sheet of continuous stationery. Remember that the program has to fetch the name field from up to eight records for the first line of the label, then the first line of he address from the same records, and you will appreciate why most programs don't offer this facility.

### Security of data

Single width address labels on backing paper are more widely available than they used to be but these tend to be more expensive than the label used in massive quantities by companies who do mail shots.

Datagem scores heavily on the mathematical functions that are contained in the Rom chips. It is possible to interrelate fields to calculate VAT, total costs across all the records in a database, discounts on varying sizes of order and so on.

Security of data may be important in a


Figure 1. Program comparison.



commercial environment and if you have a list of your boy/girl friends on a database it may be personally relevant as well. Despite the password facility that is provided on two of the programs, the data on the disc is wide open to inspection using the \*Dump command.

Admittedly, the Acornsoft database stores the information in reverse order and the Stardatabase program puts records in a complicated hash sequence on the disc to speed up recovery times; but it is still possible to browse through a database file.

In an office or a factory where the BBC may be used by people who are comparatively unskilled in low level micro operation, the protection offered by a password may be



# Input Record 51 Field 4 SURNAME Crosthwaite FIRNAME Perry OCCUP'N Architect PHONE 0342 771488

## CONTECT PROTECT

Peripherals make using your computer more interesting and easier. But you may have more items of equipment than power outlets. The best way of tidying up the trailing wires and obtaining a 'clean' power supply is to use STRIPBLOC. It has five CEE 22 outlets, probably more than enough for connecting your add-ons to your power source. It's rugged, made from

Have you ever noticed interference when you are using your computer?



Once you've bought it you don't need any extras, it's supplied with five stancard right-angled rewireable plugs, a 2m fully-approved cable and moulded 13A plug Forget about risky connections. Be safe with STRIFBLOC.

Stripbloc includes: ■ 1 five outlet mains unit with RFT filter
■ 2m cable with moulded 13A mains plug ■ 5 rowineable
right-angled plugs Spikebloc includes: ■ 1 mains protection unit with integral 3A mains socket ■ 2m cable
with moulded 16A plug


Send to (no stamp required):

Rendar Limited, FREEPCST,

Durban Road, Bognor Regis PC22 9RL.

Please send me the following items:

ItemQuantityPriceTotalStripbloc\$24.99Spikebloc\$49.99TOTAL



It could be caused by any number of things: a light switch, a tridge. a central heating motor starting, or even a thunderstorm. The power lines of your computer can pick up many forms of natural and manmade interference, which can be damaging to computers and peripherals. Rendar's SFIKEBLOC has been developed to give protection against transient over voltages and continuous high frequency:nterference on the mains supply. The unit is housed in a rugged metal case and gives good electrical screening from high frequency sources. This high level of protection was only possible previously using elaborate and expensive filter units. Now it isn't

I enclose cheque/postal order mode payable to Rendar Ltd.,

for £ \_\_\_\_\_\_ or debi: my

Access/ Visa Credit Card

equipment.



too expensive for you to protect your







Post Code.

Name

Address





INSPIRED BY one of the best games of 1984 -Boulderdash - Rockrun sets you down in an underground cavern where your task is to collect 16 diamonds before time runs out. As you tunnel through the earth you inevitably dislodge boulders and rocks: if they are piled on top of each other you may trigger an avalanche.

There are 10 screens, nine of which can be selected by pressing the appropriate letter when the title page is up, while the 10th must be worked up to. Each of the screens is so designed that the diamonds must be collected ir. the correct order. Otherwise the player or some diamonds will be trapped - whereupon the player may either press Q to loose a life or I

wait until the time runs out. The time is replesented by a column on the right hand of the screen.

The game runs on both the Electron and the BBC but BBC owners will need to slow it down by increasing the value of the X and Y registers in the delay routine at line 350. You can experiment with different values to find

### Listing 1.

10ENVELOPE1,1,3,-20,1,10,2,3,0,0,0,0,0,0,0;ENVELOPE2, 1,0,-2,10,2,1,0,0,0,0,0,0,ENVELOPES,2,1,-4,2,1,2,1,0 ,0,0,0,0,0

20DATA2,51,85,85,51,16,51,20,4,204,170,170,204,128, 204,130,21,16,17,16,32,32,32,182,138,128,136,128,64,64 ,64,102

3@DATA0,2,51,119,85,51,20,55,0,4,204,238,176,204,13 0,206,16,17,16,17,16,32,32,102,128,136,128,136,128,64,

40DATA1,119,255,255,119,48,19,52,0,136,68,264,136,0

,0,8,59,60,51,48,3,4,8,12,4,0,0,0,0,8,12,0 50DATA0,1,119,255,255,119,48,19,0,0,136,68,204,136, 0,0,18,19,33,51,48,2,2,3,0,0,0,0,0,0,0,0

151,183,46,110,264 90DATA1,1,18,18,53,53,107,107,8,8,132,132,202,202,1 09,109,107,107,53,53,18,18,1,1,109,109,202,202,132,132

100VDU23,128,128,191,218,253,123,223,181,95,23,129,117,86,126,215,189,126,125,92,23,139,254,254,254,2,39,

239,239,0 110DATA&10,0,2,0,4,0,6,0,&11,0,1,0,100,0,6,0,1,0,1,0 ,255,0,1,0,1,0,3,0,1,0,3,0 120FORT=0TO5:T?&80=0:NEXT

130VDU23,131,24,60,126,255,255,126,60,24,23,132,0,24 60,126,126,50,24,0,23,133,0,0,24,60,60,24,0,0,23,134, 0,0,0,24,24,0,0,0

1430%=&4003

152RESTORE20:FORT=0TC287:READD:T?G%=D:NEXT:st1=G%:st 2-st1+32:ri1=st2+32:ri2=ri1+32:le1=ri2+32:le2=le1+32:b o=1e2+32;di=bo+32;sou=di+32;sou2=sou+8;drop=sou2+8;fin =sou2+8

160J%=G%+280:FORT=0TC28TEP2:F%=J%:COPTT

170LDA#G% MOD256:STA&70:LDA#G% DIV256:STA&71:LDA#&50 :STA&72:LDA#&59:STA&73:LDA#0:STA&60:STA&65:STA&63:LDA# 1:8TA&61:8TA&62:8TA&54:LDA#&38:8TA&73:LDA#&68:9TA&79:L DA#Ø: STA&7A:STA&7B

180JSRBOUL: JSRDIAM: SEC: LDA&B1: SBC#5: STA&B1: JSRscore: DEC&651JSRNUM


190LDA#kFF: STAdrop+4:LDA#200:STAfin+4:JSRsettim 200.start JBRdis

210JSRDiase

220LDX#LEF: JSRkey: CPV#LFF: BNEjug: JMPdmad: .jug LDX&7B : INX: STX&7B:CPX#3: BNEJUG: LDA#0:STA&7B: JSRdtim

230LDA&79:CMP#&78:BNEJUG:LDA&78:CMP#&78:BNEJUG:JMPde

ad:.JUG 240JSRdelay:JSRdelay:JSRani



trying LDX # 150 and LDY # 150.

To enter the program simply type in and save listings 1 and 2 one after the other. It is a good idea to save each program as scon as you have typed it all in You can then check it by running it and save it again once you have ircned out any errors. As the program runs at 1 straight to disc without resetting Page. They will, however, need to change line 790 to read CHAIN "Prog name"

You will find the game a real challenge to play. Do not get too frustrated if you can not clear too many sheets at first: there is a definite route to follow on each screen, and very little time to find out what it is. To help you I have given you no less than 10 lives.

The numbers displayed across the top line in each screen have the following meaning: the first two are the number of diamonds collected, the next six are your score, and the last two are the number of lives left.

250LDA&65: CMP#16: BNEdd4: JMPfinish: .dd4

260LDA&63: BEQa: LDX#&B7: JBRkey: CPY#6FF: BNEa: JSRup: LDY

#3:LDA(&72), Y:AND#126:BEQf:INC&63:DLC:LDA&72:ADC#&80:S TA&72:LDA&73:ADC#2:STA&73:.f DEC&63:JMPd:.a 270LDA&63:CMP#14:BEQb:LDX#&97:JSRkey:CPY#&FF:BNEb:JS Rdawr:LDY#3:LDA(&72),Y:AND#128:BEQg:DEC&63:SEC:LDA&72: SBC#&80:STA&72:LDA&73:SBC#2:STA&73:.g INC&63:JMPd:.b

28@LDA&62: CMP419: BEQC:LDX#8BD:JBRkey: CPY#&FF: BNEC:JS

28kLDA&62:CMP#19:BEGG:LDX&8BDIJBRX&9:CPY#&FF:BNEC:JS
Rright:LDY#3:LDA(&72),Y:AND#128:BEGh:DEG&62:BEC:LDA&72
:BBC#16:STA&72:LDA&73:SBC#2:ETA&73:h INC&62:JMPd:.c
29kLDA&62:BEGd:LDX#&9E:JSRkey:CPY#&FF:BNEd:JSRleft:L
DY#3:LDA(&72),Y:AND#128:BEG1:INC&62:CLC:LDA&72:ADC#16:
BTA&72:LDA&73:ADC#0:ETA&73:.i DEG&62:JMPd:.d
30kLDA&64:EOR#1:STA&64:BEGe:JSRDJSEE:JSRDJSEE:.e
31kJBRCHECK:CPX#&FF:BNEJ:JMPdead:.d
37kJBRCHECK:CPX#&FF:BNEJ:JMPdead:.d
37kJBRCHECK:CPX#&FF:BNEJ:JMPdead:.d

32@JSRDiase: LDY#2: LDA (&72) ,Y: CMP#6: BNE1: JSRscore: .1 330JMPstart

348. dis LDY#8: A LEA(\$78), Y: STA(\$72), Y: INY: CPY#16: EN EA:CLC:LDA&72:ADC#&30:BTA&4D:LDA&73:ADC#1:STA&4E:.B LD

A(&70), Y18TA(&4D), Y1 INY: CPY#32: BNEB: RTS 350. delay LDX#100: .C LDY#100: .D DEY: BNED: DEX: BNEC: RT

366.ani LDA&6::EOR#1:STA&6::BEQadd 3708EC:LDA&70:SBC#32:STA&70:LDA&71:SBC#0:STA&71:RTS 380. add CLC:LDA&70:ADC#32:STA&70:LDA&71:ADC#0:STA&71 RTS

390.key LDA#&BL:LDY#&FF:JMP&FFF4:.rub CLC:LDA&72:ADC 4&40:8TA&4D:LDA&73:ADC#1:8TA&4E:LDY#0:TYA:.E 8TA(&72), Y: STA (&4D) ,Y: INY: CPY#16: BNEE: RTS

400.right JSRrub:LDA&60:CMP+1:BEQF:LDA+1:STA&60:STA& 61:LDA#ri1 MOD256:STA&70:LDA#ri1 DIV256:STA&71:.F CLC: LDA&72:ADC#16:STA&72:LDA&73:ADC#8:STA&73:RTB

410.1eft JSRrub:LDA&60:CMP#2:BEQG:LDA#2:STA&60:LDA#1 :STA&61:LDA#1e1 MOD256:STA&70:LDA#1e1 DIV256:STA&71:.G SEC:LDA&72:SBC#16:STA&72:LDA&73:SBC#8:STA&73:RTS

420.up JBRrub:LDA&68:CMP#3:BEQH:LDA#3:STA&60:LDA#1:S TA&61:LDA#st1 MOD256:8TA&70:LDA#st1 DIV256:8TA&71:.H S

EC:LDA&72:GBC+&66:GTA&72:LDA&73:SBC+2:STA&73:RT8
430.down JSRrub:LDA&60:CMP+4:BEQI:LDA#4:STA&60:LDA#1 STA&61:LDA#st1 MOD256:STA&70:LDA#st1 DIV256:STA&71:. J CLC:LDAk72:ADC#480:STAk72:LDAk73:ADC#2:STAk73:RTB 440.BOUL LDA#bo MDD256:STAk80:LDA#bo DIV256:STAk81:L

DA#&58:STA&82:STA&84:LDX+&C:STX&83:INX:STX&85:LDA#32:S

450.custom LDX40:.J TXA: TAY:LDA(&B2),Y:STA&4D:LDA(&B Y:STA&4E:LDY#8:.K LDA(&80),Y:STA(&4D),Y:INY:CPY#16: BNEK: CLC: LDA&4D: ADC#&38: STA&4D: LDA&4E: ADC#1: STA&4E:.L LDA(&88),YISTA(&4D),YIINYICPY#32IBNEL 4601NXICPX&86IBNEJIRTS

470.DIAM LDA#di MDD256:STA&80:LDA#di DIV256:STA&81:L DA#&70: STA\$82: STA\$84: LDX#&C: STX&83: INX: STX&85: LDA#16: S TASB6: JMPcustom

(listing 1 continued on next page)

480. BOSEE: LDAWDO MOD256: STA&BO: LDAWDO DIV256: STA&B1: LDA#&50:STA&32:STA&84:LDX#&C:STX&83:INX:STX&85

490LDX#8:. M TXA:PHA:LDA&C50,X:STA&40:STA&5E:LDA&D50, X:STA&4E:STA&5F:JSRsee:PLA:TAX:INX:CPX#32:BNEM:RTS

500.see CLC:LDA&4D:ADC#&80:STA&4D:LDA&4E:ADC#2:STA&4 E: JSRch: CPY#&FF: BNEP: JMPrint: . P LDA&5E: STA&4D: LDA&5F: 8

510GEC: LDA&SE: S9C#16: STA&6A: LDA&SF: S9C#0: STA&69: LDY# 8: LDA (&6A) , Y: STA&7F: AND#8: BNEgg: CLC: LDA&4D: ADC#&7Ø: STA &4D:LDA&4E:ADC#2:STA&4E:JBRch:CPY#&FF:BNEQ:JMPrint:.Q

LDA&5E:STA&4D:LDA&5F:STA&4E:.qq 52@LDY#24:LDA(&5E),Y:AND#8:BNErr::CLC:LDA&4D:ADC#&9@ :STA&4D:LDA&4E:ADC#2:STA&4E:JSRch:CPY#&FF:BNER:JMPrint :R LDA&5E:STA&4D:LDA&5F:STA&4E:.rr RTS

530.ch LDY#8:LDA(&4D),Y:AND#8:BNEW:LDY#&FF:.W RT9

540.rint JERRUbiTXA:TAY:LDA&4D:BTA(&82),Y:LDA&4E:STA(&84),Y:LDY#3:X LDA'&80),Y:ETA(&4D),Y:INY:CPY#16:BNEX:CLC:LDA&4D:ADC#&30:STA&4D:LCA&4E:ADC#1:STA&4E:.Y LDA(

\$80),Y:STA(&4D),Y:INY:CPY#32:BNEY:JMP80U 550.RUb CLC:LDA&5E:ADC#&40:STA&8A:LDA&5F:ADC#1:STA&8 BILDY#8: TYA:. Z STA(&5E), Y: BTA(&8A), Y: INY: CPY#: 6: BNEZ: R

560. CHECK LDY#0:LDA(&72), Y:CMP#51: BEQA1:LDX#0:RTS:.A 1 LDX#&FF:RTB

570.dead CLU:LDA&63:ADC&63:BTA&63:CLC:ADC#1:STA&63:D EC&62:LDA#1:STA&64:LDA#134:STA&65:.dd1 LDA#31:JSR&FFEE :LDA&62: JSR&FFEE:LDX&63: DEX:TXA: JSR&FFEE:LDA&65: JSR&FF SRAFFEE | JERAFFEE

580LDA#31:JSR&FFEE:LDA&62:JSR&FFEE:LDA&63:JSR&FFEE:L

DA&65: JSR&FFEE: JSR&FFEE: JSR&FFEE
590LDA#31: JSR&FFEE: LDA&62: JSR&FFEE: LDX&63: INX: TXA: JS R&FFEE:LDA&65:JSR&FFEE:JSR&FFEE:JSR&FFEE:JSRPORD 680LDA&64:CMF#1:BNEdd2:DEC&65:LDA&65:CMF#131:BNEdd3:

LDA+0:STA&64:.dd3 JMPdd1:.dd2 INC&65:LDA&65:CHP#135:BN Edd3:LDA+&FF:STA&7F:RTB

610. SOU LDAW7: LDX#sou MOD256: LDY#sou DIV256: JMP&FFF1 620. DISEE \_DAWd: MOD256:BTA&B0:LDAWd: DIV256:BTA&B1:

LDA+&70:STA&B2:STA&B4:LDX+&C:STX&BX:INX:STX&B5 630LDX+0:.4m TXA:PHA:LDA&C70,X:STA&4D:STA&5E:LDA&D70 X: STA&4E: STA&5F: JSRsee: PLA: TAX: INX: CPX#16: BNEMm: RTS

640.Diase LDY#2:LDA(&72), Y: CMP#18:BNEC1: JMPfird:.C1

650.fird LDX#0:.D1 LDA&C70,X:CMP&72:BNEE1:LDA&D70,X: CMP&73:BEQF1:.E1 INX:CPX#16:BNED1:RTS:.F1 LDA#&40:STA& C70, X:1 DA#&7C:STA&D70, X:LDA#7:LDX#sou2 MOD256:LDY#sou2 DIV256: JSR&FFF1: JSRscore: JSRscore

650.NUM INC&65:LDA&65:LDX#8:.G1 CMP#10:BMIH1:SEC:SBC #10:INX:JMPG1:.H1 STX&6E:STA&6F:LEA#17:JSR&FFEE:LDA#3: JSR&FFEE:LDA#31:JSR&FFEE:LDA#0:JSR&FFEE:JSR&FFEE:CLC:L DA&SE:ADC#48:JSR&FFEE:LDA&6F:CLC:ADC#48:JMP&FFEE

670.score CLC:LDA&B1:ADC#5:STA&B1:CMP#10:BNEJ1:LDA#0 STA&B1: INC&B2: LDA&B2: CMP+10: DNEJ1: LDA+0: CTA&D2: INC&B3

:LDA&B3:CMP+10:BNEJ1:LDA+0:STA&B3:INC&B4 690.J1 LDA+17:JBR&FFEE:LDA+2:JSF&FFEE:LDA+31:JSR&FFE E:LDA#7:JBR&FFEE:LDA#0:JBR&FFEE:LDY#5:.K1 LDA&B0.Y:CLC :ADC#48:JBR&FFEE:DEY:CPY#&FF:BNEK1:RTS

670.DROP SEC:LDAdrop+4:SBC#10:STAdrop+4:LDA#7:LDX#dr MOD256:LDY#drop CIV256:JMP&FFF1 720.PORD JSRDROP:JMPDROP:.settim

710LDA#&38:STA&4D:LDA#&68:STA&4E:LDA#15:LDX#0:.L: LD Y#0:.M1 LDA#14:STA(&4D),Y:INY:CPY#8:BNEM1:CLC:LDA&4D:A DC#&40:STA&4D:LDA&4E:ADC#1:STA&4E:INX:CPX#13:BNEL1:JMP draw

720.dtim LDY&7A:LCA(&78),Y:ORA#238:STA(&78),Y:INC&7A \_DA&7A:CMP#8:BNEN1:LDA#0:STA&7A:CLC:LDA&7B:ADC#&40:ST

A&78:LDA&79:AD2#1:STA&79:.N1 RTS 730.firish LDA&79:CMP#&78:BNED1:LDA&78:CMP#&78:BEQP1 :.O1 JSRctim:JSRscore:JSRSOU3:JSRcelay:JMPfinish:.P1 \_ DA#2:STA&7F:RT3

740.SDU3 SEC:LDAfin+4:SBC#5:STAfin+4:LDA#7:LDX#f:n M OD256:LDY#fin DIV256:JNP&FFF1

750.draw LDAW18:JSR&FFEE:LDAW0:JSR&FFEE:LDAW2:JSR&F= EE: LDA#25: JSR&FFEE: LDA#4: JSR&FFEE: LDA#&DB: JSR&FFEE: LDA #4: JSF&FFEE: LDA#&DC: JSR&FFEE: LDA#@: JSR&FFEE

760LDA#25: JSR&FFEE: LDA#5: JSR&FFEE: LDA#&FF: JSR&FFEE: \_

DA#4: JSR&FFEE: \_DA#&DC: JSR&FFEE: LDA#Ø: JSR&FFEE: LDA#25: J SR&FFEE:LDA#5:JSR&FFEE:LDA#&FF:JSR&FFEE:LDA#4:JSR&FFEE :LDA#&80:JSR&FFEE:LDA#2:JSR&FFEE

770LDA+25: JBR&FFEE: LDA+5: JBR&FFEE: LDA+&DB: JBR&FFEE: DA#4: JSR&FFEE: LDA#&80: JSR&FFEE: LDA#2: JSR&FFEE: LDA#25: J SR&FFEE:LDA#5:JSR&FFEE:LDA#&DB:JSR&FFEE:LDA#4:JSR&FFEE :LDA#&DC:JER&FFEE:LDA#0:JHP&FFEE

7801: NEXT 790CHAIN"

### Listing 2.

\*\* A" | GOBUB778 RT-BT04| T2888-B| NEXT

28'0RT-8TD4: T288@BINEX1
28'0RT-8TD4: T288@BINEX1
38'0X-18'
SECOLOJR: 1\*DUIX3; EXR2] 01 8: 0.8;
SECOLOJR: 1\*DUIX3; EXR2] 01 8: 0.8;
SECOLOJR: 1\*DUIX3; 2, 2j 8): 1\*ORT:=1\*CUS8: PRINT\*AB: (\*, TX) 10
SECOLOJR: 1\*DUIX3; 2, 2j 8): 1\*ORT:=1\*CUS8: 13: IMDV83;
SEPINT: SECOLOJR: 13'
68'REXSCREEN
BREDX: 1\*DUIX13\*
BREDR: 1\*COLOJUR: 13'
BREDR: 1\*COLOJUR: 13'
BREDR: 1\*DUIX1\*
B

112,92 178D01A28B,96,288,186,88,189,68,114,96,119,248,96,16 47,48,92,288,97,16,95,144,77,96,118,192,112,64,115,88

17,48,72,488,77,184,99 1899ATA128,87,189,89 246,07,04,08,224,91,64,92,112,9 2176,92,192,92,128,94,98,95,32,97,12,57,192,77,172,7 9,248,99,72,188,221,18,192,184,224,184,8,125,32,185,1 12,187,88,189,228,189,248,189,144,97,224,114,8,115,8,1

24,88,28,24,121 21804746,89,88,92,3,97,16,57,32,97,18,97,80,188,168 22,32,185,9,197,16,187,32,187,48,187,96,14,48,115,1

128,16,128,52,128,168,117 298DAT6144,94,172,94,32,187,48,107,64,187,96,187,.12

3002000001; CN CLRI31 PRINTTAE(1,11) | STRING\$(17,CHRE)
30) | TAB(1,12) | STRING\$(17,CHRE)30) | TAB(2,21) | STRING\$(18,CHRE)30) | TAB(2,22) | STRING\$(18,CHRE)30) | CCLOUR)20| SND
FROD

30) | TRB (1,12) | BTRINGS (17, CHRE) 30, | TAS (2,21) | STRINGS (18, | CHRE) 30) | CCLOUR 120 | END (DRES (3)) | TAS (2,22) | STRINGS (18, | CHRE) 30) | CCLOUR 120 | END (396 | CULTURE 131 | CULTURE 131 | CULTURE 132 | CULTURE 132 | CULTURE 133 | CULTUR

6.CHREISD: AB(1,10) STRINGS(5,CHREISD) TAB(11,18) STR

488HKINTAD(1,77) STRINGS(6,CHREISD) TAB(11,18) STR

488FORTH-TOS BIRRINTAB(8,TX) CHREISDTAB(11,TX) CHRE

488FORTH-TOS BIRRINTAB(8,TX) CHREISDTAB(11,TX)

1381 NEXT:FORTK-ISTOIG FRINTAB(8,TX) CHREISDTAB(11,TX)

29) STRINGS(0,CHREISD) IRX-TS

588ENDPSOC

518COLOURIS: COLOURIS PRINTAB(1,9) STRINGS(5,CHREISD
) TAB(1,28) STRINGS(5,CHREISD) TAB(1,19) STRINGS(5,CHREISD
) TAB(1,28) STRINGS(5,CHREISD) TAB(1,19) STRINGS(5,CHREISD
) TAB(1,28) STRINGS(5,CHREISD) TAB(1,29) STRINGS(5,CHREISD
) TAB(1,21) STRINGS(5,CHREISD) TAB(1,29) STRINGS(5,CHREISD)

SARRX=77:ERDPRU:
SECOLURI: COLCURISJ: Yel4-5;X4-4;FORTX=5;V62-6;RINTTAB
(X,1X) [CHR6:38]: FF (Y,7X) [CHR6:38]: X=X+.5;Y4Y-.5;NEXT
SERVEY-76;ENDPRU
STROW, COLURISJ: PRINTTAB(6,1);ETRINGS(8,CHRS:38): TAB(6,2): BERINGS(0,CHR6:38): TAB(6,2): BERINGS(0,CHR6:38): TAB(6,2): BERINGS(0,CHR6:38): TAB(6,2): BERINGS(0,CHR6:38): TAB(7,26): BERINGS(0,CHR6:38): TAB(7,26): SERVEY-7, TAB(7,27): SERVEY-7, TAB(7,27): SERVEY-7, TAB(7,27): SERVEY-7, TAB(7,27): SERVEY-7, TAB(7,27): SERVEY-7, CHR6:38): TAB(7,26): SERVEY-7, TAB(7,27): SERVEY-7, CHR6:38): TAB(7,26): SERVEY-7, CHR6:38): SERVEY-7, CH

| 28)||HITEINGS (Z.C.R.E.130)||TRES (J.C.R.E.130)||TAS (L.13)||BTRINGS (J.C.R.E.130)||TAS (L.13)||BTRINGS (J.C.R.E.130)||TAS (L.72)||E


TRIMES (3, CHR \$130) | TAB (.4.12) | STRIMES (3, CHR \$130) | TAB (.6.12) | STRIMES (2, CHR \$130) | TAB (.6.2) | CHR \$130 | TAB (.6.2)


718MULED: VOUSE, 0290; 0:0:0:0:0:17;:,31,6;31PRINT; \*Nelco

NI;"? - Down":
3:18=87ffNM8:23;",")="Ruck Run.....Help.SVLyEara
:E0:lect..all...he...diaronds...and..clear...a.s
0217MB

B4;CDLOURZ:PRINTTAB(0,25);HID5(B5.TX,28);:TX=TX+1;IF

X=131 TX=1 B4290UNE1,1,TX,3.50UH07,5,255-TX=2,41SOUND2,3,TX+B0,





II S

An opportunity to win a super ELEPHANT Safari for two persons — luxury accommodation, travel and all expenses paid — with every purchase of a 10-disk ELEPHANT pack made between 1st April and 30th June 1985!

Look for your participating ELEPHANT Dealer's special Competition Display and pick up a simple puzzle card with your purchase. Send it to us with an ELEPHANT 10-pack top to receive, completely free, an ELEPHANT 'T' shirt-and an opportunity in this exciting competition. Each subsequent 10-pack purchase and completed puzzle card gives you another opportunity - there's no limit! Should you have difficulty in obtaining ELEPHANT products, phone or write for details of your nearest Dealer.

Dennison Manufacturing Co. Ltd.
Colonial Way, Watford, Herts WD2 4JY, Tel: Watford (C923) 41244, Telex: 933321

France: Sorcolass, 45, rue de l'Est. 921M. Roulogne
Tel. Ressau de Distribution: 60598.93. Administration des Ventes: 605.7078, Telex. BM3 208 436 E.
Germany: Marcom Computerzubehor GmbH, Podbielskistr 321, 3000 Hannover 51, Tel: (0511) 647420, Telex: 925618
Other Countries: Dernison International Company, 4006 Erkrath 1, Matthias-Claudius-Strasse 9, Telex: 858 6600



48K SINCLAIR SPECTRUM **BBC MODEL B** AMSTRAD


48K SINCLAIR SPECTRUM

48K SINCLAIR SPECTRUM

BBC MODEL B


**BBC MODEL B** 





COMMODORE 64







COMMODORE 64

いっとう



48K SINCLAIR SPECTRUM









KARNATH" recommended retail price £9.95 inc VAT. "ATIC ATAC" recommended retail price "ALIEN 8", "KNIGHTLORE", "UNDERWURLDE", "SABRE WULF", "ENTOMBED", & "STAFF OF ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE6 5JU \$7.95 inc VAT. Available from W.H.SMITHS, BOOTS, J.MENZIES, WOOLWORTHS and all good software retail outlets. Also available from Tal. 0530 #11#05






a 2 W





## WIZARD'S DEN



IN THIS graphics adventure game for the 48K Spectrum your aim is to locate the wizard in the maze. Once you have found him you must do combat; if you are victorious you can then take his key and seek an exit.

But, before reaching this exciting climax, you will need to spend some time traipsing from room to room and learning the lie of the land. Along the way you can pick up food and weapons, and there may be monsters to light. The display shows the contents of each room and its exits, while a map at the right traces

the route you have taken.

The controls are:

N — go north; S — go south; W — go west; E — go east; R — rest; F — fight; R — rest; F — fight; M — use a magic spell. L — lock or search a room.

Extensive use is made of user-defined graphics. These must be entered separately with the hex loader — listing 3. But first type in and save listing 1 with

SAVE "WIZARD" LINE 5

Note that characters between quotation

marks should be entered in graphics mode in the following lines: 17, 18, 91, 1060, 1100, 2025, 2080, 2140 — r's only — 2150, 5000 to 5070, 9911 to 9955, 9960.

Now type in the hex loader and enter the graphics data given in listing 2. Save it after listing 1 on tape with

SAVE "WIZ" CODE 64568,799

Tape copies of the game are available for £3 — postage and packing inclusive — from D. Hamilton, 5 Murray Road, Newtonhill, Kincardineshire AB3 2PU.

10 RESTORE 9000
12 PAPER 0: BORDER 0: INK 7: 0
-5
13 LET MONCEO LET (M=1: LET k
EY=0
14 LET is="" LET o=0 LET o\$=
"": LET sp=0
15 LET v=1: LET Z\$=" ": LET St
=12: LET com=12: LET t=0: LET a=
10: LET b=0: LET d=0: LET d1=0:
LET d2=0. LET d3=0: LET d4=0: DI
h mp(10,10)
16 PRINT AT 1,21," MAPP :
60 SUB 9900: GO SJB 7000
17 LET xx=USR 64763: PRINT DUE
R 1: AT a+2 b+21; "T"
18 PRINT INVERSE 1: AT 13,0; "UJ
DUDUDUDUDUDUDUDUDUDUDU"

15 PRINT AT 0,0;"

20 TO 20
20 INVERSE 1: PRINT INK 6; AT 1
4,21; "TREASURE: "; t: IF t (=9 THEN
PRINT AT 14,30; t; "
21 PRINT INK 2; AT 15,21; "STPEN
GTH: "; st: IF st (=9 THEN PRINT AT
15,30; st; "
22 PRINT INK 5; AT 16,21; "COMBA
T : "; com;"
23 PRINT INK 7; AT 17,21; "SPELL
5 : "; SP
24 INVERSE 0
25 RETURN
20 00 SUB 8000
30 GD SUB 8100

(listing 1 continued on page 63)

### BACK IN TOWN FOR A GREAT NEW SHOW!



### If you have a Sinclair Computer this is the show you can't afford to miss!

The great day is June 22nd.


One day you won't forget if you own or use a Sinclair Computer.

### The Microfair is back in town.

See everything that's new and original for The Spectrum, Spectrum + and the fantastic QL.

If it's just launched you'll find it at the MICROFAIR. If you want advice you can talk face to face with the manufacturers. If you can't find it in the shops you'll probably find it at the MICROFAIR.

Why not send today for cut-price advanced tickets.



Underground: Nearest stations are Victoria, and St James's Park.

British Rail: Victoria Station.

Bus Routes: 11, 24, 29, 70, 76 and Red Arrow 507.

Road: Signposted (RACAA) Horticultural Halls.

Send to Mike Johnston (Organiser), Dept YC, ZX Microfairs, 71 Park Lane, London N17 0HG.

Please send me ...... Advance Tickets (Adult) @ £1.25

Please send me ... .. Advance Tickets (Child under 14)@80p.

(Prices at the doo; are £1.50 and £1.00

Name: Address:

Please include a stamped self-addressed envelope and make cheques/POs payable to ZX. Microfair. EXHIBITORS: CALL MIKE JOHNSTON ON 01-801 9172 FOR STAND AVAILABILITY.

### **Educational Software**





BBC Micro Tape, 40/80 track Disc, Econet compat ble.

ZX Spectrum Commodore 64 Electron unexpanded Vic ZX81 • Apple • PET N.EC. P.C. 8201A Dragon (book only) All software for the above computers.

MICRO ENGLISH (3BC, Electror), Complete English Language self-tuition and revision course, to O-Lava, of 24 programs, Includes "apeak and spell" real speech into extras required), £24.50.

MICRO NATHS 24 program revision or self-tuition course to O-Level, £24.50 (except ZX81 £12.00).

SIR FRANCIS DRAKE ADVENTURE GAME, Authentic, historical, graphics adventure game, £6.50.

ANIMATED ARITHMETIC Teaches using moving colour pictures (not words) Ages 3-8, £6.50 (disc £7.50).

BRAINTEASERS Book of 10 tests & puzzle programs, £5.95... excellent" EDUCATIONAL COMPUTING.

\*Immediate dispatch Micro Maths, Micro English and Master Maths. Fhone or send orders or requests for free exhibition leaflet (300 programs)

LCL DEPT. Y.

26 Avondale Ave. Staines, Middx.

Tel: 0784 58771

24 hrs. Orders




TRADE DISCOUNTS NEW HOTLINE SERVICE

World leaders in educational software idistributors in 24 countries )



\*AS SEEN ON\*



### THE MACHINE CODE SYSTEM

, one of the all too few jewels of Spectrum programming. deserves à place in every serious programmer's library (Simon Springett—Popular Computing Weekly—June 1984)

... the whole package is very friendly and easy to use . . . car be highly recommended for those who are just about to start programming in Machine Code. (Phil Holliday - Your Computer -May 1983)

Fully compatible with MICRODR VES/NETWORK/RS232 (with Interface 1) and most popular Centronics interfaces for 80 col. printout.

\$7.50 MC NAT. PEP

■ AMSTRAD ■

### THE MACHINE CODE SYSTEM

- Both programs in one package Many NEW FEATURES

£8.50 INC VAT. PEP

Compatible with CASSETTE and

### AVAILABLE SHORTLY

- Send S.A.E. for fully detailed leaflet
- Available from many computer shops, or by FAST mail order by sending a cheque/P.O. to:-

Dept YC Picturesque, 6 Corkscrew Hill, West Wickham, Kent BR4 9BB

```
(listing 1 continued from page 61)
              35 PRINT AT 14.0, "Exits are ";
40 IF c1=1 THEN GO SUB 6170 P
   PINT
   50 IF 42=1 THEN GO SUB 8150 F
                            IF 43=1 THEN GO SUB 8200: P
                                             44=1 THEN PRINT "5 "
INT INDERSE 1; 9T 0,0; as
              65
70 PRINT INDERSE 1; AT 0,0; as 75 LET rs=1
80 IF MOT(>2 THEN INK (RND*5)+
2: GO SUB 5000 INK 7: GO TO 100
81 LET rhest=INT (RND+4)
90 IF chest(>3 THEN GO TO 100
91 LET XX=USR 6495E: PRINT AT
12.8; "MNR": AT 11.8; "CPO"; FT 10.9
 92 GO 503 S3. GO T0 95
93 PRINT OVER 1; AT 16,0; "Except for a chest": RETURN
95 LE" chest=INT (RND*5)
96 PRINT GT 18,0; "D0 Y00 Want
to open it y.n"
97 IF INKEY$="Y" THEN BEEP .2;
4: GO 5JB 510
98 IF INKFY$="N" THEN BEEP .2;
4: PRINT AT 17,0; "
; FT 18,0; " GC TO 100
 99 GO TO 97
100 IF d2=1 THEN IF INKEY$-"""
THEN GC SUB 9960: LET a=a-1: BEE
P.01,60: GC TO 7900
105 IF INKEY$="C" THEN GO TO 10
105 IF INKEY$="C" THEN GO TO 10
00
110 IF d1=1 THEN IF INKEY$="W"
THEN GO SUB 600
120 IF d3=1 THEN IF INKEY$="E"
THEN GO SUB 610
130 IF d4=1 THEN IF INKEY$="C"
THEN GO SUB 620
140 IF d=0 THEN IF INKEY$="L" THEN GO SUB 8010: PRINT AT 19 0; i
$: 8EEP .1.0: LE: d=1
145 LET rest=INT (RND*5+2)
150 IF rm=1 THEN IF INKEY$="r"
THEN LET rm=0: PRINT AT 21 0:"yo
vare resting
FOR x=1 TO 200: NEXT x: PRINT AT
21.0; rest; "hours pass
LET st=st+rest; GO 5JB 20 IF I
NT (RND*6)=1 THEN IF I)41 THEN
RINT AT 20 0; 'Uhile asleep you v
are robbed": LET t=0: LET rm=0
30 SUB 20
400 FRINT PAPER 2; AT 12, 0, "Its
combat=", monc."
       combat=";monc = "f" THEN FOR x=1 420 IF INKEYS="f" THEN FOR x=1 0 5: BEEP .01.0 NEXT x LET co (=com-INT .KND*2) LET st-st-INT (RND*2) LET monc=monc-INT .RND*2)
   #3)
425 IF SP = 1 THEN IF INKEY$="""
THEN LET NONC=NONC-P0: FOR X=-2
0 TO 20: BEEP .01;x: NEXT X: LE!
SP=SD-1
430 IF NOIC(=0 THEN PRINT AT 15
.0."YOU killed it "!AT 16.0;"
LE! MU!=0.
   GD TO 470

435 IF com <=0 THEN LET com =0

436 IF st <=0 THEN LET st =0

440 IF com <=0 HNL st <=0 THEN PR

INT AT 16,0: "You are dead": BEEP

1,4: GD TO 1000

450 PRINT PAPER 1,AT 16,29;con
 450 PRINT PAPER 1, AT 16,29; con;

452 IF sty9 THEN PRINT PAPER 1;
AT 15,30; st

253 IF sty10 THEN FRINT PAPER 1;
HT 15,00; st; "
460 G0 TO 410
500 G0 TO 100
510 IF chest=1 THEN G0 SUB 93;
PRINT AT 18,0; 'It is a trap, a kn
ife springs out and sticks in 90
Un leg, You pull it out"
511 IF chest=1 THEN LET st=1; L
FT com=1 G0 SUB 20; FOR x=-40 T
0 40; BEEH 1, NEXT X; FOR x=1
5 TO 21; PRINT AT X,0; "
NEXT X; GO TO 500
S15 PRINT AT 18,0;"
         520 FRINT AT 18,0,"It contains
  530 IF Chest=2 THEN -MINT "gold": GO SUB 93. LET t=t+10: GO SU B 80: GO TO 500 S40 FC com=com+6: R D SUB 20: GO TO 500 S50 IF Chest=3 THEN PRINT "an a xe": GO SUB 93: LET com=com+7: GO SUB 20: GO TO 500 S50 IF Chest=4 THEN PRINT "a sw occ": GC SUB 93: LET con=com+7: GO SUB 20: GO TO 500 S50 IF chest=5 THEN PRINT "'Odd ": GO SUB 93: LET st=st+7: GO SUB 20: GO TO 500 S50 IF chest=5 THEN PRINT "'Odd ": GO SUB 93: LET st=st+5: GO SUB B 20: GO TO 500 S50 IF st=2 THEN PRINT "wine ": GO SUB 93 LET st=st+b: GO SUB B 20: GO TO 500 S50 IF st=2 THEN PRINT AT 21,0 sy occ standard to move": RET URN
     URN
         JRN
535 GO 5LB 9960: LET a=a-1: BEE
-.01.50: GO TO 7800
-600 IF st<=2 THEN PRINT AT 21.0
:"You are to weak to move" RETU
              501 IF a=1 AND b=0 THEN IF key=
THEN GO SUB 2002
```

```
602 IF a=0 AND b=0 THEN IF key=
THEN PRINT AT 20,0; "You can't
b west" AT 21,0; "The door is to
ked". RETURN
  (kei": RETURN

505 GO SUB 8960: LET b=b-1: B

P.01:60: GO TO 7900

610 IF st (=2 THEN PRINT AT 21
                                                                            LET b=b-1: BEE
     615 GO SUE 9960: LET b=b+1: BEE
0 .01.60: GO TO 7900
620 IF st =2 THEN PRINT AT 21.0
"You are to weak too move": RET
URN
625 GO SUB 9960: LET a=a+1: BES
P.01,60: GO TO 7900
700 INK 7: CL5
710 PRINT AT 0.0; "WELCOME TO T
HE WIZARD'S CASTLE"
720 FOR x=5 TO 25: BEEP .01,x:
PRINT H 3,x;"-": NEXT x
725 PRINT: PRINT
730 PRINT "The object of the Ga
me is to "ind the mighly wiza
rd.once you have fitted him you
must take his key and find the
exit."
 EXIL."
740 FOR x=5 TC 26: BEEP .01,x
PRINT AT *12.x; -" NEXT x
750 PRINT AT 21,0; Press and ce
y to continue."
751 IF INKEY$="" THEN GO TO 751
755 BORDER 2: PAPER 2: INK 0: C
755 BORDER 2: FAR.

So PRINT FT 0.0: In the way through the maze of your fight or will encounter outs of wonsters and tracsures. IN.

770 PRINT AT 5.0: BUT!!! when your strength and combat points face to zero you will die!!!"

INK 5

771 FRINT AT 9.2: "Uhen a magic potion is found and Used in batt
   771 FRINT AT 9,2; When a wag; c
potion is found and used in batt
,e it will take 20 points off th
e other wonster's combatiunless
in a tight spot il should be 20
yed for the wizard ". INK 5
772 PRINT AT 21,0 "Press any Ke
uto continue"
773 IF INKEY#=" THEN GO TO 773
775 CLS
   773 IF INKEY = " THEN GO TO 773
775 CLS
780 DRINT AT 0.0, "Sometimes the
sts appear. They "contain treas
Ures traps and "weapons."
790 PRINT PAPER 6; INK 0; AT 5,0
; In rooms some things are hidde
n These things can be found by
looking."
820 BEEP .1.0: PRINT FLASH 1: H
ere are the controls: -"
810 PRINT "N------move Nort
h"
         811 PRIN! "5---- ------ Sout
    #812 PRINT "W-----move West
      813 PRINT "E-----move East
     814 PRINT "R-----for a res
    1053 IF key=1 THEN PRINT AT 0,0;
"You found the key but not the
exit!!": GO TO 1062
1055 PRINT AT 0,0;"The wizard to
     1055 PR.N. H. 0,0, The oliato to ves to fight "
1056 PRINT AT 1,0,"another day"
1050 LET XX=USR 65153: PR.NT AT 6,13;"AB",AT 7,13;"CD",AT 8,13;"EF",AT 9,13; "GH";AT 9,13;"IL";AT 10,13;"JK"
1062 PRINT AT 21,0,"Press any to play again"
1070 IF INKEY$="" THEN GO TO 107
    1080 GO TO 2

1100 LET XX=USR 65183: PRINT AT

8.13; "AB": AT 7.13; "CD": AT 8.13; "

EF": AT 9.13; "GH": AT 9.13; "IL"; AT

10,13, "U("

2000 CLS: FOR 9=1 TO 4: LET XX =

USR 64568: FOR X=1 TO 3

2010 FOR h=1 TO 7

2020 BORDER h: PFPER h

2025 PRINT 1NK h-1; "ULD000000000

0030 NEXT h

2040 NEXT X

2045 PRINT AT U.0,

2050 LET XX=USR 64763 FOR X=1 T
        2045 PRINT AT 0,0;
2050 LET xx=USR 64763 FDR x=1 T
```

```
2090 NEXT N
 2110 NEXT X
2110 PRINT AT 0,0:
2120 NEXT 9
 2130 NEXT 9
2140 PRINT P
5010 IF MON=2 THEN LET XX=USR OS
153 PRINT AT 6,6:"MNOPG"; AT 7,8
;"S"; AT 5,8:"R": LET MONI=7: RET
   E030 IF hon=3 THEN LET xx=USR 64
958: PRINT 9T 6,13; "AB"; AT 7,13;
'CD"; AT 8,13; "EF"; AT 9,13; "GH"; F
T 9,13; "IJ"; AT 10,13; "KL": LET W
On c=18: RETURN
 onc=18: RETURN

5040 IF won=4 THEN LET xx=USR 64

568: PRINT RT 9,6; "AB"; FT 10,6; "

CD"; AT 11,6; "EF"; LET wonc=16: R
 ETURN
5050 IF mor=5 THEN LET XX=JSR 64
5050 IF mor=5 THEN LET XX=JSR 64
5050 IF mon=6 THEN LET XX=USR 65
153: PRINT AT 6.13; "AD AT 7.13;
"CO",AT 8,13; "E"",AT 9,13; "GH"/A
T 9.13; "IL";AT 10,13; "JK": LET m
onc=50: RETURN
5070 IF mon=7 THEN LET XX=USR 64
566: PRINT AT 9,6; "GH";AT 10,6; "
IL" AT 11,6; "KL". LET mon:=18; R
ETURN
        TOTAL STATE OF THE STATE OF ST
             7920 NEXT X: LET d=6
7930 FOR X=18 TO 21
7940 PRINT AT X:0;"...
            7950 NEXT X: GO TO 17
8000 RESTORE ((a+10)+9000)+b: RE
 8001 READ door: LET d2=door 8002 READ door: LET d2=door 8003 READ door: LET d3=door 8003 READ door: LET d4=door 8004 READ d8 8005 READ door: LET d4=door 8005 PEAD mon READ a$ 8006 READ $ 8006 READ $ 8006 READ $ 8007 READ $ 80008 RETURN 80010 IF $ 8 1 THEN LET com=com +3 8014 IF $ 8 1 THEN LET com=com +3 8018 IF $ 8 1 THEN LET com=com +3 8018 IF $ 8 1 THEN LET d4=1 8018 IF $ 8 1 THEN LET ST $ 1
            8001 READ door: LET d1=door
8002 READ Joor: LET d2=door
8003 READ door: LET d3=door
8004 READ door: LET d4=door
                  find a dead bat".0
9016 DATA 1,0,1,0,0,"Ar enpty th
ambe,","Nothing is fourd",0
9017 DATA 1,0,1,0,0,"An empty ro
om", "Food is found",11
9018 DATA 1,2,1,0,1,"An almost e
mety room", "You find a dead bat"
                      9019 DFTA 1,0,0,1,0,"An empty ro
on","You find a sword",2
```

(listing 1 continued on next page)

```
om","You find gems",5,5

10005 DATA 0,1,10,4,"A gobtin","

9006 DATA 1,1,0,4,"A empty chamber","You find a gold",1,4

9006 DATA 1,1,10,0,"An empty chamber","You find a gold",1,4

9007 DATA 1,0,0,1,1,"A snake","You find a dead snake","

9008 DATA 0,1,1,1,0,"A bare room
","You find nothing",0

9009 DATA 1,0,0,1,5,"A giant spider","You find a dead spider",0

9000 DATA 0,1,0,1,0,"Another empty room","You find a dead spider",0

9001 DATA 0,0,1,0,"Another empty room","You find gold",1,5

9001 DATA 0,0,1,1,0,"Yet another bare room","You find a sword",2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                       reature".0

0053 DATA 1.0.1.1.0. A bare cham
be-"."YOU find gold".1.9

9054 DATA 1.0.1.2.1.3.1.4 Snake"."Y

00 find a dead snake .0

9055 DATA 1.0.1.1.0. A bare cham
be-"."YOU find wine".12

9056 DATA 1.1.0.0.2. A bat"."YOU
find a dead bat".0

9057 DATA 0.0.1.0.0. An empty ro

0057 DATA 0.0.1.0.0. An empty ro

0057 DATA 0.0.1.0.0. An empty ro

0057 DATA 1.1.1.0.0. An empty ro

0059 DATA 1.1.1.0.0. An empty ro

0059 DATA 1.0.0.0.7 An almost empty room"."You find nothing".0

9059 DATA 1.0.0.0.7 An almost empty room"."You find a dead boug
           (listing 1 continued from previous page)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   9091 DATA 0,0,1,1,0,"Yet another bare room","You find a sword",2,4
9092 DATA 1,1,1,1,1,1"A snakes la if!","You find a dead snake",0
9093 DATA 1,0,1,0,"An empty ro on","You find a dead snake",0
9094 DATA 0,1,0,1,INT (RND*5),"D anger lurks","You find a dead creature",0
9095 DATA 0,1,1,0"An empty ro on","You find 9ems",6,7
9095 DATA 0,0,1,1,0"An empty ro on","You find 9ems",6,7
9097 DATA 0,1,1,0,0"A bare cham ber","You find an axe",3
9097 DATA 0,1,1,0,0"A bare room ","You find gems",6 10
9100 DATA 1,1,0,1,0,"A bare room ","You find gems",6 10
9100 DATA 0,1,1,0,0,"An empty ro on","You find gems",6 10
9100 DATA 0,1,1,0,0,"An empty ro om","You find gems",6 10
9101 DATA 0,1,1,0,0,"An empty ro om","You find gold",1,4
9102 DATA 0,1,0,0,0,"An empty ro om","You find a dead bat",0
9103 DATA 0,1,0,0,0,"An bare cham ber","You find a dead bat",0
9104 DATA 1,1,0,0,"An empty ro of of one 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                  south',?

9038 DATA 1,0,1 0,4, An almust e
mpty rocm", "You find a dead gobt
in",0
0030 DOTA
mpty roch", "You find a dead goblin", "9

9039 DATA 1,1,0,1,0," An empty roch", "You find an axe", 3

9040 DATA 0,1,1,0,0," An empty roch", "You find gold", 6,8

9041 DATA 1,0,1,0,0," An empty roch", "You find gfms", 6,8

9042 DATA 1,1,1,1,2," A giant bat ","You find a dead bat", 0

9043 DATA 1,1,1,0,1," A snake", "You find a dead snake", 0

9044 DATA 1,0,0,0,0,0,0,1 dead end", "You find a sword", 2

9045 DATA 0,0,1,0,0,0,0,0 A skete:on", "You find an axe", 3

0046 DATA 1,1,0,1,0," A skete:on", "You find a pite of bones", 0

9047 DATA 0,0,0,0,0,0," A dead end", "You find a door going north", 10

9048 DATA 0,0,0,0,0,0," A dead end", "You find a door going north", 10
 "You find a door going north",
10
9048,DATA 0,0,1 1,2,'A bat","You
find a dead bat",0
9049 DATA 1,1,0,0,0,'An empty ch
amber","You find gems",5,4
9050 DATA 0,0,1 1,0,'An empty ro
0m","You find a axe",3
9051 DATA 1,0,10,0,'An empty ro
0m","You find nothing",0
9052 DATA 1,1,10,INT (RND*5.,"D
anger lurks!","you find a dead c
                                                                                                                                                                                                                                                                                                                                                                                                                                                                            9080 DATA 0.0,1.1,0,"Another alm
                                                                                                                                                                                                                                                                                                                                                                                                                                                                       3081 DATA 1,1,0,0,0,0,"Another bar e room", "You find a bottle containing a magic spell",5
9082 DHTH 0,0,1,1,0,"An empty room", "You fine a secret door leading north",10
9083 DATA 1,1,1.0,3,"A skeleton", "You find a heap of bones",8
9084 DATA 1,0,0,1,0,"An empty ro
```

```
Listing 2.
                     1103
              64888
64896
64904
                                    941
                                    545
526
7225
55
66
66
64912
64920
54935
```

65352

```
65360:
65368:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     450
530
550
550
456
456
445
445
6537642
65337642
653390
6553406
6554424
6554420
6554420
6554420
6554420
6554420
65544564
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
655466
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
65546
                                                                                                                                                                                                                0042625248454500
   65480
65466
65496
65504
65512
                                                                                                                                                                                                            003C42424242500

003C4242524700

007C42425247300

007C42427C444200

003C403C0242300

003C403C0242300

005E101010121000

0042424242423000
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     508
408
514
312
```

```
Listing 3.
```

titles for all the popular makes of computers
are offered with up to 50% discount off the manufacturer's recommended retail prices.

Nomessing, full money back guarantee if nothighly delighted. If you don't see the title you are looking for, send for our FREE 'descriptive' catalogue of all the titles we have available.

ducer	Item No.	Title	inc VAT	Onle Price	Producer	Item No.	Title	Inc. VAT	Pice C	Producer	Item No.	Title	nc. VAT
ввс					Terminal	245	STAR COMMANDO	7.95	1.99	Lothiorien	86	MICROMOUSE	5.95
cade	1	CASSETTE DD	9.55	4.99	Thor	246	JACK & THE BEANSTALK	7.95	5.99	Melbourne Hau	se 87	MUGSY	6.95
gne	2	BCBILL	5.50	2.59	Visions	247	DAPEDEVILDENNIS	6.95 7.95	5.29	Merbourne Hou Vicromega	se 68	PENETRATOR DEATHCHASE	6.95
gine o Pawer	3	PEDRO DANGERUXB	5.50 7.55	2.59 4.79	Visions	249	SNCOKEF	8.95	4.29	Ocean	90	CHINESE JUGGLER	5.90
o Power	5	THEMINE	7.55	4.79	Wilcox	250	BLUE THUNDER CATACONDC	6.95 7.95	0.79	Ocean	91	ESKIMO ELDIE	5.90
	7	DCDGY DEALER	8.50	3.29	Anirog Anirog	202	PCFUZZ	7.95	1.79	Phoenx	94	MOONALENT JOKERS WLD	6.99
cksilva oksilva	9	BEEB ART MUSIC PROCESSOR	1495	7.99	Artic	284	ENCINEERHUMPTY	6.95	1.25	Quickriiva	95	ANTATTACK	6.95
erior	10	COSMICKID	7.95	3.79	Artic Imagne	285	HUNPTY IN THE GARDEN PECRO	6.95 5.50	4.25 2.99	Quicksiva Quicksiva	96	BOOGABOOTHEFLEA DRAGONSEANE	6.95
n ns	12	GECKOUT DEMOLATOR	7.86 6.95	3.29	Interceptor	287	AQLANALT VT> RAIDER	6.99	1.59	Quickeiva	98	FREC	6.95
ins	13	PENGI	5.65	3.29	Interceptor	288	BIGBEN	7.00	3.59	Quicksilva.	99	LASERZONE	6.95
	139	CCPTEF CAPERS	6.90	3.99	Interceptor Superior	289	GUZZLER MR WIZZ	7.00	1.59	Quickelva Virgin	100	SNOWMAN RACING MANAGER	6.95 5.95
nsolt	140	HAUNTED ABEEY FACEMAKER	6.90 9.95	3.99 5.99	VIC 20	200		-	-	Virgin	102	GONGERY	5.95
nsoft	142	HIDE AND SEEK	9.15	5.99	STATE OF THE PARTY	-	CORAL COR		1000	Asions	103	1994	6.95
nsoft	143	LET'S COUNT	9.55	5.99	Büg Eyle Cascade	106	SCFAMBLE CASSETTE 50	6.95 9.95	4,69	Visions λ8 F	186	SOS CHUCKIE EGG	6.95
nsoft naoft	144	NUMBER CHASER NUMBER GULPER	9.15	5.99	Imagine	108	ARCADIA	5.50	2.99	Artic	187	ENGNEEFHUMPTY	6.95
nsatt	146	NLMBER PUZZLER	9.15	5.99	Interceptor	109	CR/ZY KONG	6.00	3.19	Artic	188	HUMPTYINTHE GARDEN	6.95
nsoft	147	TABLE ADVENTURE WORDSWORDS WORDS	9.15	5.99	Interceptor Phoetix	110	WUNDA WALTER FOUR GATES FREEDOM	6.00	1.19	Artic Artic	189	HUMPTY NEETS FUZZY W ON THE OCHE	6.95
nsoll ete	148	CHARTEUSTER	9.55	5.29	Quickstva	112	SKYHAWE	7.95	4.29	Artic	191	WORLD CUP FOOTBALL	6.95
ıla	150	DOUBLE ADVENTURE	7.85	4.19	Quichalia	113	TORNADO	7.90 5.95	1.29	Jeyond	192	PSYTRON	9.06
rta	151	SCN OF BLAGGER SEITFIRE FLIGHT SINULATOR	7.16	4.19	Quickstva Termnal	114	GRIDDER	6.95	1.29	Beyond Beyond	194	SPELLBOLND	7.95 5.95
ita ita	152	STARSHIP DISCOVERY	7.55	4.19	Termnal	117	SKFAMBLE	6.95	1.29	Bug Bite	195	ANTICS	6.95
itn	154	TARZAN	7.95	1.19	Thor	118	3D SILICON FISH	5.95	1.99	3ug Bite 3ug Dite	196	MANCMINER POO.	5.95
ita Byte	155	TWINKINGDOM VALLEY	7.95 9.50	4.19 5.19	Thor	119	CLLY	6.95	3.29	3ug Brie	198	RAPSCALLION	6.95
19	157	COLOSSAL ADVENTURE	9.90	5.29	Virgir	121	CREEPEFS	5.95	4.19	3ug Bite	199	STARTRADER	6.95
19	158	LCRDS OF TIME	9.90	5.29	Visions	122	SNOOKER	8 95	4.29	Bug Bite Digital	200	TWINKINGDOM YALLEY FIGHTER FILOT	7.95
Power	159	SNOWBALL CYBERTRON VISSION	7.35	4.69	DRAG	NC	CANAL CANAL CANAL		1090	Digital	202	NIGHTGUKNER	5.95
Power	162	GALACTIC COMMANDER	7.95	4.69	Cascado	50	CASSETTE 50	9.95	1.69	Durell	203	HARRIERATTACK	5.95
Power	163	GROULS INTERCAL ACTIO TEADER	7.95	4.69	Imagne	51	BCBILL	5.50	2.59	Durell magine	204	SCUBADIVE STORKERS	5.95
Power	165	KILLER GORILLA	7.15	4.69	Imagino Imagine	53	PEDRO CRUISER	5.5C	1.59	nterceptor	206	FOREST/MORLD'S END	5.50
Power	166	STOCK CAR	7.95	4.69	The same of the sa			The same		Interceptor	207	TILER	5.50
k	167	ALIENBREAKIN BIRDS OF PREY	6.19	3.29	ELECT		CONTRACTOR OF THE PARTY OF THE	Marian San	The same	Seriar Level 9	208	TURBO CHESS COLOSSAL ADVENTURE	5.95 9.90
k rior	169	HUNCHBACK	6.19	3.29	Micro Pawer Lathbrian	54 55	DRAW JOHNNY REB	8.9t 6.95	5.49 3.49	Lovel 9	210	LORDSOFTIME	9.90
nor	170	OVERDRIVE	7.55	3.99	Micro Power	56	FELIXIN THE FACTORY	6.95	3.99	Level9	211	SNOWBALL CONFRONTATION	9.90 7.95
rior	171	STAR STRIKET WALLARY	7.95	3.99	Ocean	179	HUNCHBACK	6.90	3.29	Lothlorien	213	CONFRONTATION SCEN.	5.95
nor ns	172	DARE DEVIL CENNIS	7.95	3.99	Hom k	181	ATOM SMASHER	6.99	3.29	Lothkrien	214	SPECIAL OPERATION	5.95
ns	174	SNOOKER	8.95	4.19	Homk Romk	182	CA ERPILIAR	6.99	3.29	Micro Jeer Micronega	215	CODE NAME MAT	6.95
ix Market	175	BLUE THUNDER ARLIET	6.95 7.45	3.29	SHARE	10000				Aligata	298	SONOF BLAGGER	5.95
enor	279	JACK & THE BEANSTALK	7.95	3.79	Supplemental Control of	20.10	Man.	September 1		PSS	297	LESFLICS	6.95
erior	280	SPACEPILOT	7.35	3.79	Sharseoft Sharseoft	57 58	RAD	6.95	3.29	Siversoft	299	GIANT'S PEVENSE	6.95
BBC &	ELE	CTRON			SPECT	RUM				- OBIG	AN CALL	20	200
loner laner	14 281	THE STOLENLAMP JCHNNY REB	6.35	3.29 4.25	Anreg Arcade	59 60	KONG BUBBLE "ROUBLE	5.96	3.29	ORIC-	123	EGGAPE MANHATTAN	6.05
COMM	Service of the servic		100	200	Arcase	61	THE PRIZE	5.50 5.50	2.99	Durre!	124	HARRIER ATTACK SCUBADIVE	6.95
	15	BONGC	7.35	4.99	Artic -	62 63	MRWONG'S LAUNDRY CAVERN FIGHTER	6.95 5.95	3.29	Lothicien	126	DIGGER	6.95
09 09	10	CYBOTRON	7.30	4.99	Bug Byte Dug Syte	64	CONLCOOK DOOK	9.54	5.19	Lothknen	127	SPOOKY MANSON	6.95
og.	17	PETCH	6.15	3.99	Cascade	65	CASSETTE 50	9.95	4.69	PSS	129	MR WIMPY MARC	6.90
rg	18	SPACE PILOT DERBYDAY	7.15 7.16	4.29 4.29	CDS	66	POOL WINGED WAR LORDS	5.95	2.99			0.00	1230
	20	OMEGARUN	7.35	4.29	CRL	68	30 DESERT PATROL	4.91	2.99	2X81	Care	LUCCOLUT TO	
rones	21	WHIRLYBIRD	736	4.29	CRL	69	AHHH III	5.95	3.39	Cucksiva	132	MICROMOUSE QS INVADERS	3.95
rortes les Machine	22 e 23	SPEEDDUEL	5.95 7.95	3.79	CRL	70	GLUG GLUG HANDICAP GOLF	5.95	3.39	Quicisiva	134	OS SCRAMBLE	3.95
ne	24	ARCADA	5.50	2.59	CRL	72	OLYMPICS	5 95	3.39	Romi	135	BANKROEBER	4.99
enc.	25	DODILL	5.50	2.50	ONL	73	PANDEMONIA	5.01	3.30	Romit	136	GALAXYJNILBREAK	4.99
pepter	26 27	COSMIC CRUSER TROULE WALLIE	730	2.59 3.79	CRL Crystal	74 75	THE OMEGA RUN HALLS OF THE THINGS	5.95 7.50	3.39	AMST	RAD		
ourne Hou	ie 30	CLASSIC ADVENTURE	695	3.99	Crystal	76	THE DUNGEON MASTER	7.50	3.99	MicroPower	137	GHCULS	6.95
Pover	32	SWOOP ATTACK ON WINSCALE	6.95	4.29 3.49	DKTronics DKTronics	77 78	SPEED DUEL 2/G ZAG	5.96	2.99 3.59	Termnal Interceptor	138	STARCOMMANDO FOREST AT WORLD SEND	8.95
erios	34	QUESTFOR GARDEN OFEDEN	639	3.49	Garres Machin		SKULL	6.95	3.59	Aligara	271	BLAGGER	7.95
77106	35	THE SORCEPERS APPRENTICE	6.99	3.49	Gargoyle	80	ADASTRA	5.93	2.89	Amsch.	275	ATCM SMASHER 5	8.95
ksiva ksiva	36 27	AQUAP_ANE BODGAGOOTHEFLEA	735 795	4.29	Imagine Imagine	81	ARCADIA BCBILL	5.50	2.59	Amset	276	HUNTER VILLAN	8 95
KSIV1	38	FRED	735	4.29	Imagne	83	COSMICCRUISER	5.50	2.59	GRAZASA	SER.	ACC STREET	
ksilva	39	TRAFFIC	795	4.29	Imagne	84	JUMPING JACK	5.53	2.59	6 6	Svine See	TUE	*
set set	40	G/ROPOD JAMMIN	690	3.29	Imagne	85	PEDRO	5.50	2.59	D warmed and	artee	- W Whond	
mai	42	MUNTER:	7.95	3.79	50	70	84 446 P	-		State of the party of the state	*** ** *****	1000	-
inal	43	SUPERSKRAMBLE	795	3.79	6	de	01 446 5	MADO		CHURCH			
nal	44	TOURNAMENT 30 SILICON F SH	795	3.79 2.99			V 1100	10	-		Youwar.	- S Mocr.	-
	46	AVBUSA	7.05	5.50				PRIO	BITY	ORDERF	OP		-
1	47	FALCON PATROL	695	4.59	1 (	SOFT	WARE	HIO		OUDEN P	UNI		Name of the last
	217	CHUCKIE EGG GJM SHOE	790	4.19	.765		e rush to me:					Postage and Packing	
sta	215	CHARTBUSTER	995	5.29				00110/-	lees-	line)		with orders over £10	
ta	220	GJARDIAN SON CERLACCER	735	4.29	- 0		'descriptive' catalo	gue (p	icase 1	(ICV) YE	S	Orders under £10 - i	carraige
nta g	221	SON OF BLACGER GALAXY	7.95	4.29	(	Comp	uter make and model_				Sec.	50p per order.	16.00
9	224	KONG	795	4.19	- 10	The fo	llowing titles: (Quote it	em num	berl			Please find enclosed	ווגדו
	221	HUMPTY MEETS FLZZYW	6.05	3.20	The second second second				55000			remittance of	-
Byte Byte	221	STARTRADER TWINKINGDOM VALLEY	795 950	4.29		tem N	o. Unit Price Qua	intity	Total			Please debit my Acc	ess/
epter	228	HEROES OF KARN	700	3.79			-	W. IIF	100000			Barclaycard No.	
9	225	LORDSOFTIME	930	4.79	Hall The	THE L						Signature	
Power	230	JOHNNY REB CYBERTON MISSICN	695	3.29	THE REAL PROPERTY.			-				THE RESERVE OF THE PARTY OF THE	
	232	FELIXIN THE FACTORY	695	4.19	1	59/19/					-	Address	-
Power	23:	GHOULS	6.95	4.19	THE PARTY NAMED IN	to State		PER SE					
Power	23	OLYMPOS CAVELON	690	3.29									
Power	276	WILLIAM WITCH CO. CO.	030		DESCRIPTION OF PERSONS	7 7 7 7 7		11 100		10000			
Power User n	236	CHINESEJUGGLER	690	3.29	THE RESERVE								
Power User n n	237 239	HUNCHBACK	690	3.29	HI THE	-	TOT	TAI.	P 101	THE LIES		Tol Ne	1647
Power Power User II II K	237						тот	AL .	Pini	BL Sh		Tel No.	



You'll be able to enjoy up-to-the-minute news, comment, articles and reviews via Micronet 800 and Viewfax 258. Download computer programmes – many free of charge. Access all the other Prestel public databases. Communicate with other micros. And even carry out electronic messaging and mailing

Tandata complete communication packages include a smart auto-dial modem and matching micropack with the appropriate software, cable and manual. In short, everything you need to convert your micro into a powerful Viewdata terminal.

### TANDATA SMART AUTO-DIAL MODEMS

Features: Multi-baud rate (V21/V23); Auto-dial; Auto-recall; Auto log-on; Storage of up to 8 telephone numbers and IDs/passwords.

### **MICROPACKS**

Contain software in ROM, disk or cassette for the BBC and in ROM cartridge for the CBM 64. Depending upon the micropack, features include: Full Prestel colour emulation; Prestel or message editor; Save to disk or cassette; File transmit; Telesoftware

## Tandata

Tandata Marketing Limited,
Albert Road North, Malvern, Worcs. WR14 2TL
Telephone: 06845 68421

downloader; Print

To take advantage of this limited offer, complete and return the coupon. We'll send full information and an application form.

### OTHER MICRO OWNERS

Tandata smart auto-dial modems and Prestel/Communications software are available for many other micros, including: IBM PC, Columbia, Olivetti M24, Apricot, Superbrain II, Philips P2000c, Research Machines 380Z, Apple IIe & IIc. VIC 20 etc. All offer many advanced features and represent superb value for money. For further details complete the coupon.

Name				
Address_				
COLUMN TO A STATE OF THE PARTY				
Micro ma	ke/model			
Send to:	Tandata Marke alvern, Worcs	eting Limited, WR14 2TL.	Albert Road	
Free subscrip	otion offer applies	to BEC Iviero and	CBM 64 owner	s onl

\* Subject to availability.

Prestel is a registered trade mark of British Telecommunications plr. Micronet 800 is the tracing style of Telemap Ltd. and British Telecommunications plc.



At last we can reveal the winners of our competition for a £1,100 Maplin Hero Jnr robot.


EITHER THE EXCITEMENT of winning a real live robot has gone to your heads or you know something which would turn Fleet Street gossip columnists greer, with envy.

A surprisingly large number of entries including an iror lady from Graham Swankie - looked like a cross between Margaret Thatcher and a Dalek. No wonder they're giving Dr Who a break. Industrial action in the schools is also having an affect. The Education Secretary appears in the shape of a mechanical hedgehog sent in by Fergus Henderson of Edinburgh Keith Joseph's Mechanical Replacement for Striking Teachers.

Sir Clive's name was also taken in vain with numerous designs for Sinclairdroids. One from Graham Inglis featured "lifelike skin and hair - perfected after years of making keyboards" and an unusual delivery system "if you live within 15 miles the droid will send himself'. But the most lifelike android featured in a photograph sent in by R Bosman of Enschede in the Netherlands. The Bosmanoid has specially designed big ears for picking up data.

Some entrants tried to apply robots to make their lives easier rather than inventing a universal problem solver. Paul Ashcroft from Warrington, who is working with fork lift trucks on a Youth Training Scheme designed an automated fork lift. Innes Reid from St Asaph, North Wales, may well be a paper boy because the NERD which he sent in -NEwsagent's Robotic Delight since you ask sorts out the correct newspapers for the right addresses and works out the bills. No longer need Innes fear being pursued through the streets of St Asaph by Daily Telegraph reading bishops who have had copies of The Beano delivered by mistake.

Runner up.





WATER JET

Acjustable nozale for eproy e-Arn' is used without neezle and with reversed pressi for dearing groundard.

sydien am for deoring rubbish from standa

Rainicov would be positioned on the perimeter of the pitch in view of the spectators.

LASER & FOUNTAIN DISPLAYS
Used individually area part of asseries a Raintoniv
Robot can provide a spectacular illuminating

display to extensis the crowds using to us

to create formains, multi-coloured laters and mirrors mounted at angles or the edges of the

studium. Buchdisplays studi etter becreated manadly using runde cantrol or be pre-progra into Roinburks memory.

would be a close race between the 4C-page essay submitted by CW Judge of Ashford, Kent and the 12 feet of circuit diagrams and specifications sent in by two Yugoslav 17-year olds Maksim Rudolf and Radovan Service of

But after much consultation the runners-up who each win a Maplin Zero II mini turtle are Juan Jose Casenave Clemente of Madrid in Spain for his Electronic Taxi Driver and the anonymous individual who sent in a C5 Chauffeur. The Taxi Driver which has a coin slot and a credit card slot finds its own way around the streets while the C5 Chauffeur needs a telescopic neck to keep a look out for homicidal truck drivers - and presumably malfunctioning robot taxis. Now all you need to do is get in touch with us to claim your prize - we know your handwriting.

The winner of the £1,000 Hero robot is Guy Taylor of Bristol for his very topical idea for an automatic crowd controller and entertainer at football matches called Rainbow. Unlike Chelsea's Ken Bates Rainbow doesn't believe that ritual electrocution will bring the fans flocking back to football stadiums - Rainbow has lasers but strictly for entertainment rather than zapping hooligans. A suction arm of this big-budget vacuum cleaner clears rubbish from the stands. In extremes it can call on water cannon which can be reversed to help dry off waterlogged pitches.

Runner up


Other practical robot ideas included Guy Culverwell's tour guide, which could perhaps take him frem his native Kent to Switzerland where Andreas Weder is working on an automatic film director - based on a BBC of course. The Lally brothers from Bromsgrove sent in a sketch of IGOR, a solar-powered unmonned glider which could be used by the police to monitor traffic or with a laser to guide in bombs - that should put a stop to illegal parking. Even more terrifying was the mobile dentist which Michael Dobson plans to unleash on Loughborough. Derck Baigent of Guildford thought up a robot guide dog for the blind which could have safe routes to useful destinations in its memory.

- REAR WELL-

If we were awarding the prizes for effort it








HERE IS a rare creature to find in the pages of Your Computer - a main game written in Basic. No multiple listings, no complicated saving instructions, no hex loader, and not an ounce of machine code - Englebert is 100 per cent pure Basic. Key it in, save it and Run.

You will be rewarded with a fast moving, high-quality arcade game, which gives a good

John Kennedy with a fast and colourful Basic game for the Amstrad.

```
1190 N-0
1206 3-307(01)
1218 IF 13 AND 1) =1 AND 13 AND A108 THEN N=1
1228 IF 13 AND 1) =1 AND 13 AND 0108 THEN N=2
1232 IF 13 AND 21=2 AND (1 AND 4) OR THEN N=3
1246 IF (1 AND 2)=2 AND (1 AND 6) OR THEN N=3
1246 IF (1 AND 2)=2 AND (1 AND 6) OR THEN N=4
1279 IF INKEY(7)(0)=1 THEN N=3
1240 IF INKEY(7)(0)=1 THEN N=3
1240 IF INKEY(7)(0)=1 THEN N=3
1240 IF INKEY(3)(0)=1 THEN N=3
1240 IF N=6 THEN RETURN
1350 IF N=6 THEN RETURN
1350 IN N=6 SUB 1338 (1448,1530,1458
1318 EQUAD 4,8,2,15,0,0,0
1328 RETURN
1338 REN UP/LEFT
1340 OSUB 1398
1350 OX=0X-16
1340 OX=0X-16
1350 RET DD/LEFT
1340 OSUB 1898
1250 OX=0X-16
1350 RET DD/LEFT
1340 OSUB 1898
1350 OX=0X-16
1350 OX
```




demonstration of the speed of Amstrad's Locomotive Basic - it is fast enough to achieve effects that are only possible in machine code on other machines.

Englebert is a variation on the Q-bert theme. The object is to jump around a pyramid of blocks leaving foctprints as you go. If you clear the sheet, by covering the pyramid completely, a new pattern of blocks will appear. If you jump off the pyramid, or if you are hit by the squashy ball thing, you loose a life. At higher levels there are two squashy balls to cope with.





SCORE



3340 PRINTIPRINT Press e ley to bealth: 3350 WHILE INCEYS-"" NEND 3360 HODE @ 3370 RETURN

### · THE NEW AMSTRAD CPC 664 WITH BUILT-IN DISC DRIVE

ak utik pd on efi oa osa ati od o



· AVAILABLE AT BOOTS · COMET · CURRYS · DIXONS · GREENS · JOHN MENZIES · RUMBELOWS

### THE LOW COST COMPUTER FOR HOME AND BUSINESS.

If you know anything about computers you'll know that disc drives are up to fifty times faster than cassette when you're loading and saving programs. In fact, a disc drive makes computing faster, more reliable, more efficient and more

fun. But up till now the only way to gain these advantages for a home computer was to buy a separate disc drive attachment. Now Amstrad are pleased to announce the first complete home computer with built-in disc drive: The Amstrad CPC 664.

And when you buy a CPC 664 you'll find it's not just the disc drive that's built-in.

You'll get everything you need, including a monitor (green screen or full colour). We'll even give you a free CPM and Logo disc, so all you do is plug in and you're in business.

### BUSINESS OR · PLEASURE ·

Although a disc drive will make games more fun (and there are loads of them to choose from) it also makes the CPC 664 a serious proposition for Wordprocessing with Amsword can improve the productivity the business user.

There are accounting.



Amsoft Business Control, is a complete suite of programs for integrated sales invoicing, stock control and sales ledger for around £99. (Requires an additional FD-1 disc drive around £159 and DL-2 cable around £7).

CP/M\* to help make your business more efficient and effective by providing access to the famous range of CP/M\* software,



WITH COLOUR MONITOR ARGUND

· £449 ·



WITH GREEN SCREEN AROUND

£339 ·

### E HOM MEA

HIGH PERFORMANCE

BUSINESS

The one thing you won't need a computer to work out is that the

- · LOW COST · -

Amstrad CPC 664 represents outstanding value for money.

You only have to check the cost of buying all the elements separately (64K computer, disc-drive, monitor) to realise that the Amstrad package is very

hard to beat With a green screen monitor the cost is just £339. With a full colour screen it costs £449. And after you've saved money on the price of the computer itself, you go on saving on the price of software.

There are hundreds of programs for business or pleasure available on disc (and cassette) to CPC 664 users. Many from Amsoft, others from other CF/M is a tracemark of Ligital Research inc. famous-name software houses. Few will cost you more than £49 and most will cost you considerably less.

### AN EXPANDING · SYSTEM ·-

There is a complete range of peripherals avail-

able to CPC 664 users which plug directly into the built-in interfaces.

These include a joystick, additional disc drive (to double your on-line storage) and the Amstrad DMP-1 dot-matrix printer. (There's also a cassette interface so that you can use CPC 464 programs on tape). And there are many more peripherals from Amstrad and other manufacturers which can be used to enhance the CPC 664.

### · AMSTRAD USER CLUB · -

Join the optional Amstrad

User Club and we'll keep you informed with our monthly user magazine, and information on all software as it is introduced. ship details



Figure analysis made easy with Microspread. An easy to use spreadsheet with pull-down menus and a wide range Your member- of mathematical options. Around £49.

will be recorded on your personal club card, which entitles members to various privileges and offers.

Please so	end me more information	
Name		
Address		-

Amstrad	CPC	664
	Marie Committee Committee	Control of the last

Amstrad, P.O. Box 462, Brentwood, Essex CM14 4EF.

of everyone from unskilled typist to trained secretary.

Around £23.95.

word-

processing,

and database pro-

grams ito

a few).

name but

664 is also

supplied with

The CPC

spread-sheet

organise your work.
With Collins range of Brainpower software you get
a Teaching Program and Book which show

porential:
Skills that will help you make decisions.
Skills that help you plan ahead.
Skills which can help you business.
Skills which can help you business.
Skills to discover the universe and skills which will

good news, six simple to use software packages called Brainpower that put you

firmly in control and help you realise your own full

still using too much of your own

of your micro - are you

We at Collins Soft have some very

margins, interest...

sheets, profit, cash flow bank loans.

ahead.

constellations and learn the secrets of your universe.

> save time and money.



the most of your Work out your opportunities.



STARWATCHER

ENTREPRENEUR

FORECASTER

NUMBERS AT WORK

PLANNER

and make the best of it wit Brainpower

simply post the coupon for information - lodey. Menzies and all good Computer Shops or

The manual has a simplicity that is endearing — Commodare Harizons.

Road what they have said about Brainpower.

you how easy Brainpower is to use on your BBC, Commodore 64 or Spectrum, plus the main

Appl cations Program itself.

Discover Brainpower at WHSmith, Boots,

If you intend to go into business.Entrepreneur is an essential investment – Practical Computing.

PROJECT PLANNER ENTREPRENEUR

Adcress

The best star-gazing pragram so far available on microcomputer – John Walker – leading softwarewriter STAR WATCHER

found the theories of prediction fascinating - Commodore FORECASTER

In many ways it has succeeded in an argo that few other agrams have even attempted – using the computer to lucate adults – Popular Computing Visekly. DECISION MAKER

Collins Soft is a division of William Collins Sons & Ca United Brain owner is a trade mate of Triptych Publishing Limited.


RAINPOWER FOR MORE SEVE

odio ilia iliy Collina coll ol cilia cond	prochure (pleasatick)	prochure (please tick)
---	-----------------------	------------------------

Pos: Code BRAINPOWER

YC 6/85







SAGA G.P. (REQUIRES INTERFACE PLUS S/W)
ONLY £69.95 EXCLUDING V.A.T. PLUS £1.50 P&P

#### Add more speech to your speech synthesizer – write for details

#### SEND YOUR ORDERS TO:

Dept yes SAGA SYSTEMS LIMITED Greenhaign, Woodham Road, Woking, Surrey GU21 4DL

Please add the correct P&F and VAT. (When ordering please state whether you wish the keyboard to fit Spectrum or Spectrum +)

Please	sena me	the tolic	wing 5	AGA pr	oducis
/ Name					7-57

Address

Please debit my Access a/c

Total amount enclosed E

Please make CHEQUES/P.O. payable to SAGA Systems Ltd

Please allow 28 days delivery

YC6 Access

FREE SSL SWEATSHIRT FOR EVERY 100th CUSTOMER WORTH OVER £10

NEW LETTER QUALITY PRINTER RS232/CENTRONICS £169.99 inc VAT. SPECIAL PRICE £99.00 WRITE OR CALL FOR FURTHER DETAILS

( 1 d from 2000 72)		6 107 106 176 176 176 176
(continued from page 73)	1818 DATA 0,60, 54,60,32,166,188	6,137,186,176,176,176 2020 DATA 176,176,176,160,160,14
130 FORT=34848T035047:POKET, .60: MEXT	1020 DATE 154,60.0,166,0,8,154,0	7,:31,143,146,133,136 2030 DATA 176,176,176,176,176,17
140 FORT=368641037863 POKET, 5: ME	1638 DATA 0,166,8,8,89,8,8,170 1648 DATA 0,8,130, 8, 2, 138, 12	6 2040 CATA 160,168,158,131,169,16
130 FORT-10F020 FORR-8T0:4:PJKE3 4048*(R*40)+T,32:NEXTR,T	8, 242	8,177 2000 PATA 105,164,181,168,168,16
168 FORT=3687170378753TEF248:FOR	1950 DATA 150,143,242,150,143,25 0 138,175	0
TT=0F02:F0RR=0F025:P0KET-(TT=40) +R,2:NEXTR,11./-	1868 DATA 242,170,143,242,170,14 3.0,170	2999 REM **** MACHINE COCE DATA
170 FOR"=36991F03"875STEP240:FOR TT=0T02:FORR=0T025:P0KET+(T1*40)	1378 DATA 8. 8, 178, 8, 8, 43, 8	3000 DATA 76, 235, 193, 169, 11 9, 133, 251, 169, 159, 133, 253,
+R,1:MEXTR,TT,T _80 FORF=01039 READD POKET+35000	1888 DATA 2,178,128,42.178,168,3 7, 169	169, 219, 133 3818 DATA 252, 133, 254, 165, 3
D: NEXT 190 FORT=81039: POKET+37824, 2: NEX	1090 DATA 88,230,105,171,230,154	, 141, 121, 120, 24, 165, 203, 2 81, 30, 176
T 200 REM **** READ IN M/C DATA	1100 DATA 106,155,37,169,88,42,1	3020 DATA 3, 76, 168, 192, 162, 0, 160, A, 173, 1, 220, 74, 141
****	78,168 1110 DA A 42,0,168, 40, 8, 40, 4	. 8
210 FORT = 43152T050134: READD: POKE 1,D NEXT	2, 170 1120 DATA 168.34, 70,136,34,170,	3338 DATA 181, 175, 38, 24, 173 , 1, 288, 281, 50, 144, 30, 162,
220 GG10260 230 REH ******* GAME START ***	136,34 1136 DATA 170,136,34,178,136,226	11, 189 3848 DATA 56, 195, 157, 8, 119,
240 S=54272:FJRT=S108+24:POKET, 0	.176,139 L140 DATA 202,0,43,234,9,17L, 23	202 202, 224, 1, 208, 244, 206 , 1, 208
: NEXTT 250 GOSUB480	4, 178 1150 DATA 171,42,178,168,18,178,	3050 DATA 206 1, 203, 163, 2, 141, 121, 120, 169, 9, 141, 4, L
266 PRINT'SDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	160.234 1169 DATA 2,170,126,42,170,106.3	10, 24 2868 DATA 173, 0, 101, 74, 141,
276 FORT=:T050: IFPEEK(203)(2)60TH	7, 186 1173 DATA 184,236,166, 187, 223,	0, 101, 176, 38, 56, 173, 1, 20 8, 201
ENNEXT	101, 91, 230	3878 DATA 288, 176, 30, 162, 11
280 PRINT"SOUDD COURT DEPENDENCE LEGA	1180 DATA 186,107,37,106,104,42, 178,168	189, 72, 195, 197, 6, 119 202 202, 224
298 FEM = 11030 IFPECK(283)<>68TH	1190 DATA 42,0,168, 40, 0, 40, 4 2, 170	3080 DATA 1, 208, 244, 238, 1, 208, 238, 1, 208, 169, 5, 141, 1
303 IFPEEK(203)(>60THEN260	1280 DATA 168,34.176,136,34,170. 136,34	21, 128 3890 DATA 165, 1, 141, 4, 118,
313 FORT=0T03:POKE30200+T,0:NEXT	1218 DATA 178,133,34, 178, 136, 226, 170, 135	24, 162, 0, 173, 0, 101, 74, 141
320 POKE53268,0 POKE53278,0:POKE 53279.0	1228 DATA 232,0,43,234,8,171, 23	3188 Drīa 181, 176, 4, 282, 282 , 282, 282, 24, 173, 8, 181, 74,
338 T1="":SCS=""	4, 178 1238 DATA 17-, 42, 173, 168, 18, 178,	141, 8
340 S75 49152 350 PDKES0+4,32: PGKES0+5,5: PCKES	169,234 1240 CATA 9,85,128, 6, 178, 64,	3114 DATA 101, 176, 4, 232, 232 , 232, 232, 24, 138, 109, 6, 208
0+6,255:POKESO+1,1:POKESO+4,129 300 FORT-0TCS:SCC=SCS+STRS(PEEK(	6, 176 1258 SATA 64,6,178,64, 18, 178,	, 141, 8 3120 DATA 208, 165, 203, 201, 1
36268+T)): NEXT 376 TS=SC\$: SC\$="":FORT=2 TO 12 S	128, 3 1260 barr 207,0.3,207, 0, 42, 17	2, 200, 12, 206, 0, 288, 206, 0, 208, 206
TEP 2:SC)=SCS+MIDS:TS,T,1):NEXTT	0, 168 1270 Onth 42,178,168,41,96,168,	3138 DATA 8, 203, 106, 8, 208, 201, 23, 208, 12, 238, 8, 208, 2
380 IFSCSOHISTHENHIS=SCS 390 PRINT"ELTH	37, 83 1288 DATA 168,33,166,168,38,169.	38, 8 3148 DATA 268, 238, 8, 288, 238
488 PRINT" YOU HAVE ACHIEVED H	88, 38 1290 Deta 163,104,38,170,168,38,	, 4, 208, 201, 6, 208, 13, 174, 1, 208
SCORE OF "SCS" "; 410 IF HIS=SCSTHENPRINT"	169,184	3150 CATA 224, 50, 144, 6, 206, 1, 208, 206, 1, 203, 201, 3, 20
YOU ARE NOW NO. 1 AUTO ACE	1300 DATA 38,169,83,3E,166,168,3 7,86	8, 13
428 PRINT"	1310 DATA 169,41,90,168,42,170,1 63,234	3120 DATA 174. 1, 208. 224, 200 , 176. 6, 233, 1, 208, 236, 1, 2
430 FOR01010: FORRI0105 - PCKF20	1328 DATA 3, C, 8, 8, 8, 8, 8, 8	08, 162 3170 DATA 15, 24, 189, 0 208,
46,192: MEXTR1:FORR2=6T05: POKE204 0,198: MEXTR2, T	1330 DATA 8, 8, 8, 8, 8, 8, 8	125, 3, 110, 157, 8, 208, 202, 2 02, 224
440 POKESO+4,128 450 FORT=1706:POKET+35015,05CCHI	1340 DATA 0, 0, 6, 0, 0 0, 0,	3180 DATA 1, 208, 240, 238, 120 , 120, 173, 120, 120, 205, 121,
95(HIS,T,1))+128:MEXT 460 FORT=1T01000:MEXT:POKE53263,	1350 DATA 0, 3, 240, 0, 3, 240, 0, 3	128, 176, 3 3198 DATA 76, 175, 183, 169, 8,
8:0010240 470 REP ******* TITLE SCREEN ***	1360 DATA 212, 0, 3, 240, 0, 3, 240, 0	:41, 120, 120, 238, 5, 118, 173 , 5, 118
480 POKE53281.0:POKE53280.0	1378 DATA 8, 9, 3, 8, 8, 8, 8, 8,	3200 DATA 201, 18, 200, 68, 168 , 0, 141, 5, 118, 238, 4, 113, 1
490 PRINT'LE # 1	138E DATA 8, 0, 0, 6, 0, 0, 0,	73, 4 0210 DATA LIR, 281, 10, 208, 53
500 PRINT" (# 12 12 12 12 12 12 12 12 12 12 12 12 12	1390 DATA 0, 0, 0, 8, 8, 0, 0,	, 169, €, 141, 4, 118, 238, 3, 1 18, 173
SIO PRINT' DES TOTE DE	1100 DATA B. 0. 8, 6, 6, 0, 0	3220 DATA 3, 118, 201, 10, 208, 38, 163, 0, 141, 0, 118, 238, 7
520 PRINT" 27 12 2 3 5	1410 DETA 8, 0, 0, 3, 8, 0, 0	, 118 5238 DATA 173, 2, 118, 281, 18,
536 PRINT" 2 = 2 = 3 = 3 = 3 = 3 = 3 = 3 = 3 = 3 =	1429 DATA 8, 0, 8, A, 8, E, 8,	208, 23, 169, 0, 141, 2, 118, 2 38, 1
548 PRINT" 12 13 13 15	1438 DATA, 8, 8, 8, 8, 8, 6, 8,	1248 DATA 118, 173, 1, 119, 201 16, 208, 0, 169, 0, 141, ., 11
550 PRINT' DE 35 %	1440 DATA U, 0, 0, 0, 3, 0, 0,	8, 738
560 PRINT"	1450 DATA 0, 0, 0, 0, 0, 0,	3250 DATA 0. 118, 162, 5, 189, 3, 118, 105, 176, 157, 214, 7, 2
578 PRINTING MRITTEN FOR L	1460 DATA 0.0,0,0,0,1,t,	82, 16 3260 DCTn 245, 168, 26, 177, 25
S80 PRINTERS BY DAVID SH	0 1465 DATA 0,0,0,0,0,0,0,0	3, 153, 0, 10:, 136, 16, 248, 16 0, 26, 177
S90 PRINTEDS USE THE JOYSTICK T	1470 DATA 129,24.132.8,41,34,70, 16.188	3273 DATA 251, 145, 253, 136, 1 6, 249, 56, 155, 251, 233, 40, 1
O CONTROL THE CAR"	1488 CATA 48,153,25,57,166,164,1 48,154,41	33, 251, 176 3280 DATA 2, 198, 252, 56, 165,
EFT DK E KIG	1490 thin 0,165,16,,106,64,1,166	253, 233, 48, 133, 253, 176, 2, 198, 254
H-" DESE SPE	1586 PATA 8,185,8,8,178,72,1,158	3290 DATA 24, 165, 252, 201, 21 6, 176, 218, 24, 165, 251, 201,
EDUP" 630 PRINT" DF7E SLC	1518 9ATA 98,198,129,289, 40,100	284, 176, 211 3388 DATA 168, 26, 185, 8, 181,
ноонь	1528 DATA 182,126,165,234,178,18 2,146,178,155	153, 7, 216, 136, 16, 247, 24, 238, 56
:1"H1\$	1538 DATA 16,186,9,1,169,3,46,0	3310 CATA 1_9, 173, 96, 119, 20 1, 15, 208, 46, 169, 32, 141, 4,
999 PEN ******* SPRITE DATA ***	1546 DATAB,E 2800 REM ******** SCREEN DATA **	212, 169
1880 DATA 8,40 6,6,48,8,8,170	2610 DATA 160,160,160,160,160,160,16	3328 DATA 8, 141, 96, 119, 238, 144, 112, 238, 144, 112, 238, 144, 112, 24, 17

```
4, 144, 112
3338 DATA 224, 94, 144, 5, 169,
254, 141, 144, 112, 189, :19, 1
76,176,176,160,160,14
46,133,136
                                                   95, 141, 8

93,40 Data 212, 189, 128, 195, 1

41, 1, 212, 169, 33, 141, 4, 212

, 76, 49
76, 176, 176, 176, 176, 17
60,160,150,131,169,16
                                                   , 76, 49
3330 DATA 234, 162, 251, 189, 2
55, 132, 157, 253, 3, 189, 249,
133, 157, 249
3360 CATA 4, 189, 243, 134, 157,
243, 5, 185, 237, 135, 157, 23
7, 6, 189
05,164,181,160,160.16
 *** HACHINE COCE DATA
 76, 235, 193, 169, 11
, 169, 159, 133, 253,
                                                  . 243, 5, 188, 237, 133, 131, 237, 6, 189
3370 DATA 255, 143, 157, 255, 2
15, 189, 249, 144, 157, 249, 216
, 189, 243, 145
3380 DATA 157, 243, 217, 189, 2
37, 146, 157, 237, 218, 202, 208
, 205, 162, 7
3390 DATA 189, 108, 195, 157, 3
9, 208, 202, 16, 247, 162, 11, 1
69, 1, 157
2400 DATA 6, 119, 202, 16, 248,
133
252, 133, 254, 165, 3
120, 24, 165, 203, 2
  ), 76, 163, 192, 162,
173, 1, 220, 74, 141
101, 175, 38, 24, 173
91, 50, 144, 30, 162,
                                                    3488 DATA 6, 119, 282, 16, 248, 162, 5, 169, 182, 157, 248, 7,
56, 195, 157, 8, 119,
224, 1, 288, 244, 286
                                                    3410 DATA 248, 163, 0, 141, 144
, 116, 141, 126, 120, 141, 95, 1
13, 141, 30
206 1, 203, 163, 2,
20, 169, 9, 141, 4, L
                                                    13, 241, 30

3420 DATA 208. 141, 31, 208, 16

9, 254, 141, 144, 112, 169, 255.

141, 20, 208

3430 DATA 169, 7, 141, 37, 208,

169, 0, 141, 38, 208, 169, 12,
173, 0, 101, 74, 141,
6, 38, 56, 173, 1, 20
200, 176, 30, 162, 11
195, 157, 8, 119 202
                                                    141, 33
                                                     244, 55

3440 DATA 208, 169, 5, 141, 32,


208, 189, 31, 141, 21, 208, 169
 1, 208, 244, 238, 1,
, 208, 168, 5, 141, 1
                                                        255, 141
                                                    3456 DATA 23, 208, 169, 3, 141, 0, 117, 141, 1, 117, 162, 1, 1
 165, 1, 141, 4, 118,
173, 8, 181, 74, 141
                                                    3460 DATA 195, 157, 0, 208, 202
, 16, 247, 168, 15, 141, 24, 212
, 169, 9
 101, 176, 4, 202, 202
24, 173, 8, 101, 74,
                                                    3470 DETA 141, 5, 212, 169, 0
                                                    141. 6, 212, 120, 169, 3, 141, 2
101, 176, 4, 232, 232
24, 138, 109, €, 208
                                                    3483 DATA 169, 192, 141, 21, 3, 88, 162, 4, 142, 88, 119, 162,
208, 165, 203, 201, 1
206, 0, 208, 206, 0,
                                                    9, 142
3490 Dath 01, 119, 189, 8, 208,
201, 250, 144, 50, 24, 172, 18,
208, 192
 8, 203, 106, 8, 208,
18, 12, 238, 8, 268, 2
                                                    208, 192
3500 DaTA 17, 176, 248, 185, 40
, 195, 157, 0, 118, 174, 00, 119
 268. 238. 0. 209.
                                    238
                                                    , 24, 172
3518 DATA 18, 298, 192, 26,
 01, E, 208, 13, 174,
                                                     . 248, 185, E8, 195, 221, 248, 7
, 240, 248
 224, 58, 144, 6, 206;
                                                    , 240, 248
3520 DATA 157, 248, 7, 24, 1°2,
18, 208, 192, 10, 176, 248, 185, 108, 195
3530 DATA 157, 39, 283, 206, 80, 119, 206, 81, 11
9, 174, 81
3540 DATA 113, 224, 1, 268, 183, 173, 30, 208, 201, 8, 240, 3, 76, 17
06, 1, 203, 201, 3, 20
 174. 1, 208. 224, 200
33, 1, 208, 236, 1, 2
 15, 24, 188, 0 288,
0, 187, 8, 208, 282, 2
      208, 246, 238, 120
   120, 120, 205, 121,
                                                     3558 DATE 185, 173, 31, 208, 28
                                                     1, 1, 286, 3, 76, 17, 195, 24, 7
 76, 175, 193, 169, 0,
 120, 238, 5, 118, 173
                                                     3560 DATA 194, 128, 169, 49, 14
                                                     1, 20, 3, 169, 234, 141, 31, 3,
88, 96
 201, 18, 200, 68, 168
                                                     3570 DATA 170, 100, 150, 180, 1
98, 180, 110, 180, 236, 180, 1
   . 118, 238, 4, 113, 1
LIR, 281, 10, 208, 53
141, 4, 118, 208, 3, 1
                                                     1, 1, 1
3588 DATA 2, 2, 2, 2, 3, 3, 3,
                                                     3, 1, 1, 3, 3, 2, 2
3590 DATA 2, 2, 4, 4, 5, 5, 2,
2, 3, 3, 4, 4, 5, 5
3600 DATA 1, 1, 1, 1, 2, 2, 1,
3, 118, 201, 10, 208,
0, 141, 3, 118, 238, 2
 173, 2, 118, 281, 10,
                                                     1. 2, 2, 2, 2, 1, 1
3618 DATA 1, ., 197, 192, 193,
194, 195, 196, 197, 197, 197, 19
 169, 0, 141, 2, 118, 2
  118, 173, 1, 119, 201
                                                          197, 197
  0, 169, 0, 141, -, 11
                                                     3620 DATA 197, 197, 197, 187, 1
97, 197, 197, 197, 2, 6, 9, 5, 4
8, 118, 162, 5, 189,
05, 176, 157, 214, 7, 2
                                                      3638 DAFA 10, 14, 8, 1, 3, 24, 14, 210, 15, 195, 16, 209, 18, 2
 245, 168, 26, 177, 25
18, 136, 16, 248, 16
                                                      3648 DATA 15, 195, 16, 209, 18, 31, 21, 24, 14, 210, 15, 135, 1
 251, 145, 253, 136, 1
, 155, 251, 230, 10, 1
                                                            209
                                                      6, 209
3656 DATA 18, 210, 15, 195, 16,
209, 18, 31, 21, 96, 22, 31, 21
76
2, 198, 252, 56, 165,
253, 176, 2,
                                                          239
  40, 133, 253, 176, 2,
                                                      , 2663 DATA 18, 96, 22, 31, 21, 2
09, 18, 195, 16, 31, 21, 209, 16
 24, 165, 252, 281, 21
8, 24, 165, 251, 281,
                                                          195
                                                      3678 DaTA 16, 218, 15, 285, 18, 195, 16, 289, 18, 31, 21, 195, 16, 96
   160, 26, 185, 8, 181,
 16, 136, 16, 247, 24,
                                                      3680 DATA 22, 31, 21, 209 18, 96, 22, 31, 21, 209, 18, 195, 16
 1_9, 173, 96, 119, 20
, 46, 169, 32, 141, 4,
                                                      3690 DATA 21, 209, 18, 193, 16, 210, 15,209,18,185,16,78,13,24.
                                                      14.8.0
```

By CCMBINING the program given here with the game Survivor published in the May edition of *Your Computer*, you can amend or completely rewrite any or all of the levels to your own personal requirements.

If you have not already done so, enter the game from last month's article retaining the machine-code loader. Although it is necessary to enter only the operating system if you intend to construct all your own levels, I strongly advise you to enter the data as well and overwrite it later. A prior knowledge of how the game performs is invaluable when writing new screens.

Use the original loader to enter the extra code from hex dump 2 giving 21320 as the start address. There is no need to add another Rem. Save to tape using a direct command without deleting the loader. Although it will be overwritten by the new Basic program, you will have to come back to this copy to use the checker if the new code coes not work. Now delete listing 1 and enter the Basic graphics loader from listing 3. Save this by typing Run 15

Before using it, however, some words of



explanation are called for. Each screen consists of a playing area 28 by 17 surrounded by a grey border with Bonus. Lives and Time displayed below. Around this the Title is scrolled. Data is needed for each level to store the title and playing area. As long as you stay within the constraints of the system, what is put into this playing area is limited only by your own imagination.

The display consists of black blocks on a white background; two gray lines of any length and direction; five aliens moving in any direction, either reversing or one way only:

five aliens which are stationary but flash on and off. Almost any character may be used for an alien — only four will not kill you. Bridges and elevators are made from a moving alien of CHR 128.

You must use all ten aliens and both grey lines in each level. Unwanted grey lines can be hidden in the border and excess aliens can be "lost" by making them white spaces in a white area. Aliens always unprint leaving a white trail. Remember this if you are moving them through black or grey blocks. Forty-three characters must be used for the title. Letters and graphics may be mixed, padded out with spaces to the correct length. You are allowed only one Exit although several Keys are possible by using CHR 151 for aliens.

I consider it absolutely essential to work out ideas on squared paper first. A pad of Quadrille from W H Smith's is invaluable here. Copy the grid from diagram 1 and plan your strategy carefully. Ensure that all intended jumps are possible. Remember you can only jump up four squares vertically or diagonally.

When you are satisfied that the drawing has been perfected it must be converted into data. This is done by the graphics loader in two parts. Firstly the black blocks for the screen are drawn directly and then compressed by the machine-code section. The second stage is concerned with the grey lines and aliens etc., and uses the Basic program. Everything must be worked out using grid references and character codes before any attempt is made to input a level.

Reload the program from tape. It should

autorun and ask for a level number between one and 10. You may enter levels in any sequence. You are then given the option of drawing a new level or amending an existing one. If you answer "yes" to the prompt the drawing section will be bypassed allowing new data for aliens etc., to be entered.

Answering "no" will put the computer into "wait mode". If you proceed beyond this point, all existing screen data for the level chosen will be wiped out. You may abort at this point by using the Break key. Assuming you wish to proceed, pressing N/L will produce the Drawing Board.

The cursor is moved horizontally by keys I and F; vertically by keys Q and Z. Pressing O

# SUR

will deposit or erase a block. After completing the drawing, check it carefully as mistakes cannot be rectified without redrawing the whole picture. When you are satisfed that it is accurate press N/L and the screen will be converted into data. The program will now return to Basic and request information regarding the grey lines.

This second paret of the loader will accept grid references and graphic characters in the form of strings, or numbers as variables.

Using "Aboard the Fluyt" as shown in diagram I it can be seen that the grey lines run from S3 nine spaces to the right and from SQ five spaces to the right. Data for these is made up from the gric reference for the starting square followed by the number to be added cr subtracted in order to reach the next square for a vertical line 33, a diagonal line 32 or 34 and a horizontal line, as we have here, 1. Lastly we need the length of the line. So, data for the first line is S3 1 9 and for the second SQ 15. A grid reference must always be given vertical axis first. To input this, enter S3 and press N/L. Press N/L again to change to a numeral input. Enter I N.L, N/L a second time to recover the input and 9 N/L. Enter data for the second line in the same way.

You should now be asked for Key, Position and Exit locations. The key is a grid reference — CM. Enter and press N/L. Your starting position is EB. Enter and press N/L. The exit is R3. Once again enter and press N/L. Now comes the title. Enter this as a string of 43 characters and press N/L. If the length was correct it will be printed on screen. If this

	1	2	2	3	4	5	6	7	B	9	۸	D	2	1	F	-	_		-	-		0		100								
A										3	-	В	-	10	Ε	F	G	Н	1	J	K	L	M	N	O	P	Q	R	S	T	U	
В		T	1			+				-	-		100				dil.	2 3						Ž.								
С		1	T							-			200				100					53	01/								-	117
D			1	+						+	+		-								1		K									
E			1			+	1				-	A		2														9			1	
F	1		T		1		100		+	1		А						FIY														1
3			t	1		1	1		+						100	-		EE.														
1					10		-		-	1	1		1			-		-	1	19							1	1	-	7	1	
					1		1		+	-	+			-				1												1		1
Ì				1		1	1	+	+		1	8	ı			-	+				-				514				1			1
					1			+	1		+		N.	+	-	-	-	+	1									4				1
								-1		+	J	-		+			+	-		+											1	1
1			13			1						ä	-		-	+	-	-	4	-												1
1		13	FV		M					1		۳	1		N.	O.		+	1	1					17.00						1	1
1				100		1					S			-			+					-	L						1	7		1
								7		L						400	-	+1		1	1	1							1		N B	T
	>			120									E	3		K	7												1		100	
1	8		E	↓↓			1	N.		-			-			1	1					*	1	*			L					1
1	>		$\otimes$	$\otimes$	$\otimes$	183	X		X	X	Ŕ																5	V		13		
							1	715	190					-					-	-						X	X			18	1	<
1	>				В	0	N	U	S				1	-	L	10	V	E	S	-		-	-		1	1		1		1	1	
1	1	>		>		>	10	A	В	0	Λ	D	10	W		T	-	-	-	1	F		100	1	T	1	M	E		-	1	<


does not happen, you will have to re-enter it correctly.

The next prompt is for the five moving aliens. Three grid references are needed to define each aliens position. The first is the starting square. For the Guard on the upper deck this is L7. The next two are the extremes of movement with — most important — the highest given first. That is, the position nearest to the bottom right of the screen must be entered before the position nearest to the top left.

This guard moves from L5 to LA so data will be L7 LA L5 pressing N/L between each. The next four characters are entered as a block and are arrived at as follows:

- Character of alien when moving from a high position to a lower position on screen.
- Character of alien when moving in the reverse direction.
- In the case of the guard, both are the letter I.

Next the direction in which the alien first moves; this is entered as a graphic and is either a space or CHR 1 dependent on whether it moves from a high to low position (CHR 1) or vice versa (CHR 0). Lastly the number of squares which need to be added or



# MOR

subtracted to reach the next position as it was with the grey lines, only this time entered as a graphic — CHR 1, 4, 5 or 6. — see your ZX-81 manual.

So we have the four characters. Enter 11 together and press N/L. Repeat for the other four moving aliens.

The five flashing aliens are defined by one grid reference fellowed by a block of three graphics each

The first is the character initially, the second the character it turns into. For the Fluyt, all turn into white spaces although any

To correct:	Byte no.
GREY LINES	68
KEY	76
POSITION	78
EXIT	80
TITLE	82
MOVING ALIENS	125
FLASHING ALIENS	175
Table 3.	

of them could equally turn into black blocks or another character entirely. The last graphic is concerned with the time each character is flashed on and off, and could be one of four symbols. It you mentally divide the flashing cycle into four periods:

CHR 0 will print the first character for two periods

CHR 1 will print the second character for two periods

CHR 2 will print the first character for one period

CHR 3 will print the second character for one period

When you have finished with the loader, save the game by typing Run.


Do not test a new level with endless lives. If you have created a loop, you will be stuck in it for ever. Make sure that the Break key is operational — see parameters table in part 1. If you want to limit the game to fewer than 10 levels, Poke 19198, followed by the number of levels required.

The best thing to do with errors is to avoid them and get your data accurate. Remember, this is being used by a machine-code program. If your data does not make sense to the computer, it will crash.

In spite of all your efforts, mistakes will probably occur. In any case you may wish to alter something to make the game harder or easier. This can be done. Run 18 will restart the loader to enable corrections to be made. If you make an error whilst inputting data, enter "Restart" in answer to any prompt. This will take you to the same correction routine as would answering "Yes" to the option for amending data given at the ourset. You will then be asked for the byte number of the section to be corrected — see table 3.

High quality tape copies of the original Survivor containing a full 50 levels to test your powers — no one has yet reached the 51st screen — or the 10-level version with graphics loader for use in conjunction with this article are available from the author D Spricdell, Cherry Tree Cottage, Common Road, Hopton, Diss, Norfolk IP22 2QU, price £3.50 each including postage. Please state which you require.

# Listing 3. Easic graphics Icader. 155SAVE "YO G.LOADER 18 OLS 20 PPINT "\*\*TNPHT # FUFL\*\*" 30 INPUT L 35 IF L>10 OR L(0 THEN GOTC 32 40 PPINT "EVEL" 50 LET 3=PEEK 1800S+PER+PFK 1 8206+(!L-1):202) 50 PRINT "ARE YOU AMENDING DAT INPUT V\$ IF V\$(1) = V" THEN GOTD 600 LET 9=68 PAUSE 4E4 80 CLS 21473 L 90 POKE 21473 L 100 RAND USR 21320 110 CLS 110 CLS 120 120 LET 8\$(1) = 2 G 140 LET 8\$(2) = 1 EV T 183 DIM B(5) 190 LET B(2) =76 210 LET B(2) =76 210 LET B(3) =82 220 LET B(4) =125 230 LET B(4) =175 250 FCR F=1 TO 5 250 FCR F=1 TO 5 252 IF A=B(F) THEN PRINT A\$(F) 253 IF A=B(F) THEN PRINT A\$(F) 254 IF A=200 THEN STOP 255 IF A=200 THEN STOP 256 INPUT O\$ 254 IF O\$="RESTART" THEN GOTO 5 254 IF C\$="RESTART" THEN GOTO 5 258 IF A=82 AND LEN C\$ 43 THEN GOTO 260 270 IF C\$="" THEN GOTO 450 290 FOR F=1 TO LEN C\$ 290 FOR F=1 TO LEN C\$ 300 POKE P+A, 20DE C\$(F) 310 LET A=F+1 320 NCXT F 330 PRINT C\$ 340 GOTO 250 350 IF C\$ 350 IF C\$(DDE C\$(1)-CODE "A" 355 LET D=(CODE C\$(1)-CODE "A" 360 LET 0=0+(000E 3\$(2)-000E 0 370 LET C=INT C/256: 370 LET C=INT C/256: 380 LET E=D-C\*256: 390 POKE P+A:E 400 POKE P+A:E 420 GOTO 330: 460 INPUT E 470 POKE P+A:E 480 LET A=A+1 490 PRINT E 500 GOTO 350: 610 FRINT ENTER BYTE: 620 INPUT A 630 GOTO 110:



Supports joysticks with two independent fire actions: Photon Blasters and Neutron Bombs at the fouch of your

Extersior por for combined use of peripherals

Dealer Enquiries

Welcome: Phone

Ludlow (0584) 4894

fingertips.

Interface operates joystick parallel to keyboard. Joystick action compatible with any add-ons including microdrives.


Select key furctions anytime even when the game is already loaded.



#### NEW COMCON TWIN JOYSTICK INTERFACE

£22.95 incl. VAT and P&P

Two port version allows connection of two joysticks for sequential two player games using same key positions (non-independent!)



£13.95 incl.VAT and P&P

modified to incorporate 2 independent fire actions

and no rapid fire option FLIGHTLINK HOTSHOT

JOYSTICK with two independent fire actions £10.50 incl. VAT and P&P

£21.95

CURRAH USPEECH UNIT fits into COMCON extension slot.

incl. VAT and P&P

ALSO AVAILABLE FROM SELECTED RETAIL OUTLETS

Send to:

1 Hockeys Mill, Temeside, udlow, Shropshire SY8 1PD

Postcode:

	The state of the s	
Mr./Mis./Miss:		
Address:		No political at

Qty	Code	Item	Item Price	Total	E
	01	Comcon Interface	£19.95		
AL LO	02	Comcon Twin Interface	£22.95	1 10	
	03	Quickshot 2+2 Joystick	£13.95	West Land	
	04	Flightlink Hotshot Joystick	£10.50	-	
	05	Currah uSpeech Unit	F21.95		
	06	Comcon with Quickshot 2-	£31.90	Mint	
	07	Comcon with Hotshot	£28.45	MIT OF	5%
nclose a	cheque/p	ostal order made payable to F	e Ltd. for:	£	



### MICRO WORKSHO

#### MICRO COMPUTER **SPECIALISTS**

(Spectrum Group Member)

Software and hardware over the counter for Sinclair Spectrum, BBC, CBM-64, Memotech, Amstrad, Einstein, etc.

- \* COMPUTERS
- \* RAMPACKS
- \* JOYSTICKS
- \* BOOKS
- \* KEYBOARDS
- \* DISCS
- \* TAPES
- \* LIGHT PENS

#### \* COMPONENTS \*

Educational/Business Programs available.

Located directly opposite Epsom Main Line Station. Visit us or ring for friendly service. See and try before you buy.

★ In house programming ★

Overseas/Export orders welcome

12 STATION APPROACH EPSOM, SURREY. **EPSOM 21533** 

#### AMERICAN & BRITISH COMPUTER **BOOKS & MAGAZINES**

We offer a World-Wide service for books from all publishers and more than 50 magazines.

Please fill in the coupon and ask for monthly listing of NEW books and magazines. You may also subscribe to the following popular magazines starting from the current Europe Other


	The same of the same		
AMSTRAD CPC 464 USER	£19	£27	
BYTE	£26	£32	
COMMODORE USER	£18	£28	
PERSONAL COMPUTER WORLD	£19	£28	
MSX COMPUTING	£18	£28	
MSXUSER	£18	£28	
OL USER	£18	£28	
SINCLAIR PROGRAMS	£18	£28	
SINCLAIR USER	£19	£29	
YOUR COMPUTER	£21	£32	

These are SPECIAL 6 months Trial Offer Prices. Please fill the coupon and send it with your cheque to:

#### COMPUTER BOOKS AND MAGAZINES — HAULSTERM LTD

91 Exeter House, Putney Heath, London SW15

Name	Tel:
Address	
I wish to subscribe for 6 months to the following magazi	r.es:
1	£
2	£
3	£
Enclosed please find a cheque for Total £	
Please send me list of books and other magazines.	YC6





THIS MONTH we look further into the nature of probability which is the key concept in these programs for the Spectrum and Amstrad computers which generate landscape scenes spontaneously. Such a program first needs some basic knowledge about the subject to be portrayed. This knowledge is described by mathematical relationships. Some of these relationships are rigid ones - for example, solid features will hide the view behind them. Other relationships are not precisely defined; for example the slope of a mountainside may have almost any gradient, though very steep slopes occur only occasionally.

The program must be allowed freedom of choice wherever possible, but must not be allowed to do unusual things too often. That is - suitable probability functions must be used.

Listing 1 is a simple Basic program to demonstrate some probability distributions. The function RND returns a value between 0 and I, with no bias. Therefore the combination

x = a + RND b

gives a "flat" distribution - that is, equal probability of any value between the lower limit (a) and the upper limit (a+b). Now we can combine the RND functions in different ways to produce more subtle distributions. Suppose we put

Brian James

'AMBTRAD BASIC

April 1985

x = a + (RND + RND + RND)/4 \* bThis gives a hump-shaped distribution - a crude approximation to the famous "Normal" distribution. The values of x will tend to cluster around the middle with smaller probability of extreme values. Now consider x = a ' RND 1 2

This will cause a skewed distribution, with small values of x having much greater probability than large values. A greater skew will be obtained from the function

x = a \* RND 4 4

and so on. It is important to realise that RND is different every time it is used - therefore RND + RND is NOT equal to 2 \* RND

Listing 2 is a very entertaining program using two-dimensional distributions to produce a multicoloured pulsating galaxy. The same distribution can be used for a cluster of leaves, daisies etc.

These programs are in Basic, which is very easy to enter and very easy to experiment with. The Landscape Creator itself has been written in pure machine code, because of the sheer number of calculations which have to be done. Each new landscape is created in about 8-20 seconds.

Suitable probability distributions can create surprisingly realistic mountain skylines. The slope must take values which are not too steep too often, not too straight, and no: showing a regular pattern. There are big tumps and small bumps and even smaller bumps . . . The mathematical functions called fractals have this property of having an endless succession of smaller and smaller wiggles, in fact going on and on, to the infinitely small.

They have been used to create mountain scenery with remarkable realism by Lucasfilm, using very expensive high-resolution equipment. However, true fractals are purely mathematical abstractions . . . they have ar infinite length, because of the infinite number of wiggles on an ever-decreasing scale of size. and therefore cannot actually be shown on any video screen! However my own functions are not unrelated to fractals, since they use two different magnitudes of wiggliness.

There is a problem with the random number generators in the home computer. They are not truly random; they are "pseudorandom". This means each number is not actually independent. You will eventually come back to the same sequence and go round in a big cycle. Also patterns can sometimes be found if you plot a random scatter of points.

What should we call this kind of art? I suggest the terms "artistic algorithms" or "computer creativity". The simplest kind of program, which draws diagonal lines at random polygons, could be said to be

```
"rancom art".
    SIMPLE DISTRIBUTIONS
                                              14 FOR i= 1 TO n
                                                                                             25 DRAW x . 210
                                              15 x=RND*640
                                                                                             26 NEXT
  'Erian James
                     April 1985
                                              16 PLOT x,300
                                                                                             27
                                              17 DRAW x,310
                                                                                             28 LOCATE 1,16
  'AMSTRAD BASIC
                                              18 NEXT
                                                                                                 PRINT"Skewed distribution"
B
                                              19
                                                                                             30 FOR i= 1 TO n
9 CLS
                                              20 LOCATE 1,10
                                                                                                 x=RND+8+649
                                              21 PRINT"Hump-shaped"
22 FOR i = 1 TO n
         7 ,"list "
10 KEY
                                                                                                 PLOT x,100
11 n=300
                                                                                             33 DRAW x,110
12 LOCATE 1,4
                                              23 x=(RND+RND+RND+RND) *160
                                                                                                 NEXT
                                              24 PLOT x,200
13 PRINT"Flat distribution"
                                                                                                 GOTO 9
                                                                                              35
                                              12 MODE 1: INK 0,8
                                                                                             23 NEXT
Listina 2
                                              13 t4m"Galaxy"
14 KEY 7,"LIST "
15 KEY 5,"WHILE 1:89VE T$:WEND'
                                                                                             24 NEXT
  "PULSATING PSYCHEDELIC GALAXY"
                                                                                             26 FDR j=1 TO 3
27 FDR i=1 TO 50:NEXT
      (BEST SEEN IN DARK ROOM)
                                              16 ON BREAK GOSUB 33
    DEMONSTRATES TWO-DIMENSIUNAL
HUMP DISTRIBUTIONS
                                                                                                IF RND<0.6 THEN C=RND*25
INK j,c
```


18 FOR i=1 TO 500

19 FOR c= 1 TO 3 20 x=c+30+(RND-RND) +320

21 y=c\*30\*(RND-RND) +280 22 PLOT x,y,c

31 GOTO 26

33 INK 1,24: END



The way we see it, technology has suddenly got quite a race on its hands.

There's no other home computer in the world that's so expandable or so updatable as the new Enterprise 64.

And if you're wondering quite how we've managed that, kindly take a closer look at the outputs on our remarkable new machine.

You'll notice that amongst all the usual sockets and terminals, we've gone and incorporated a special 66-way expansion port.


This will accept a whole range of new peripherals that are in the pipeline. Including those that are a mere twinkle in the eyes of our hardware designers.

We thought this expandability principle was such a good idea, we applied it to the Enterprise's memory, too.

Even in its most basic 64K form, this puts more user RAM at your disposal than almost any other competitor.

But plug in our special Rampacks to the base unit, and you can progressively increase that figure to a truly extraordinary 3,900K.

# hing up with technology, tch up with a computer.



Not that that's the only challenge we present to today's ambitious programmers.

With a screen resolution of up to 672 x 512 pixels, 256 colours and a high speed video processor, the Enterprise will outgun all but the highest quality TV monitors.

And the sophisticated sound chip generates no fewer than 4 voices across 8 octaves in full stereo.

Combine the two and you can create effects that leave today's games looking like pub video tennis of the mid-seventies.

For anyone with literary aspirations, the Enterprise also comes complete with an integrated word processor.

Whilst the really serious user will be delighted to

discover analogue RGB and TV outputs, as well as parallel, RS423 serial and network ports.

Both Cobol and 'C' will be available with CP/M running, and you can even use Lisp, Forth and Z80 assembly language on cartridge without encroaching on user RAM.

The new Enterprise 64.

It hasn't just overtaken technology. It's left every other home computer straggling in the distance.

ENTERPRISE C O M P U T E R S

WITH OBSOLESCENCE BUILT-OUT

Great naws for games addicts who appreciate high quality graphics and sensational arcade action gameplay. For Only £69, you can buy a 16K Atan 600XL Computer with two ton arcade ROM carridge titles and a loystick. These two FOM titles are the famous arcade nit Donkay Kong and another favourite Oix (Wa only have a timited number of packs with Oix Whan these run out, Qix may be substituted for an arcade entertainment cartridge of the same value). The 600XL Entertainment Pack offers real value for money and enables you to save £63.96, nearly half of the normal RRF's of the pack items when purchased individually. Silica Shop have a wide range of ROM cartridges available inoliding arcade favourities such as Asteroids, Centipede, Missile Command, Popeve, O'Berl, Star Raiders, Super Cobra for only £995 each! The 600XL is a programmable home computer with the Easic Programming Longuage built in and it you later artif a 1010 Program Recorder (XLP 1010 - £34), a range of hundreds of cassette programs will become available to you. The Atan 600XL is recommended as a first class games machine.

ATARI PACKS - POWER WITHOUT THE PRICE!

ATARI PACKS - POWER WITHOUT THE PRICE!



THE REAL PROPERTY AND ADDRESS OF THE PARTY AND	40 10
ATARI 600XL EN ERTAINMENT	PACK
16K Atari 600XL	£99.99
Donkey Kong (R)	£14.99
Qix (R)	
Single DX40 Joystck	£7.99
Total (ir purchased separately)	132.96
Less Discount (approx 411%)	£63.96
PACKAGE PRICE (XLC 1600)	£69.00

The 64K 800XL is packaged liese with the 1010 recorder, on economical straige and retrieval unit, a smash hit arcade game and programming aid, all for a package price of only £129 (ref. XLC 1010), a saving of £65.96 off the RFP's of the individual tiess which total £194.56. The game included in this pack is Pole Position. Now on cassette from Atari, Pole Position is an accurate reproduction of Atari's own highly successful arcade criving game which has all the thrills and apills of the grand-prix received. On the inverse of this cassette is a demonstration program of Atari's amazing sound and graphics capabilities giving an example of the high quality. and graphics capabilities giving an example of the high cuality performance of the Atar 800XL. Also included is an invitation performance of the Atar 800XL. Also included is an invitation to Programming 1 cassettle which takes you step by step through the first stages of programming in Atari Basic using Alari's unique soundthrough actify which allows pre-recorded human speech to be played through your TV speaker All you need is a joystick (ATJ 0400 - £7.90 for Pole Position), to be up and running with this package. The Atari 800XL in this pack comes with a Silica two year guarantee.

ATARI PACKS - POWER WITHOUT THE PRICE!



ATARI 800XL PROG. RECORDER PACK 64K Atari 800XL .....£129.99 1010 Program Recorder ... £34.99 Pcle Fosition + Demo Prog (C) ... £9.99 Invitation to Programming 1 .... £19.99 Total if purchased separately) ..... £194.96 Less Discount (approx 33.8%) PACKAGE PRICE (XLC 1010) . £129.03

This pack includes the 64K 800XL with a 1050 Disk Drive for mass storage and speedy information retrieval at well as a brand new adventure game and a powerful home help program, all for only £269 (ref. XLC 1050), a saving of £95.96 cff tha REP's of the individual items which total £364.96. The first of these programs is The Payoff on disk, a new adventure game which is a fantasy simulation in which you play the leading role. An exciting introduction to adventure programs which are always popular (with a demonstration program of Ateri's anazing sound and graphics on the reverse). Also included in this pack is Home Filling Manager to help you organise your files it allows you to catalogue and file details of birthdays, books, your stamp collection or anything also which would normally require you to use filling cards. The disk and all the disks which come in this package are in protective paper wallets. You get an extended two year guarantee on the 800XL and 100 free programs with the disk drive when you buy this package from Silica.

ATARI PACKS - POWER WITHOUT THE PRICE!



ATARI 800XL + DISK DRIVE PACK 64K Atari 80CXL 1050 Disk Drive £129.99 £199.99 Home Filing Manager (E) ... The Payoff + Demo Prog (Di ...£24.99 £9.99 Total (if perchased separately) ...... £364.96 Lass Discount (approx 26.3%) £95.96 PACKAGE PRICE (XLC 1050) . £269.00

Ataris new 128K computer the Atail 130XE offers an enoimous 131,072 bytes of RAM for only £169. The 130XE comes with built in Basic and full operating instructions and is now in a newly designed case with a modern full stroke keyboard. The XE is fully compatible with both the 400/800 and the XE ranges of machines, this means that it can run approximately 90% of all Atari Computer software on the market. This provides a range of over 1,000 software titles as well as a large selection of accessory and peripheral items. Initial stock of the 130XE will be limited, so it's first come first served.





### रणांह राधाप

WE ARE THE UK'S Not ATARI SPECIALISTS
Since the introduction of Atan Video Games into the UK six
years ago. Silica Shop has been selling Atan products and
supporting Atan owners with a specialist making service
which we believe is unbeetable. We stock over 1,000 Alari
related product these and have a mailing list including over
300,000 Atan 2600 VCS owners and over butuou Atan Home
Computer Owners. Because we specialise in Atan, we aim to
keep stocks of all the available. Atan handwars, software,
peripherals and accessories. We also slock a wide range of
Atani dedicated books and through us, the owners on our list
can subscribe to several American Atan dedicated magazines.
We can provide a full service to all Atan owners and are now
firmly established as the UK'S NUMBER ONE Atan specialists.
Here are just some of the Brings we can offer you.

FREE POST & PACKING ON MAIL ORDERS
FREE CLUBS & INFORMATION SERVICE
HIGHLY COMPETITIVE PRICES
AFTER SALES SUPPORT SERVICE
REPAIR SERVICE ON ATARI PRODUCTS.

If you would like to register on our mailing list as an Atan WE ARE THE UK'S Not ATARI SPECIALISTS

you would like to register on our malling list as an Alan imputer owner, or just because you are interested in buying a tair machine let us know. We will be pleased to keep you in a date with all new developments on the Atari score interesting. So, post off the coupon with your order or enquiry a begin experiencing an Atari service that is accord to none.

#### SILICA SHOP LTD, 1-4 The Mews, Hatherley Road, Sidcup, Kent, DA14 4DX Tel: 01-309 1111 ORDER NOW-OR SEND FOR OUR FREE ATARI BROCHURES

To: SILICA SHOP LTD, Dept YC 0685, 1-4 The Mews, Hatherley Road,

☐ Please	send me your FRE	E brochures on Atari Ho	me Computers.	
☐ I alread	dy own a	Videogame	☐ I already own a	Compute
		THE RESERVE TO BE A SECOND TO SECOND	APPROPRIEST VINITAGE STATE - SECOND (	
Mr/Mrs/Ms:		Initials:	Surname:	
Address:				

		Postcode:	
O	RDER REQUEST:	PER BUTTURE	
50000	LEASE SEND ME:  16K 600XL Entertainment Pack  64K 300XL & 1010 Recorder Pack  64K 300XL & 1050 Disk Drive Pack  128K 130XE Home Computer	£129 £269	All prices include VAT  Post & Packing is Free Of Charge
	I enclose Cheque/P.D. payable to Silica Shop Umited for the	ne following amount:	<b>.</b>
C	CREDIT CARD - Please debit my: Access/Barclaycard/Visa/American Express/Dirers Club	My Card No is: .	odko
		ALCOHOLD AND ADDRESS OF THE PARTY OF THE PAR	



#### RULES

- The winner of the competition will be the person who, in the view of the editor, comes up with the most amusing or clever idea for a computer cheat or scam.
- The name of the winner will be printed in the August issue of Your Computer.
- All entries must arrive at the Your Computer offices by the last working day in May 1985.
- Each person may enter the competition only once.
- Entries to the competition cannot be acknowledged.
- No employees of Business Press International or their relatives may enter the competition.
- The decision of the editor is final.
- No correspondence on the result of the competition will be entered into.
- Business Press International assumes no responsibility or liability for any complaints arising from this competition.

WITH 128K of memory to play with what sort of games would you like to see developed? Write down a short plot for a game and if you feel like it you could even draw a picture of the leading characters — if your wax crayons run to it even a potential screen shot.

Then we want you to think of the five worst computer games you have ever paid money for. If Firebird can produce a compilation tape of the worst they have ever had sent to them we're sure you can do better given the hundreds of other software houses which have produced rubbish only to sink without trace or who have survived one or two poor quality games yet have gone on to produce all-time classics.

Criticism in itself is not enough — we want you to name the guilty games that have sent you to sleep at the screen and show your own creativity with an idea to run on the Atari 130XE.

COMPUTER COM	PETITION
Don't forget to enclose this coupon, send your idea, which can be written new game plus your list of five bad Room L221, Quadrant House, The Q	n or drawn or both, for a great programs, to Your Computer,
Name	Name of your ideal game
Address	Five worst ever programs 1 2 3 4 5



#### This program is available on the Telsoft service.


```
Listing 1. The loader.
       10 DEF FN h h$) =16*(CODE h$(1)
.8-(7 AND h$(1)>"9")) +CODE h$(2)
-48-(7 AND h$(2)>"9")
20 INPUT "Start ";s
30 INPUT "Finish ";;
40 FDR n=s TO ; STEP 8
50 LET tot=0: PRINT h ": "
.60 INPUT h$: PRINT h$.
70 LET x=0
80 FOR b=1 TO LEN h$ STEP 2
90 LET z=FN h(h$:: LET tot=tot
                   POKE n+x,z

LET h = h = (3 TO ): LET x = x + 1

NEXT B

PRINT " = ";: INPUT t: PRIN
   140 IF tot<>: THEN PRINT "input
error - try again": GO TC 50
150 NEXT n
160 REM enter STOP to stop
 Listing 2.
```

| COMPANDED | COMP 50560 50568 50584 50592 50600 50608 50616 50624 50632 50640 50648 50656 50664 50808 50815 50824 50832 50840 50848 50848 50854 50854 60872 50888 50888 50898 60914 60915 60926 60936 60944 60956 60966 6096E: 6097E 60984 6099E 6100C 6100E 6101E 61024 51032 51040 51048 51056 07200041200004 070000041200004 10000001122745070000 1000001122745070000 11000011212745070000 1100001 51224 51252 51240 51248 51256 51264 51272 51280 51432



routing which adds a number of new commands to Spectrum Basic including several which permit the design and control of sprite graphics.

A previous article of mine on the subject of sprite graphics appeared in the January 1984 issue of Your Computer. This new routine has a number of new improvements over the earlier version. Because the sprites can now be controlled with Basic commands, instead of using Pokes, programming is simpler and the program itself is easier to read. Sprites can now be animated.

Up to four frames can now be defined for each sprite and the routine automatically switches from one frame to the next at a chosen speed. The method used for printing sprites has also been made faster, and sprites can move over other subjects on the screen without crasing them.

The routine can control up to eight sprites on the screen at a time. An interrupt routine which is called every 1/50 second while your program is running handles all the work needed to move the sprites, animate them, and detect collisions.

A hex dump of the rcutine is given in listing 2. The leader program - listing 1 - allows you to enter the machine code one line at a time. After each line you must input a checksum. If the checksum is incorrect the line must be retyped. When you have finished typing in the machine code, it should be saved to tape or microdrive before you run it.

The extended Basic is switched on with: RAND USR 6000

974 903



# SPECTRUM

#### Robert Newman controls sprites in Basic.

This command must be given before you can use any of the new commands, and it should be the first line of any program which uses the extended Basic. The new commands are all preceded by an exclamation mark and can be typed in capital or lower case letters. Most of the commands must be followed by several numeric expressions a number or a

The !Doke and !Data commands will also accept hex numbers as a dollar sign followed by up to four hex digits — e.g., \$FE59. If a command cannot be executed for any reason, the program stops with an error report as normal. Some of the commands have new error messages, for example an !Until which was not precedented by !Repeat gives the error

'Mismatched Until".

!GRAPHIC character number: Character number must be in the range 1 to 32. This command tells the routine where to store the character pattern in the !Data command.

!DATA linel, line 2 . . .: This command can be followed by up to 16 numeric expressions, one for each line of the character being defined. Each numeric expressions can be a decimal number - maximum 65535 - a hex number, or a Bin number.

!CHAR sprite number, characte: 1 (, character 2 . . ): This command shows what graphic character to use when printing the sprite. If you want the sprite to be animated, you can give a list of up to four character

(continued on next page)

61928 61928 61938 1749 61455 61464 51472 882 1416 1332 474 61941 61952 61960 51472 5148554 5148554 514551 514551 51556 51556 51556 51556 10202150318054601 111528899997895 148288341228 14868784228141228 1485555556666666644 1485555566666666644 148555566666666644 148556666666666644 1485566666666666644 951 852 710 1240 650 871 929 1240 1218 51653 51664 51672 51682 75550493531000 597878677948457 97878677948 Listing 3. I REM Listing 3 (demc)
2 REM Sprites 1 to 7 are set
up to move at random around the
screen while sprite 3 is moved
by Laing keys 5 and 8 to move
laft/right.
5 CLEAR 59999
10 RANDOMIZE USR 50200
20 BORDER 1 PAPER 5 INK 0 510405 51055 51055 51055 51055 51055 51055 (listing 3 continued on next page)

#### (continued from previous page)

numbers, and the routine will automatically switch from one frame to the next at a speed set by the !Frames command.

!FRAMES sprite number, delay: Delay can take values from 1 to 255, and controls the speed that the routine switches frames for an animated sprite.

!ON EDGE sprite number, edge action: This command controls what happens if a sprite reaches the edge of the screen. If edge action = 0, the sprite continues moving with wrap-around. A value of 1 causes the sprite to stop. A value of 2 makes it bounce.

!ON HIT sprite number, hit action: If hit action = 0, the sprite continues moving if it hits another object on the screen. A value of 1 makes it stop. !SPRITE sprite number, x, y: The sprite is printed on the screen, where x and y are the pixel co-ordinates of the top lefthand corner of the sprite's position.

!SPRITE sprite number, x, y, xmove, ymove, steps: The sprite is printed at position (x,y), and it then moves away for a specified number of steps - 1 to 254. It moves by xmove and ymove pixels at each step - possible values are from -8 to +8. If steps = 255,

the sprite moves continuously.
!ERASE sprite number: The specified sprite is erased. !ERASE 0 will erase all active sprites.

!DI and !EI The interrupt routine which moves the sprites is switched on automatically by the Rand USR 60000 command, and norgram runs. It can be switched of by IDI and re-enabled by !EI.

To find out the position of a sprite at any time, or to examine its collision flag, the following user-defined functions can be used where S = sprite number from 1 to 8: DEF FN X(S) = PEEK (63727 + 32 \* S) :

REM X CO-ORDINATE

DEF FN Y(S) = PEEK (63728 + 32 \* S) . REM Y CO-ORDINATE

DEF FN C(S) = PEEK (63722 + 32 \* S) : HEM COLLISION FLAG

The collision value is zero for no collision, 1 at the edge of the screen, and 128 when colliding with background or another sprite.

!PUT character number, x, y: The specified graphic character is printed on the screen at position (x,y).

IREPEAT: UNTIL condition: These two commands are found in Pascal and structured Basics. Any commands between the Repeat and the Until will be repeatedly executed until the finishing condition becomes true.

!DOKE address, value: This command does a double Poke of a 16-bit value to two consecutive addresses. Hex numbers can be used for the address and for the value to be poked.

!SET INK old colour, new colour: This command changes one ink colour on the screen to another coour. This can be used to make a picture appear instantly on the screen by firs: drawing it "inv.sibly" with its ink colour the same as the background paper colour and then changing the ink colour to make the picture appear.

command changes paper colours.

!SCREEN paper colour, ink colour: This command changes the colour of the screen without erasing its contents.

!BREAK OFF !BREAK ON: These commands disable or enable the break key.

!ZAP: This command makes a short zapping sound like a laser.

!NOISE length: This makes white noise for a time depending upon length, which can take values from 1 to 255.

You can test the routine by typing in the short demo program in listing 3. This program shows how to set up sprites and get them moving, either under computer control, or in response to the keyboard. Before you can type in any of the new commands, you must type Rand USR 60000.

This command switches on the extended Easic and lets the new commands be recognised and interpreted, and so it must also appear as the first line of any program.

Listing 4 is a graphic character editor program which you can use to design graphics instead of using the !Graphic and !Data commands. The 32 graphics characters are stored in memory between addresses 64280 and 65367. The editor program lets you design graphics on a large 16 by 16 grid and store them in the memory. The character set can be saved and loaded into another program to be used by the sprites routine.

If you would like a copy of the programs on cassette, together with information on using the routine, please send £3 to R. Newman, 65

```
West St., Dundle, Peterborough PE8 4EJ.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               ISET PAPER old colour, new colour: This
                                 mally continues running while the Basic pro-
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         5570 PRINT FLASH 1; PLEASE WAIT"
5580 LET hta=5c+no+34
5590 LET h=hta+2
5600 LET h=bta+2
5600 LET h=0: LET v=0: LET y=173
5610 FOR J=1 TO 16
5620 LET x=2: LET b=0: LET n=327
        (listing 3 continued from previous page)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    ()15): LET 92=91+(91<>15)
3125 IF x2<>x1 CR 92<>y1 THEN PR
INT 9T 91,x1, OUER 1;"+";8T 92,x
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     30 REM set up graphic chars
40 graphic 1
50 data $C02C,$2010: GO SUB 90
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               2130 LET x1-x2: LET v1-v2
3140 GO TO 3060
3500 REM +++ Clear grid ++++++
3510 FOR ;=0 TO 15: PRINT AT J,0
FAPER 7: INK C;as
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                210 CLS : screen 6.0

220 FDR j=0 TD 18

230 PRINT AT J.O. PAPER 7,35

240 NEX! J.47: DRAU 127,0

260 FDR j=0 TD 21

270 PRINT AT J.16; "
                                 60|graphic 2
70|data $0000,$1020: 60 SUB 90
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           5630 FOR k=1 TO 16
5630 IF PCINT (x,y)=0 THEN GO TO
78 data section of the section of th
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           3510 FOR j=0 TO 15: PRINT AT j,0
FAPER 7: INK C;as
3500 NEXT;
3510 RETURN
4010 GO SUB 9100
4020 JF adv THEN PRINT "Put (art
ridge in" "drive 1"
4020 DNDUT "fitename for save", f$
4040 JF /5=" OF LEN ($)10 THEN
GO TO 4300
4050 PRINT "SAUE 64280,1038"
4050 PRINT "CODE 64280,1038"
4050 PRINT "CODE 64280,1038"
4050 PRINT "CODE 64280,1038"
4050 PRINT "SAUE ";f$
COCE 64280,1888 RETURN
4050 PRINT "SAUE 54280,1038"
4050 PRINT "PRES ENTER 10"
4510 GO SUB 9100
4510 Frast
4510 GO SUB 9100
4510 Frast
4520 JF mdv THEN GO TO 4500
4510 Frast
4520 PRINT "Press ENTER to" "Load
d mext file" "or give filename"
4540 INPUT "Filename";f$
4550 GO TO 4700
4550 PRINT "Put cartridge in" "d
five 1."
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         5640 IF PLINT (19 1) W THEN LET W=1

5660 LET n=n/2: LET x=x+0

5670 NEXT x

5680 det n,b. LET a=m+2

5690 IF b RND 35h THEN LET h=3

5710 NEXT y=y-3

5710 NEXT y=y-3

5710 NEXT y=y-3

5720 PCKE hta,h. POLE hta+1, w

5730 PFINT PAPER 7;AT FN 1(no.F

1 (tno); ",AT FN 1(no)+1,FN c(
                    100 REM sttributes for sprits
to 7
210 For .-1 TO 7
120 Ichar [,1,2] !frames j.j
130 Ion ecge j.e
140 Ion hit j.0
150 NEXT j
160 REM sprite 5 uses graphic 3
170 Ichar 8,3
100 FRINT To move sprite 8, us
1, keys 5 cr 8 to move (ert/right)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            280 NEXT AT 2,17; "GRAFHICS ARE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         300 FOR J=0 TJ 31
310 PRINT AT FN .(j)-1,FN c(s)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           3738 PRINT PAPER 7; AT FN L(no. F N c(no)." ", AT FN L(no)+1,FN c(no)." ", AT FN L(no)+1,FN c(no)." ", AT FN L(no)." ", AT FN
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                310 PRINT ALTHOUGH STATE STATE
    e Leys S or 8 to more tertorisht

190 PRINT AT 21,0; Press SPADE

200 PEM start sprites 1 to 7 no
ving around at randon
210 FOR =1 TO 7
220!sprite j,RND#255,RND#175,RN
D#4,RND#4,SS
230 NEXT j
240 REM start sprite 8 from mid
dle of screen
250 LET x=123
250 ET x=123
250 Sprite 8, x,38
270 REM read Keyboard and move
sprite 8 if næded
290 !repeat:!until INKEYs()"
300 LET x=x44*[INKEYs="8" AND
x200)-4*(INKEYs="8" AND x>0)
310 !sprite 8,x,38
320!until INKEYs="8" AND
x200)-4*(INKEYs="8" AND x>0)
320!until INKEYs="8" AND x>0)
320!until INKEYs="8" AND x>0)
x200until INKEYs="8" AND x>0)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         9030 FCR J=1 TO 4: LET a(J)=0 N

EXT 15040 LET ano=0

5040 LET ano=0

5050: repeat 25050: repeat 25050 FRINT IF-ant ,ano+1; "/

5078 IN-UT Z$ 1500 TO 5110

5090 LET V=VAL Z$: IF v(1 DR v)3

2 THEN GO TO 5070

1 THEN TO THEN FRINT "Animation not" "POSSIBLE": PAUSE 200

1 THEN TO THE TO THE STATE TO THE 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1350 PRINT "B Fetth B Store"
1360 PRINT "B End program"
1360 repeat
1390 INPUT Z$ LET 13=264"
1100 LET opt=CODE Z$111-48
11100 LET opt=CODE Z$111-48
11100 LET (inished lopt=8)
1120 LET (inished then GO SJ8
2500+500+opt
1130 Until (inished
1150 REM ** end main loop *****
1170 STOP
3305 REM *****
3305 REM ****
3305 REM ****
3305 REM ****
3305 REM ***
3305 REM **
3306 REM
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               4600 PRINT "PUT CARTERINGE IN

100 INPUT "IT LENGTE ", 'S

4610 INPUT "IT LENGTE ", 'S

4620 IF ('s"" OF LEN ('$)10 THEN

GO TO 4600

4630 LOAD *"n"; 1; ($ CODE 64280, 1

086

1700 GO SUB 3000

4740 RETURN

5000 REM **** fetch graph: C ****

5010 GO SUB 9100

5020 PRINT "Fetch which" "graphi
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       140
150 frames 1, v
170 IF and # THEN (that 1, a(1))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      5040 INFUT "(1 to 32) "; no
5040 IF no (1 DR no )32 THEN GO TO
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           3170 IF and = 3 THEN (Char 1, a(1),

3180 IF and = 3 THEN (Char 1, a(1),

312 a | 3)

3190 IF and = 4 THEN (Char 1, a(1),

312 a | 3) a | 4 THEN (Char 1, a(1),

3200 Spring 1, 216, 15

3210 RETURN

3020 REM *** 313 Play Graphics **

3020 REM *** 313 Play Graphics **

3020 PRINT AT FN (1) FN c() P

3020 PRINT AT FN (1) FN c() P

3020 PRINT AT FN (1) FN c()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 5040 IF no(1 OR no)32 THEM GO ...
5030 PRINT no
5055 PRPER 7
5065 PRPER 7
5070 POR jus TO 15
5080 LET b=PEEK a+256*PEEK (a+1)
LET m=m+2
5050 PRINT AT ...
5120 LET 1=36*C5
5120 IF b(n THEM PFINT "]";; GO
TO 5150
             Listing 4.
                                      1 REM 14 SPILLE Editor ++****

2 REM 0 Robert Newman 1985

3 REM

10 RANDOMIZE USR 60000

20 DEF FN 9(N)=159-INT (N/5)+2
               #224+136

#40 DEF FN UIN =21-INT (FN VIN)

#50 DEF FN CAN = INT (FN VIN)

#50 DEM #44 | SCREEN S.1

#50 PRINT AT 5.4; "SPRITE CHERAC

TER EDITOR"

#50 PRINT AT 14.6; "Are you usin

#51 PRINT AT 14.6; "Are you usin

#52 INPUT "(T on M: "Z$

#53 IF 250 IT AND 2$:"N" THEM

#50 TO 120

#51 IF May THEN PRINT ""Put car

#52 GO SUB 9002
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      5120 IF bon THEN PRINT "]";; G0
TO 5150
S130 FRINT """;
5120 LET n=n2
S150 NEXT t
S170 NEXT t
S170 NEXT J
S180 FLOT 0.18; DRAU 127,0
S190 FETURN
S502 FETURN
S502 FETURN
S502 FETURN
S502 FRINT "Store in Which" "graphic area?";
S5030 repeat
S500 repeat
100 SUB 3100
S500 repeat
100 SUB 3100
S500 repeat
100 SUB 3100
S500 FETURN
S500 TRINT "Store in Which" "graphic area?";
S500 FETUR "Store in Which" "graphic area?";
S500 FRINT "Store in Which" "graphic area?";
S500 FRINT Store in Which """
S500 FRINT No. 1 The Add to S21 "; NO. 1 The S500 PRINT No. 1 LET No. No. 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              (:15)
3105 IF a=217 THEN LET 92=91-191
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         3:10 IF a=239 THEN LET 92=91+191
(:15)
3:15 IF a=243 THEN LET x2=x1+1x1
(:15) LET 92=91-(91<0)
3:20 IF a=235 THEN LET x2-x1+(x1
```



As the starvation of QL games software continues you may be thinking it is about time you wrote some of your own. The following procedures are designed to allow you maximum flexibility at machine code speeds with operations for controlling a variable size spare screen and up to 65,535 sprites of variable dimensions.

To create the machine code, first of all copy program 1, line for line and save it to Microdrive cartridge. New try running it. If you have an error, correct it, resave the Basic program and rerun the program with Run 20. It is important that line 10 is not executed again as this is the instruction which reserves procedure space, hence Run 20. Once the Basic program has run error-free you will be told to press any key to save the data. Put a cartridge in Microdrive 1 and the code will be automatically saved to this cartridge.

Machine-code procedures work in exactly the same way as Basic procedures except that memory must be reserved for them before any Basic procedures are present in memory. The normal practice is to set up these procedures in a boot program - see program 3 - and initialise them as soon as the computer is

You may then load up with a Basic program which contains Basic procedures. Do not define Basic procedures in the boot program. To check that your procedures are in place, once the computer has been booted with program 3, type SCR\_FETCH. If the computer gives no error then your procedures are all ready to be used. At this poin: SCR. FETCH has no effect as no spare screen has been defined.

Until the screen procedures have been (continued on next page)

```
Listing 2.
```

```
100 REMark sprite demo program
110 MODE 4:OPEN #5,scr_512x256a0x0
130 PRINT #5 ,"Creating a sprite is as easy as drawing
 on the screen !
140 PRINT #5, "e.g. >>>"
150 SCR_OFF
160 SCR ON
170 SCR_STORE
180 INK #5,2:CIRCLE #5,60,70,10,.5,0:INK #5,4:LINE #5,
60,70 TO 65,75
190 CREATE_SP 7,64,90,43
200 a*=INKEY*(-1)
220 FOR f=0 TO 255 STEP 2:PRINT_SP f,f
230 CLS #5:CLS #0:PRINT #0,"That was a mode 4 sprite,
mode 8 sprites are also possible..."
240 as=INKEY$(-1)
250 MODE 8
270 CSIZE #5, 2,0:PRINT #5,\" A SPRITE "
280 CREATE SP 16,17,0,6,0
290 FOR f=0 TO 140:PRINT SP f,f+6
300 PRINT #0,"BUT MODE 8 SPRITES CAN BE TRANSPARENT !
    WATCH THIS !"
310 PAUSE 50
320 FOR f=1 TO 15: INK #5,f:PRINT #5,"1234567890ABCDEFG
HIJ": TRANSP 1:3CR_STORE
330 FOR f=140 TO 0 STEP -1:PRINT_SP f,f+4
340 CLS #0:PRINT #0,"IMPRESSIVE ?":PAUSE 50
350 INK #5.5
360 PAPER #5,2
370 CLS #5
380 PRINT #5, \"SPRITES CAN ALSO BE USED TO WRITE MESSA
       LIKE THIS ...
390 SCR STORE
400 CREATE_SP 1,12,0,0,2
420 BORDER #5,0:CLS #5
```

```
430 FOR g=9 TO 19 STEP 10
440 FOR f=0 TO 255
450 PRINT_SP f,g
460 IF NOT BEEPING: BEEP 4000,220,1000,4,0,3.3,3
470 NEXT '
48Ø NEXT C
490 PAPER #5,7:CLS #5:SCR_STORE
500 :NK #5,2:PRINT #0,"SPRITES CAN ALSO BE FLIPPED UPS
IDE DOWN OF MIRROR IMAGED":a$=INKEY$(-1)
510 PAPER #5,6:CLE #5
520 CLS #0:PRINT #0,"HERE IS A _ITTLE BIT OF PROGRAM A
S A BACKGROUND":LIST #5,100 TO 180
      PAUSE 70: CREATE_SP 15,40,0,0,6: TRANSP 1
540 PRINT_SPIBEEP 1000,20:FLIP 1:FRINT_SP 50.50:PRINT
#0,"00PS :":PAUSE 150:MIRROR 1:PRINT_SP 100,:00:BEEP 1
000,20:PRINT #0,"PROUND"
550 PAUSE 150:FLIP 0:PRINT_SP 150,150:BEEP 1000,20:PRI
NT #0,"AND AROUND"
560 PAUSE 150: MIRFOR 0: PRINT_SP 200,200: BEEP 1000,20
570 as=INKEYs(-1)
580 PRINT #0,"FINALLY SCREENS CAN BE SWOPPED AND NOVED AROUND...":a$=INKEY$(-1)
590 PAPER #5,3:INK #5,7:CLS #5
680 FOR f=0 TO 20
610 FOR g=0 TO 30:PR[NT #5,CHR$(48+f+g);
620 NEXT g: NEXT f
630 SCR_STORE
640 PAPER #5,6:CLS #5: INK #5,0:PRINT #5, "ANOTHER SCREE
N'
650 FOR f=0 TO 4: SCR_SWOP: PAUSE 100:
      SCR_OFF: SCR_ON 0,50: SCR_STORE 0
670 FOR f=0 TO 200:SCR_FETCH f
680 PAPER #5,2:INK #5,7:BORDER #5,0:CLS #5:BORDER #5,1
:PRINT #5,"HAVE FUN SPRITEING!!!!":
690 CREATE_SP 34,12,0,0
700 FLIP 1:PRINT_SP:BEEP 1000,50:PAUSE 100
710 FLIP 0:MIRROR 1:PRINT SP:BEEP 1000,50:PAUSE 100
720 MIRROR 0:PRINT_SP:BEEP 1000,50:PAUSE 100
730 FOR f=0 TO 50:PRINT_SP f,f
740 FOR f=50 TC 0 STEP -1:PRINT_SP f,f
      60 TO 700
```

#### Procedure definitions.

All parameters in brackets are optional.

SCR.ON (Y,DP):Turn spare screen area
on default Y = 0, depth = 256

SCR.OFF:Turn spare screen area off

SCR.OFF:Turn spare screen area off SCR.STORE (Y):Copy screen area from line Y depth DP to spare screen

SCR.FETCH (Y): Move spare screen down to line Y

SCR.SWOF (Y:Swop screen from line Y with spare screen area

\*\*Default value of y is that used for SCR.
ON\*\*

\*\*Depfth of area moved is always that specified in SCR\_ON

All sprite procedures default to sprite 0 if no sprite number is included

CREATE,SP (#N),WD,DP,X,Y, (COL1), (COL2)..., (COL8) Creates sprite N, of width 4\*WD pixels, depth of lines, from the screen at X,Y. Up to 8 transparent colours allowed (COL1) to (COL3)

PRINT\_SP (#N), (X,Y):Print sprite N AT

NOVE.SP (#N), X,Y:Move sprite N IU X,Y

SAVE.SP "FILE", A,B:saves sprites numbered from A to B to given file LOAD.SP "FILE":Loads sprites from given file

TRANSP (#N), 1 OR 0:1 turns sprite N's transparency mode on, 0=off

FLIP (#N), 1 CR 0:1 turns sprite N upside down, 0 = right way up

NIRROR (#N), 1 OR 0=1 turns sprite
N's mirror image mode on, 0=off

#### (continued from previous page)

turned on with the SCR\_CN command they have no effect. Typing SCR\_ON 'y', 'n' will create a spare screen in the common heap which corresponds to an area n lines deep y lines down the screen. SCR\_CN will default to a full-size screen if no parameters are specified. If there is not enough room for the spare screen an out of memory error will occur. Using SCR\_STORE 'y' will copy that area of screen 'y' lines down the screen into the spare screen buffer.

If no parameter is specified here, as with all the other screen movement commands, the default value of y will be that first specified in SCR.ON. SCR.FETCH 'y' brings down the current spare screen to a point y lines down the screen. SCR.SWOP 'y' swops the area of screen y lines down the screen with the spare

screen buffer.

The cc-ordinate system used throughout is one where the top-left corner is 0,0 and the bottom-right is 255,255. This co-ordinate system is used for Mode 4 sprites as well.

To redefine the size and default position of the spare screen it must be first turned off with the SCR.OFF command. Use this command also if you have run out of memory, as it releases memory for other jobs. If you are very low in memory, Microdrive operations become very slow. Since one of the main uses of the spare screen is to allow Mode 8 sprites to be transparent I will explain this aspect in more detail.

When a Mode 8 sprite is first created you are given the choice of defining certain colours within the sprite as being transparent. This has no effect on the sprite when its tran-

sparency flag is off but when the flag is on those transparent colours are replaced by dots from the equivalent position in the spare screen.

If the spare screen buffer was, for example, only 50 lines deep and positioned at the top of the page then the sprite might not be over any of the spare screen, in this case the transparent dots will be their normal colour.

Thus by having a spare screen which is a duplicate of the real screen and by giving the sprite a border of transparent dots the sprite could move around the screen not disturbing anything on the screen. If this has all seemed a little complicated, you may find it easier to understand if you type in the demonstration program, program 2, and run this.

The reason why Mode 4 sprites do not work in transparent mode is that in Mode 4 each dot is only defined by two bits, allowing four colours: black, red, white, and green. In Mode 8 each dot is defined by four bits, of which one bit corresponds to Flash, the other three bits combine to give eight possible colours. I use this bit instead to correspond to a transparent dot.

This allows high-resolution transparency e.g., a sprite of a circle could be easily defined which when passing over anything on the screen would allow one to see through the hole in the middle of the circle to what was on the screen.

When a sprite is created it is saved on the QDOS common heap, if there is no room for it an Cut of Memory message will be given. This means you do not have to allocate large areas of memory even though you are using say, three sprites. At the end of the sprite code, loaded into the RESPR area, there is a table with a pointer to each sprite.

If there is no sprite for a given number then the entry in the table is zero. This means that

#### Listing 1.

5 REMARK SPRITE CODE CREATOR
10 ST=RESPR(2500)
20 RESTORE
30 X=ST
40 TOT=0
50 FOR G=0 TO 58
60 REAL A\$
70 FOR F=1 TO LEN(A\$) STEP 2
80 B=CODE(A\$(F))
90 C=CCDE(A\$(F+1))

100 TOT=TOT+3+C 1:0 IF B>57:B=E-7 120 3=16+:B-48)

130 IF C>57:C=C-7 140 BYT=B-C-48

150 POKE X,BYT 160 K=X+1 170 NEXT F

180 READ VAL 190 IF TOT<>VAL:PRINT "DATA ERROR AT LINE ";5\*10+1000: STOP 200 TOT=0

2:0 PRINT G 220 NEXT G

230 PRINT "CODE COMPILED PRESS ANY KEY TO SAVE CODE."
:A\$=INKEY\$(-1)
240 SBYTES MDV1\_SP\_CODE,ST,2360

240 SBYTES MDV1\_SP\_CDDE,ST,2360 250 STOF 1000 DATA "347E011043FA00364E92700043FA0A322340000243F

A0A3A247C00028020262A000009687E48B45FA",4326 1010 DATA "070E55432543000022C051CBFFFC4E75000000000 D0222065343525F4F4E2001F6075343525F4F",4321

1020 DATA "454602C6075343525F464554434E02E2075343525F5 3544F524502F00E5343525F53574F502005DA",43:0

1030 DATA "0350524945545F5350200598074C4F56455F5350038 E094352454154455F53500570065452414E53",4287

1040 DATA "5020035204464C495020035C064C4952524F522000B

807534156455F53500010074C4F41445F5350",4249 1050 DATA "00000000000000BBCB67000576347801164E92367C000 16600056872FF7600D3CE204970014E424A40",4300 1060 DATA "6600014043FA084676FF740670034E434A405600012 643FA083445F4012C70F47E05121AB2196600",4343 1070 DATA "011251CFFFF676FF7404700343FA08164E434A40670 EB07CFFF6660000F67000400000F043FA07FE",1484 1080 DATA "3C193219610027C6660020E06:0004344A40660000D 6224D76FF240170034E434A4066000000660B6",4266 1090 DATA "600000C0BBCB570004D82F0D2A4B504D2F0D3478011 64E92265F2A5FB67C0001660004BE34780112", 4420 1100 DATA "4E92B67C0002560004B03A3698003E3698022049584 8D1CE72FF760270014E424A30667E7830606E",4385 1110 DATA "42863C0547FA3076374530006100074667047000605 C220D675208070012661243FA005E74067007",4227 1120 DATA "4E434A00664408C7001274007800142D0002182D000 30802000067025242E34AC4C4504237420002" 1130 DATA "3C02224B740470074E434A006614224D340670074E4 34A006608700052458E45649E3E0070024E42",4291 "30071E75000000000535016191C4515FA0000206A000 4260867122066000070194E4145FA07EC7000",4246 1150 DATA "2540000470004E752C3C2000000007E00BBCB672A347 801124E92B67C000266000330042B742B63E36",430A 1160 DATA "98003C3698023A07DA46BA7C010164000374EF8FEF8 E45FA07AB262A000466BC2206740070184E41",4440 1170 DATA "4480661C45FA07922548000091C725480004226A000 0D3C6254900082546000C4E757600BBCB6738",4331 1180 DATA "347801124E9270F1867C0001662670FC42833636980 043FA07582C29000CEE8EDC43BC7C0101640C",4431 1190 DATA "EF8B7000227C00020000D3C34A004E7541FA0736282 8000426280000968460E26190662241FA0722",4305 1200 DATA "24680004260A5700FF34246800002228000CE489600 222DAG1C9FFFC70004E75618866FA244941FA",4397 1210 DATA "06F82268000426096700FF0A2268000060D45100FF6 E66DE41FA06DE24680004260A6700FEF02468",4406 1220 DATA "00002228000CE18960082412261122C224C351C9FFF 670004E757C00BBCB6700023B00360007B801",4342 1230 DATA "671A2F@D2A4B504D2F0D347B01124E92265F2A5F660 002563E369800347801124E9270004E7561CA",4396

MS)

Transf TWO! can be MAST examp printe name: MAST you mi as wel MAST (versic

TASM

With t Basic stater letteri you ca TASW

Plug ir

with th

Suppli

coftw

makes

TASW machin COPY Shinw printe TASC interfainclude CENT

> RS23 M3X AMS1

pos TA Hy Ler OF

NA AE you may have as many sprite pointers as you have memory between the end of the machine code and the top of physical Ram. The sprite system automatically detects this and will limit you to however many sprite pointers it can fit in. Thus to allow yourself more sprite pointers use a larger number in your RESPR command.

Since the machine code takes up 2,360 bytes plus another buffer on top of this, a calculation for 'x' number of sprite pointers is as follows:

respr (2360 + 300 + x \* 4)

-64

5

ith.

der

1)

232

vith

3.90

1.40

iste

2.90

also

ore

nd

ibi63

IRC

SIC

1.90

.40

1 to

.90

9

one.

Obviously by giving yourself a lot of room e.g., RESPR (4000) you should never run out of sprite pointers, unless for instance you had a memory expansion board and were using the routine to create cartoons with hundreds of frames, feasible if you have half a megabyte extra!

To save and load sprites I have created two procedures SAVE\_SP and LOAD\_SP. Both procedures require a string parameter first e.g., "mdv1-sprite-data" which is the device to or from which you are moving the sprites. SAVE\_SP also requires two more numbers which are the top and bottom number of the sprites you are saving. For example, to save sprite #20, sprite #21....to sprite #30, to the network you would type SAVE\_SP 'neto-1', 20,30.

Those sprites that had not been defined, between these two limits, would not be saved. Thus to save all the sprites in memory you might specify the range 1 to 1000 as only the sprites that actually existed would be saved.

Only on the SAVE.SP command are you allowed to use a sprite number that is out of range for the sprite pointers. This is because the save routine scans up the pointers saving all the sprites and automatically stops when it reaches the too of Ram. The LOAD.SP

routine automatically loads sprites back to the Sprite numbers from which they were saved. N.B. if a sprite number being loaded is too large for the pointer table, the load routine will stop.

If you had two lots of sprite data you wished to combine both of which, for, example, held sprites 1 to 10, you would have to load up with one block of data and then print each sprite on screen and pick it up again from screen using CREATE\_SP to move it to another sprite number.

For example, to move sprite #4 to sprite #24

PR NT.SP # 4,0,0 : CREATE.SP # 24,4,16,0,0

You could then load up with the other set of sprites and save the combined set. It would be very easy to write a machine-code routine to duplicate sprites and I am sure the more adventurous of you could have a go at this.

To create a new sprite is very simple, it is in fact very similar to defining a window. CREATE.SP must be followed by the width of the sprite — number of pixels/4, the depth — number of rows, the screen x,y co-ordinates at which the graphics which will become the sprite are located.

If it is a Mcde 8 sprite you may then follow this with up to eight colours which are the colours of the pixels on the sprite which will be transparent in transparent mode. These colours are the normal basic ink colours i.e. black=0, blue=1, red=2 etc.

The position of a sprite can be altered two ways, first using MOVE\_SP x,y which will not print the sprite or using PRINT\_SP x,y which will print the sprite. PRINT\_SP does not actually require co-ordinates and defaults to the last position it was printed at or moved to

The sprite flags are independent for each



sprite and are preserved when the sprite is saved, as is the sprite position. Transp puts the sprite into transparent mode. Flip turns the sprite upside down and Mirror reflects the sprite about its centre. The sprite routine is slightly slower in transparent mode and much slower in mirror mode, flipping has no effect on speed.

NORMAL SPRITE = 29 prints per sec TRANSPARENT SPRITE = 18 prints per sec This figure will vary with the number of transparent dots and whether the sprite is completely over spare screen.

completely over spare screen.
FLIFPED SPRITE = 29 prints per sec
MODE 8 MIRRORED SPRITE = 13 prints per

MODE 4 MIRFORED SPRITE = 11 prints per sec TRANSPARENT MIRRORED SPRITE = 5

Obviously mirrored sprites are a luxury and if you require speed you should define a separate sprite as being the mirrored version

if you require speed you should define a separate sprite as being the mirrored version of your sprite. A large amount of processing has to take place mirroring the normal sprite data when the mirror flag is on.

Combining the spare screen and sprite procedures can produce some interesting effects

1240 DATA "4A0066000284867C00015600027C42863C076100053 1250 DATA "6600025E3236980070004E7561C8560C08AD00000000 5832D000570004E7561B666FA0BAD00010005",4285 1260 DATA "E309832D000570004E756100FF6E4A00666000226B67 C00046500021E3C07610004DC660001D03E03",4304 1270 DATA "3636980038369802323698043436980648E77808DFF C000000143C03287C00000000384308030000",4229 1280 DATA "6702524CE54EDC418C7C00FF640001963C04DC02650 0018E5947BE7C0009640001C845FA04B834C7", 1469 1290 DATA "60223C36900854497000BC7C0009640001B0E24EE21 0E24EE21014C07000E24EE21014C051CFFFDC",4429 1300 DATA "9FFC0000001448E70008286F0014200D670C204D701 94E41700029400000262F000C080300006702",4234 1310 DATA "5243E34B222F0010C2C350417400701D4E41DFFC000 007184A806600FDD49FFC00000001E4CDF1700",4385 1320 DATA "4CDF041E2548000010C110C210C310C420FC00000000 02946247C00020000605648E7780460467904",4279 "48A71000602A4BA76000610003C2163298001832980 1E32BE32CE30BE3: 6E30EE3:6E30CE3:7E30C",4389 1340 DATA "E3174C9F0006524151CDFFD4615218460000:887C00 0524E4C9F000651CBFFBE4CDF201E5242D9CC",4535 1350 DATA "DACC51CCFFA470004E7548E700802E01200D6700000 E7319204D4E41700029400000220774FF701E",4373 1350 DATA "4E41294B0KW02A4HZZ074CDF01004E7548A73C0047F A0386361B623E343C020438063A07602E103C",4352 1370 DATA "0000E20DE210E20DE2108028000006615103C0000E20 CE20CE210P32P0001660E0BC6030E6082C40C",4305 1330 DATA "E41EE41F51CAFFD0544B51CBFFC04C9F003C4E7570F C4E756100FDB46600FDF61B7693010004700E",4590 1370 DATA "4E756100FC6E4A006626B67C0000266203C07610202E 066D4200D671E32369300343693021B4100002",4289 "1E42000170004E7570F14E7570F94E7542876100FD3 63C074A0065124A43670CB67C000266E261C2",4369 1410 DATA "66E460056100029E6692200067D648E700022C7C000 0000045FA03BE266A0004247C000200004281",4275 "42821210141D:A017C0002050203670252463E02610 0025042824283141D151D2C42030200006702".4172 1430 DATA "524E284D584D1002E2086404D03C000119460003194

0000242853A013E3CFF00E26C32073C044644",4294 00001670C4442428234035342EF84D2C2082C",4284 1450 DATA "020100016700082C0000FFFE6704DA7C02086000019 248E790407007107C000241FA021246E70004",4273 1460 DATA "082C00010001673A3200E34965049AFC0002DAC1082 C0000FFFE67049AFC0002262D00002835E000",4358 1470 DATA "EBARFRAC48434844610001583144008230C3554D51C BFFE26018262DFFFE2835E0FEEAABEAAC3144",4603 1480 DATA "008230C3544D51C8FFEA7000102CFFFE4CDF2000DAC EDACE3200D02C000341FA019C163290001832",4517 1490 DATA "9001C606C806CF280000CF28008287280000892808 248E70040D2C1D2C1D0C11632900018329001",4301 1500 DATA "C507C807CD280000CD28008287290000892800824CD F02001639000280346/0000764A2C00006618",4270
1510 DATA "41FA0142263CAAAAAAAA122CFFFEE409C79851C9FFF C6076260B67E42409D48B41FA022626280000",4584 1520 DATA "28280000D40464D0B48363CC48E7804041FA018A122 CFFFEE40926280000028355555554AB36732",4394 1530 DATA "2803E38B88837403E18BE1881633980010339801544 951CAFFF@C684CM844684C9A8@@@C9A8@@82",4421 1540 DATA "87A8000081A80082A0025049584851C9FFBA4CDF020 141FA00B4183C007F601415A800000900015A8",4364 "00829001544952483609C60457C8FFEA4CDF0209D2C 051CBFE6E70004CDF40004E75484010390002",4443 1560 DATA "8034671CE45BE45C303C0007E58BE85BE58CE85C51C 8FFF64843484448404E75E25BE25C303C000F",4564 1570 DATA "E38BE45BE38CE45C51C8FFF660E23601E20B0201000 3E309EF4A2242024301FED2C34E7502360000",4486 1580 DATA "FFFF49FA001C202C0000B0866500FCE649FA012EE58 

Listing 3.

10 ST=RESPR (4000)

20 LBYTES MDV1\_SP\_CODE,ST

30 CALL ST

40 PRINT "PROCEDURES INITALISED"

My PROGRAM gives the Spectrum all the advantages of procedures and local variables — a BBC Basic nicety. To make the five new commands offered by the program easy to use you simply put them in inconspicuous Rem statements, without having to bother with the hassle of machine code calls. As you would expect, the program is written in machine code; about 1.5K of it. Listing 1 shows the machine code into a graphics area. The machine code into a graphics area. The machine code is stored in 26 Data lines, each one — save the last — holding 64 bytes of code. Each code block has its own checksum to ensure its integrity.

Once you've got an error free version in memory, you can save the code using:

SAVE "FROC CODE" CCDE 63765, 1603 You can reload at any time using:

CLEAR 63764: LOAD ""CODE

As I said earlier, the new commands are put in Basic Rem statements, with a limit of one command per Rem. For a program to use the new commands its first line must be Randomize USR 63765

#### Procedure commands

For the moment I'll concentrate on the commands directly connected with procedures: Defproc, Proc and Endproc. A procedure is a block of Basic code preceded by a Defproc and terminated with an Encproc. To save the impersonal approach of calling blocks of code using line numbers, procedures use the more flexible and friendlier system of calling blocks of code by a name. Usually the name of a procedure would be short and give some indication of the procedure's function.

You can put spaces in but the computer gnores tham. You can also put the names in either upper or lower case, or even a mixture of the two, but it doesn't make any difference. The same is true of the commands themselves, although its wise to put them in upper case to make the program more readable. Sometimes it's a good idea to highlight the start and end of procedures in inverse video or in different colours to make it less difficult to locate when cebugging. The general fermat of a procedure would be as follows:


# PROCEDI:

8200 REM ENDPROC

That's all very well out you need some way of actually calling the procedures, so along comes Proc, the "hi-tech" equivalent of Gosub just as Endproc is the equivalent of Return. Again, the Proc can be put in a Rem statement anywhere in the program. It is followed by the name of the procedure you want to call, so "Proc thing" calls the procedure at line 800°C. The space in between Proc and the name is optional. You might wonder how the program knows that there is a procedure called "thing" if the computer has never previously executed line 800°C. When the Rand USR is used the machine code looks through every line in the program.

If any line has a Defproc in it then it looks up the procedure's name and what line it's on and stores that information in a special area of memory. In fact, this special area of memory is at the start of the variables area. The machine code sets up a string variable called @\$ and puts any data about procedures and other info in that string. Since you can't change a @\$ variable from Basic you can't corrupt it — unless you use some vicious Pokes! However, you can use Clear and scrut out all the variables. The program won't do anything drastic like crash but just gives an error report. As with Gosubs you can nest procedures, but with a limited depth of 255 levels.

There is one more twist to the story of procedures, the concept of parameters. When you write a normal Basic subroutine it usually has to rely on variables defined somewhere else in the program to perform its function. Although passing numbers to a subroutine in this way is quite workable its certainly not the



most elegant of methods.


Fortunately, there is a neat way of passing values to a procedure that works in a similar sort of fashion to the Def FN and FN commands of normal Sinclair Basic. Say you want a procedure called 'print' that puts an X at a certain line and column on the screen. You would write it like this:

8000 REM DEFPROOprintix, yi 8010 PRINT AT y,x;"X" 8020 REM ENDPROC

The contents of the brackets at the end of the Defproc statement define what variables

```
Listing 1.
                        FROCEDURES'
   10
      REM
                  1984 Richard M Taylor
   20
       REM
       REM
   30
                         48K Version
       REM
   40
       REM
   50
        CLEAR 63764
   60
              a=63765
   70
       LET
        FOR L=1 TO 25
   80
 90 LET (=0: READ V,a$
100 IF LEN a$/2()INT (LEN a$/2)
THEN GO TO 200
110 FOR C=1 TO LEN a$ STEP 2
110 FOR C=1 TO LEN a$
 110 FOR C=1 TO LEN 3$ STEP 2
120 LET X=CODE 3$(c)-48-7*(3$(c
       LET
  120
  >="A")
130 LET y=CODE a$(c+1)-48-7*(a$ (c+1) >="6")
       ροκΕ a,16*×+9
LET t=t+16*×+9
LET_a=a+1
  150
  150
170
        IF V<>t THEN GO TO 200
NEXT L: PRINT "Data OF
  180
                      PRINT "Data OK
  198
```

```
# Save machine code to tape.": 5
TOP
200 PRINT "ERROR in line ";990+
1*10
210 STOP
1000 DATA 5163."2A4B5C010800CD55
16233640233605233600233601233600
233500233600233600233601233600
23350023360023360023502B1EEACD
8B1D3819C5E7FE2A28091153F9CD2DFE
D468FAE118E76465"
1010 DATA 8714,"6670726FE3ED7B3D
5C183EE7CDBF16FD340DDF0600FE0D28
30FE3A28EE2185F9E54FE779FEEA285A
FEFACA36FBC3441BCD541F3802CF14FD
CB0A7ECA6BFBDFFE"
1020 DATA 6404,"0D2806FE3A28C4CF
0B2A555C3EC0A62802CFFFAFFE01CE00
56235EED53455C235E2356EB19232255
5CEB225D5C571E00FD360AFF15FD720D
289114CD8B1928BE"
1030 DATA 7789,"CF16DFFE2AC4E0F9
E1188EFE0DC806051140FACD2DFE304D
131310F73E01ED7B3D5CC61A323A5CE1
```



are used by the procedure. The associated Proc might look something like this:

20 Proc print (10, 12)

When the print procedure is called, the number 10 is placed in x, and 12 in y. The x and y at line 8000 are called the formal parameters, the variables that will held the values given by the Proc. A procedure can have as many formal parameters as you like, including none at all - in which case there's no need for the brackets. The variables themselves can be of any type normally found in Sinclair Basic, except for array variables of

#### Richard Taylor with a program to allow your Spectrum to simulate the BBC's Proc commands.

any sort but its unlikely that you would want to use these for passing values anyway. Therefore a, ab, a\$ and a long named variable are all valid but a(1,z) and A\$(3) are not.

In the Proc statement you can either use numbers, strings - enclosed in the usual quotes - or variables - don't mix these up with the formal variables - but there must be the same amount of them as in the corresponding Desprox and they must be of the right types. If the first Defproc formal variable is a string then the first Proc expressions must also be a string. You're not allowed to do any mathematics in a Proc statement, so -1, 0.1 and "a" are valid but 1\*2, SIN(0.1) and STR\$(1) are not. The following procedure draws a restangle of a specified size and position

8000 REM DEFPROCrestangle (x,y,a,b) E010 PLOT x,7 E020 DRAW a,0: DRAW 0,b 8030 DRAW - a,0; DRAW 0, - b 8040 REV ENDPROC

#### Four numeric parameters

The procedure has four numeric parameters. The first two give the position of the rectangle's bottom left corner, the penultimate one gives the width and the last one the height. Procrectangle (88, 68, 80, 40) draws a rectangle of height 40 and length 80 slap bang in the middle of the screen.

The last two commands offered by the program, Local and Recall are concerned with local variables. The concept of local variables can be difficult and confusing for one to grasp but, basically, it allows you to have two variables with the same name but with different values in the computer simultaneously.

A lot of programming errors are caused by using the same variable twice for conflicting purposes. These sort of bugs are often particularly difficult to track down. Such a

problem shouldn't really occur because there are 26 string variables to choose from, 26 loop control variables and an infinite number of numeric variables. However, some variables tend to get used a lot more than others. For instance a,5,c,d for numerics, aS,b\$,c\$ for strings and i and n for loop controls.

Programmers seem to have an unexplainable aversion to using k,w, and the like. What the Local command does is make a second copy of certain variables and store them in its safe cubby hole at the star, of the variables area. Then with another command the second copy can be miraculously recalled. The point of the whole exercise is that if you use a new variable in a procedure then you can localise it before you actually get down to using it so that when you unlocalise when you're finished you can be sure that its got its original value back again. Another part of the program won't even know that you've been secretly tampering with some of its variables. The Local command is followed by one or more variable names separated by commas.

These are the names of the variables that you want localised. The command that does all the unlocalising business in a procedure is our previously introduced friend, Endproc. As well as returning control to theline after calling Proc, Endproc also unlocalised all variables that were localised in that particular procedure. For instance

8000 HEM DEFPHOC useless 8010 REM LOCAL a,a\$

8020 LET a = 18030 LET AS = 'This procedure doesn't do anthing 8040 REM ENDPROC

does nothing because the two variables a and as changed by the proceudre are localised so that when the procedure is terminated they changed back to their original values. Mind you, that's only true if a and as were defined wher the procedure was called. If they werea't then the Local command would have great difficulty in localising them - it wouldn't stop with an error though - and Endproc would have as much difficulty delocalising them; with the result that Endproc allows the variables to retain their values as defined in the procedure.

(continued on next page)

CDC51676FDCB01AEFDCB304EC4CD0E3A 3A5C3CF5210000FD"
1040 DATA 8474,"7537FD7526220B5C
21010022165C3DB016FDCB37AECD6E0D
FDCB02EEF111BFFED61CC34613EB5E23
56EBE970726FE3F1FB6C5F6361EC9DFB 56EBE970726FE3F1FB6C5F6361EC9DFB
726563616CECC4FA"
1050 DATA 7763, "656E6470726FE33E
FB64656670726FE367FAC9DFE50EFF0C
DFCD8D2C3003E718F679A73E02CAF3F9
E12B225D5CC5CD1FFE0600030303030303
CD4FFE23C1712379"
1060 DATA 7892, "C6027723360023EB
E7F62012130D20F8D52A425CCD6E19ED
58535CB7ED52D1E3732372E7FE0DC8FE
28C83E01Q3F3F9C309FE7EA72009237E
A73E03CAF3F92B23"
1070 DATA 8832, "7EA73600C84723C5
E5CD0AFB3006CDB819CDE819E1E5CDB8
192A595C2BC5CD551623C1D1EBE5EDB0
E1E5CDB819CD72FEE1C110D3C9EB2A48
5C7EE67F28294F1A"
1080 DATA 9056, "E67FB920167EE6E0 1080 DATA 9056,"E67FB920167EE6E0

FEA0201905E523131ABE20051730F718 0AE10105CDB819EB0118D6E10137C9B7 C9C009FE7EA73E04CAF3F9E523CDD5FA E123562B5EEBED4B" 1090 DATA 8506, "535009EBED535550 E5010200CD8AFEE1010200C372FE2A42 5CCD6E193A445CCAA9F9A7200A477EE6 C078CAA9F9CFFFCF16CD821CDFFECBC2 8A1CC1EF0238EBCD" 0H1CC1EF0238EBCD"
1100 DATA 8969, "E934DA9EF9C360F9
CD09FE232254FF23CDB0FBFE0DC33E01
C3F3F9E5CDB2283831200A7EE6E0FE40
3E01C2F3F979E650FE2020052B7E1730
FBCDB81909E3C5CD" 1110 DATA 8723, "98FE23C1D1EBED80 D52A54FF343E01CAF3F9DFFE2CE1C0E5 E7E1188FCD09FE010200CD4FFE23ED58 555CEBED4B535CB7ED42EB7323722A5D 5C2BE5225D5C@E@@" 1120 DATA 8076, "E7CD8D2C30030C18 F779A73E01CAF3F9CD1FFE7EA73E07CA F3F979BE2808235E2356231913EDEBE1 (continued on next page)

(continued from previous page)

There is one loop-hole to all this, you might want to localise the formal parameters of the procedure. The problem is that you can't because by the time the computer reaches the firs: line of your procedure the formal variables have already been changed. To save such hassles, before the values of formal variables are changed the computer automatically localises them. Therefore don't try and return values in one of the formal parameters of a procedure, it will only end in

The last command to be discussed is Recall. Recall is a lonely command, it doesn't have any arguments after it. Recall is much like an Endproc except that it doesn't do 'the return from procedure' bit. What it does do is unlocalise all previously localised variables in a procedure. If you have a great desire to do so, for some obscure reason, you can localise variables outside of a procedure using a combination of Local and Recall commands.

The program adds a number of new error reports to Sinclair Basic. They are produced in much the same way as normal errors, with the exception that they are not preceded by an alphanumeric code. The line where the computer stops because of an error is not always where the error actually is. For instance, if the computer stops with 'Syntax

error or a Proc line then the error might lie with the associated Defproc. Below is a ful. list of all the new reports and their possible reasons for being produced.

"Invalid procedure name!

- You've tried to give a procedure name that doesn't consist of just letters.

'Data area c eared'

- You've used a clear statement and erased the program's safe cubby hole at the start of the variables area.

'DEFPROC not found'

You've used Proc with the name of a procedure that doesn't exist.

'Return stack

- You can 'only' nest procedu es up to a limits of 255 levels. This is the error you'll get it you exceed that limit. This will only normally happen if you manage to write a procedure that calls itself, either directly or indirectly.

ENDPROC with out DEFPROC'

The computer's come across an Endprcc and it wasn't executing a procedure at the time.

'PFOC parameter - There's either a error'

different number of parameters between the associated Froc and Defproc or some of them aren't of the right type.

'RECALL with-OUI LOCAL

You've tried to use Recall outside of a procedure without previously using Local.

'Syntax error'

This can be caused because of a variety of reasons, such as missing out a comma or bracket

The program can also produce normal Basic errors, most noticeably error C - "Nonsense in Basic" and 2 - "Variable not found".

Listing 2 gives a simple demonstration of precedures as applied to a real, if very simple, application. The application I'm talking about is a program that allows you to draw lines arounc the screen using the cursor keys.

(listing 1 continued from previous page)

E5D51313225D5C41E7F62@EB23BEEB2@

0910F5FD7176C1C1" 1130 DATA 6789,"1803E118D913E7DE FE282815FE0D3E01C2F3F9180CE15E23

562A535C1922555CC9DFE5EB5E2356EB ED5B535019110400193AB050225D5006 0847E710FDFE0D20"

1140 DATA 8003,"22E17EFE0D3E0502 F3F9CD09FE7E3CF53E08CAF3F9010200 CD96FE23F17723350018B2E7E5CD09FE 7E3CF53E08CAF3F9010200CD9BFE23F1

72336002254FF23'

1150 DATA 6280,"CD80FBE12256FFE1 225D5CE7DFFE222854FE2E280EFE2D28 1300882030180080203818009820FDC8 01F6184FE7009820EF1838FD0801F618 423EØ103F3F9CDB2

1160 DATA 6197,"28382020077EE6E0 FE4020EDFDCB0176200B234E234623EB CDB22A181E23CDB4331818CFØ123E501 00007EFE222804230318F7225D5CE7D1

CDB22A3A3B5C32BØ"
1170 DATA 7771, "5CDFFE2C28Ø8FE29
20AFE7FEØD2ØAA16Ø1E72A5D5CED5B56
FFED535D5C2256FFDFCD8D2C3Ø93E5E7 FE24280DCD882C3009E7CD882C38FA18 Ø1E7FE2C28Ø9FE29

1180 DATA 6870, "28053E01C3F3F9E1 225D5CCDB2283821FD363700200B234E 234623EB3E01CDB22AFDCB0176200ECD F12BEBFDCB37C61804FD363702ED4372

50224D503AB**0**50FD"

1190 DATA 8691, "AE01E6403E05C2F3 F9CDFF2ADFFE29280FE7ED5855FFED53 9D5C2256FFC3E1FCE7FE0DC20EFD2A56 FF7EFEØDCA6AFC3EØ5C3F3F92A4B5C7E

FE4020092323235E" 1200 DATA 7746,"23562319093E0603 F3F92A4B507EFE4020F3232323232323 DFE5DFF6204F1AE67FF620B92009E71A 131730EEE1B7C91A131730FBE1225D5C 37090DB3FE050D55

1210 DATA 8007,"1601E52A4B50235E 2356EB09EB722B7323235E2356EB09EB 722B73E1C9CDB3FEC5CDE8192A4B5C23 5E2356C1EBB7ED42EE722B73C9CD72FE 23235E2356EBB7ED"

1220 DATA 8105,"42EB722B73C9CDB3 FEC5cD5516C1E52A4B5C235E2356EB09 EB722B73E1C9E52A4B5C7EFE40C21AFE E1C98053796E746178206572726FF249

6E76616C69642070

1230 DATA 5893,"726F636564757265 206E616DE5524543414C4C2077697468 6F7574204C4F4341C3454E4450524F43 20775974686F75742044454650524FC3

50524F4320705172

1240 DATA 6436, "616D657465722065 72726FF2446174612**0**617265612**0**636C 65617265E44445465Ø524F432Ø6E5F74 20666F756EE452657475726E20737461

63662066756CEC00" 1250 DATA 0,"000000"

Listing 2.

10 RANDOMIZE USR 63765 20 LET X=128: LET Y=88 36 PLOT X, 9 46 REM PROCINPUT 56 IF as="5" THEN REM PROCIEFT 68 IF as="6" THEN REM PROCOOWN


70 IF as="7" THEN REM PROCUP 80 IF as="8" THEN REM PROCHISht 90 REM PROCHAIS(S)

199 GO TO 39 1000 REM DEFPROCINPUT

1010 LET AS=INKEYS 1020 REM ENCPROC 2000 REM DEFPROCHMIT(delay) 2010 REM LOCAL & 2020 FOR 4-1 TO delay 2030 NEXT a 2040 REM ENCPROC 3888 REM DEFFROCIEFT 3010 LET X=X-1 3020 IF x(0 THEN LE" x=0 3030 REM EMPROC

4000 REM DEFPROCOOWN

4010 LET 9=9-1 4020 :F 900 THEN LET 9=0 4030 REM ENDPROC 5000 REM DEFPROCUP 5010 LET 9-9+1 5020 IF 9>175 THEN LET 9=175 5000 REM ENDPROC 6000 REM DEFFROCTisht 6010 LET x=x+1 6020 (F x)255 THEN LET <=255 6030 REM ENDPROC



Ocean Software is available from selected branches of:

WOOLWORTH. WHSMITH,

Spectrum Shops and all good software dealers.

----

Ocean Software Ocean House 6 Central Street Manchester M2 5NS

Telephone 061 832 6633 · Telex 669977 Oceans G

#### Jose Figueira with a Spectrum typewriter.

Listing 1.

10 PRINT AT 18,0; LOAD "00

20 POKE 23607,60 RANDOMIZE US

20 SUFF 1=0. LET d1=0 LET F1=

21 LET 1=1 LET d1=0 LET C=+46

22 LET 1=1 LET d1=0 LET C=+46

23 LET 1=1 LET d1=0 LET C=+46

24 LET 1=1 LET d1=0 LET C=+46

25 LET 1=1 LET d1=0 LET C=+46

26 LET 1=1 LET d1=0 LET C=+46

27 LET 1=1 LET d1=0 LET C=+46

28 LET 1=1 LET D1=0 LET C=+46

28 LET 1=1 LET D1=0

29 LET 1=1 LET D1=0

20 POKE 23607,60 LET C=+46

23 LET 1=1 LET D1=0

20 LET 1=1 LET D1=0

21 LET 1=1 LET D1=0

22 LET 1=0 LET D1=0

23 LET 1=0 LET D1=0

24 LET 1=0 LET D1=0

25 LET 1=0 LET D1=0

26 LET 1=1 LET D1=0

27 LET 1=1 LET D1=0

28 LET 1=0 LET D1=0

29 LET D1=0

29 LET 1=0 LET D1=0

20 LET 1=0

Chars.

APER & BORDER

a page

e li Fagas

nas to i print

ge" of i print

print aff 21,0 b \$ go to 1,45

print aff 21,0 b \$ go to 2,0

e print aff 21,0 b \$ go to 2,0

print aff 21,0 b \$ go to 5,0

e print aff 21,0 b \$ go to 2,0

print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 5,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

e print aff 21,0 c \$ go to 6,0

ORXII U W S E Z

a b e d e f g b ; ; h l m n a p

4 r s t n n m n n z 1234567390

A B C N E P C H I J K L N N a P

4 r s t n v w x y z 1234567890

A B C D E F G H I J K L M N 6 P

# MULI

THIS PROGRAM can mix characters from four character sets on one screen or even on one word. Furthermore it features a page editor with a cursor moving in the four usual directions. Also it is possible to access an instruction page at any time.

Output to the printer doesn't use the Copy command and you can print individual lines. Enter listing I which is the main program.

#### Listing 2.

Enter listing I which is the main property of the party o

HIFT - ? PRESS RNY K
EY": PAUSE 0
530 PRINT AT 21 0;" Re
ading Page ": POUSE 25:
CLS: FOR i=P+572 TO (P+1)+572:
PIKE 23607, PEEK (J2850+1): PRINT
T CHR\$ (PEEK (43000+1)); NEXT i
30 TO 80
540 IF P<0 OR P>23 THEN GO TO 1
70
550 LET y=0: LET x=2: PRINT AT

Reading page

CLS FOR i=C 55: LET C=672+236

07. PEEK (29850+1) PRINT CHR \$ (PEEK (49000+1)); NEXT i: GO 10 8

SEZ IF LEN B\$ 10 THEN GO TO 260

SEZ PRINT AT 21.0, "Saving page

0.+P+872,672 SAVE b\$ (CODE 32350+P+6630-F) FEEK (49000+P+72,672 SAVE b\$ (CODE 32350-P+72,672 SAVE b\$ (CODE 32350-P+72,672 SAVE b\$ (CODE 32352 SAVE B\$ (CODE 32350-P+72,672 SAVE B\$ (CODE 32352 SAVE B\$ (CODE 3235

# FONT

Save and verify it with any file-name.

Enter listing 2 which creates a machine code file. When you have run it, save the machine code with:

SAVE "M.F.T.Code" CODE 30464,2355

New load the main program and run it and it will ask for the machine code. Once you have them together save and verify them by entering Goto 66C.

## Multi-Pont Typewriter





THE FOLLOWING monitor which is easily as good as any you would buy in a shop, is 4K long and resides in memory at 49152-53247 (\$C000-\$CFFF hex). The reason for itsposition at the top of memory is in order to keep it out of the way of any Basic or machine code program you are working on at the time. Although, as explained later, it can easily be moved elsewhere if desired. Due to the fact that the program is placed at \$C000, it is not necessary to move any of Basic's pointers to protect it from being corrupted and even if you relocate it into the Basic memory area, it will automatically check if it is below the top of memory pointer and move the pointer down to protect itself if necessary.

Before I go into all the advanced features of the Dismon program, I will first explain how to enter the program. You should type in the Basic Hex loader program - listing 1 - along with all the data statements containing the hex dump - listing 2. Once this is complete, you should save the Basic program in the normal way and then Rur. it. The hex loader has many integral checks so that it should be able to trap out any typing errors you've made, giving the type of error and where it occurred. In the unlikely situation of Basic giving an error - such as type mismatch error - then typing Gcto 300 should yield whereabouts the error occurred.

Assuming the program has run successfully, you should now enter Dismon by typing the command:

#### SYS 49152

All going well, it will display a copyright message and several lines showing the present state of the microprocessor's registers. I will explain the meaning of these later but for now you should make use of the save command within Dismon to save the machine-code program itself by entering the line:


#### S "DISMON 64",01,C000,D000,01

If you wish to save it to disc, replace the first 01 by a 08. The other parameters of the above command are explained fully later. In order to load the saved Dismon program back later, you would type

LOAC"D SMON 64",1,1

#### LOAD"D SMON 64",8,1

depending on whether you use cassette or disc, followed by typing New in order to set the end of program points back.



#### This program is available on the Telsoft service

Once Diamon is entered by the command SYS49152, there are, in addition to the normal screen editing facilities, two special functions:

F1: Clears screen from the cursor position to the end of the ine. F3: Clears screen from the cursor position to the bottom of the screen.

Commands are entered by typing a single alphabetic command character followed by the appropriate parameters.

The various forms of each command are detailed below. The abbreviations are:

four digit star: address 5555 eeee four digit end address

command are assumed to be in hexadecimal so no dollar sign is necessary but decimal can be implied instead by enclosing the number within two decimal points. (E.g. D 2000 is exactly the same ass D .8192.) The format of

dd

I will deal with each command in alphabetic order showing the different options available within each command: A ssss - Start assembly mode. The

all commands is critical including all spaces.

two d git device number two d glt byte value

Any of the above numbers used in any

program than automatically displays > ssss and positions the cursor ready to allow you to continue typing the opcode and operand of each line in turn, a null line terminating assembly. In addition to being able to specify the operand in hex or dec.mal, it may also be input as the Ascii value of a character by preceding it with an apostrophe or as the screen value of a character by preceding it with an exclamation mark.

The operand of a branch instruction may also be specified in one of two ways. It may be inut as a single byte branch factor or as a two byte absolute destination address. One very useful feature is that you are able to input large quantities of NOP or BRK instructions in one go by placing the quantity required, up to 255, after the instruction itself For example NOP 07 would place 7 NOPs. The above is best clarified by an example:

.A 1800

.> 1800 LDX # 33

> 1802 LDA #!M

> 1804 STA 1024,X

.> 1807 LDA #'N

(continued on next page)

100 PRINT'(CLR)(CUR DN)(CUR DN)(CUR DN)(CUR DN)(CUR DN)(CUR DN) (CUR DN) WRITING DATA TO NEMORY - PLEASE WAIT(CUR DN)(CUR DN)(CUR DN)\*
110 S=49152:N=-1:TC=0
120 BC=0 13Ø LC=Ø 140 N=N+1:READAS: IFAS="END"THEN250 130 IPLEN(A#)<>>2THEN380 160 H=ASC(LEFT#(A#,1))-48:IFH>9THENH=H=7 170 L=ASC(RIGHT#(A#,1))-48:IFL)9THENL=L-7 180 V=16#H+L:1FU(00RV)255THEN360 190 PRINTTAB+17)\*(CUR UP)\*S+N:FOKES+N,V:LC=LC+V 200 IF(N+1)AND7THEN146 210 READAS: A=VAL (AS): IFLC<>ATHEN460 220 RC=RCH C:TF(N+H)AND63THEN120 230 READAS: A=VAL(AS): IFBC<>ATHEN500 240 TC=TC+BC:GOTO120 250 READA\$:A=VAL(A\$):IFA()TCTHEN600 260 IFN()4096IHEN600 270 PRINT\*(GLR)(GUR DN)(GUR DN)(GUR DN)(GUR DN)(GUR DN)(GUR DN)(GUR DN)PROGRAM H AS BEEN ENTERED CORRECTLY"
280 PRINT"(CUR ENJIYPE 'SYS 49152' TO RUN DISMON." JØØ PRINT"(CUR EN)(CUR DN)INVALID BYTE IN LINE"; 1000+16\*INT(N/S): END 400 PRINT\*(CLR DN)(CUR DN)CHECKSUM ERROK IN LINE";1000+100\*INT(N/8):ENE 500 PRINT\*(CLR DN)(CUR DN)BLOCK ERROK IN LINEC\*; 510 PRINT1000+80\*INT(N/64);"TO";10/0+80\*INT(N/64):END 400 PRINT"(CUR DN)(CUR DN)\*\*\*\*\* OVERALL CHECKSUM ERROR \*\*\*\*\*:END

(continuea from previous page)

- .> 1809 JSR FFD2
- 180C NOP 04
- 1810 DEX
- 1811 BNE 1802
- 1813 BEQ 01
- .> 1815 BRK
- .> 1816 RTS > 1817

Cssss eeee dddd - This compares the block of memory ssss-ecce with the block starting at dddd onwards and prints out the addresses of any differences. It may be terminated by Stop.

D — Continue disassembling from the last place referenced.

D ssss - Disassemble from ssss to the end of memory.

D ssss eeee - Disassemble from ssss to eeee. When disassembling, each line is shown one at a time followed by the monitor waiting for a single key press or the shift key. Pressing Stop terminates disassembly.

While disassembling JSR, JMP, Absolute and Zero page references and branch instructions, the operand destination may be 'followed' by pressing the F key. If the instruction is a memory reference - e.g., LDA 3D73,X - then it shows you the actual values of the bytes whereas if the instruction is a JSR, JMP or Branch then disassembly continuous at the operand destination. Pressing R returns to the point of the previous follow command. Follows may be nested up to 16 times.

If the monitor comes across large blocks of NOP or BRK instructions (more than three), it accumulates them into one line. For example:

> 201D - 203F NOP

E ssss - Allows you to Enter Ascii text into memory from ssss onwards. Ascii text and control characters are entered from the keyboard - delete removes the last character, replacing it with a zero byte. This mode is terminated by pressing stop in which case it displays the address of the next character that

H n . . . . - Prints out the hexadecimal of the n... decimal number. For example:

.H 326

I bb ssss eeee - increment the block of memory ssss-eeee by the value bb. Incrementing by the hex value FF would of course have the effect of decreasing by one.

J sess of J of JN sess of JN - As G except that it places a return address on the stack allowing an RTS terminated subroutine to return to Dismon.

K - This is a very useful command which resets the VIC chip back to its original values and also switches off all the SID chip sound channels. It would be used when you break out of a program using a BRK instruction or Restore and the definable characters, hi-res screen or sound are left on.

L — Load any program into memory from tape.

L "TEST" - Load named program from

L "TEST 2" dd - Loac named program from either disc or tage -dd = 01 = tage, dd= 08 = disc.

L "TEST 3" dd ssss - Relocated load -Load named program and place it in memory from ssss onwards instead of where it was saved from.

M ssss - Display eight bytes of memory from ssss onwards.

M ssss eece - Display memory bytes from ssss to eeee. The printing can be temporarily frozen by pressing a key or stopped by pressing Stop. The Ascii representation of the bytes are also displayed on the right of the screen with a dot representing an unprintable character. Any byte can be altered by changing the displayed value using normal screen editing.

N ssss eeee ssss eeee dddd - New locate. Despite the apparent complexity of this command, it is a very useful function and not too hard to use. It enables you to relocate a program so that it can be executed at another position in memory by changing any references to within one area of memory to point to another area. The program will relocate all JSR, JMP. Absolute, Zero page and Branch references and will indicate an error if a branch reference goes out of range or a zero page reference becomes absolute. Each reference that is changed is first displayed on screen and then it waits for you to press a key or press Shif; before the next is done.

If, while searching through the program to be relocated, the routine comes across any invalic opcodes, then it displays the position of the byte and its value and then continues after waiting for a key. The reason for this information being displayed is that it might inadvertently change some data table which it thought was a proper reference.

The parameters of the command have the following purpose. The first ssss-eeee range specifies the area of memory through which Dismen will search, locking for any references to within the second ssss-eeee block and changing them to point to the block of

```
Listing 2.
```

```
568 DATA 68,00,58,08,68,85,27,86,948
1578 DATA 28,84,25,88,88,85,28,40,42,
1588 DATA 68,00,85,80,08,68,38,45,182
```

```
2620 DATA C3,F8,86,20,E4,C4,20,6E,1039
2630 DATA C2,A9,80,85,20,20,6E,CA,873
2640 DATA A9,0E,85,0E,20,A0,CC,D0,1062
2650 DATA 64,A2,81,D0,45,C9,80,F8,865
2660 DATA 64,C9,EA,D0,20,A4,A9,38,1063
2670 DATA (C,A0,83,D1,19,D0,16,88,791,
26E0 DATA 10,F9,48,A2,2D,20,45,C3,840
2650 DATA 68,A0,81,20,2°,C2,D1,19,764
```

memory starting at dddd.

To demonstrate the use of this command, I will use it to move Dismon to some other area of memory. Dismon normally resides at \$C000 to \$CFFF. If we wish to place it at \$6000, we would first copy the program down into the correct area using the Transfer command which is described later.

#### T C0000 CFFF 6000

The last three pages - 3 x 256 bytes - of Dismon consists solely of data tables therefore you only need to relocate the first 13 pages of the memory into which it was translated.

#### N 6000 6D00 C000 CFFF 6000

The above command searches through the first 13 pages of the new program looking for any references to the old program and changing them appropriately.

Another example will help clarify the normal use of this command. Assuming you have a program ir memory \$1000 to \$13FF and you wish to insert an extra 16 bytes at \$1300. This would require the last 255 bytes to be moved up in memory by 16 bytes. This could be accomplished by:

N 1000 13LFF 1300 13FF 1310 T 1300 13FF 1310

The fact that it displays every reference that it intends to change means that you can use it to look for references to certain areas of memory. For example, to find any references to locations 0 and 1 would require the following; N ssss ceee 0000 0001 0000.

O - For safety reasons, whenever control is returned to Dismon or whenever a command is executed within it, D.smon automatically switches in the Kernal Rom and resets the Interrupt Vector to the normal interrupt routine. However, for some purposes, such as having interrupt driven music continuing while within Dismon, this might not be desirable so the command O allows you to switch the protection On and Off.

P - Process a program starting at address specified by program counter.

P ssss - Process a program at ssss This command allows slow monitored running of a mechine-code program. As each instruction is executed, the instruction is first shown on the screen along with the current state of all the various registers. It then waits for a key to be pressed or the shift key allowing fairly fast running.

This command as well as being a fairly good way to debug your routines is an ideal way for a beginner to examine what effect all the instructions have on the various registers, particularly the status register. You are also able to affect the operation of the program depending upon what keys you press. If it is displaying a branch instruction then by pressing R, you are able to reverse whether or not the branch is taken. This is useful for existing long delay loops etc.

When the process routines comes to a ISR instruction, there are several options. If the address of the subreutine is within the Kernal Rom (\$E000-\$FFFF) then the routine is executed immediately without processing unless you press the key to examine it in detail. If the address of the subroutine is not in the Kernal, then it assumes you wish to process each instruction of the routine unless you press D to do it immediately.

Since the constant displaying of the registers and disassembly slow the process command down as well as interfering with anything that the other program might be printing, it is possible to suppress the printing of them by pressing S. In this case it still waits for a keypress or the Shift key between each instruction but by a combination of suppressed output and Shift pressed very fast processing can be obtained although still 500 times slower than nermal machine code speed. Pressing S again restarts displaying of the instructions etc.

Q ssss eeee ssss eeee dddd - This command is almost exactly the same as the N command with one difference. Normally the relocate routine displays all the invalid opcodes it finds. However, if you are using the routine purely to find references to some area of memory, then if there are large data tables scattered throughout your program it would take too long to display all the invalid bytes found so this routine only prints out the references found. Don't ask why Q!

R - This displays the current state of the Accumulator, X register, Y register, Stack Pointer, Program Counter, Status register, IRQ Vector and NMI Vector. The status register is also expanded out for easy reference of which flags are set. Any of the values can be altered using screen editing and the new values would be used next time a G, J or P command is used.

S "FILENAME" cd ssss eeee cr S "FILENAME" dd ssss eeee bb - Th's command allows you to save a block of memory to either disc or tape. The end address of the block to be saved (eeee) must be specified as one byte past the last byte to be saved. The second variety of save command allows you to specify a different secondary (continued on next page)

egisters and disassembly slow the process ommand down as well as interfering with the process of the process of

(continued on next page)

(continued from previous pege,

address other than the default of zero. The secondary address has the same meaning as in

T ssss eeee dddd - Transfer a block of memory sasa-eeee to the memory at dddd onwards.

U b . . . - Unhex the one to four digit hex number into decimal.

V or V "NAME" or V "NAME" dd or V "NAME" dd ssss - Verify a program. Same options as Load.

W bb ssss eeee - Write a certain byte to the specified block of memory (Fill memory).

X — Exit back to Basic.

Up Arrow - This alternately switches a printer on and off line to allow you to output disassemblies and memory dumps to the printer instead of the screen. The routine assumes that the printer is device four and that the secondary address required is one.

However, if your printer does not conform to this, they car, easily be changed by altering the LDX #04 instruction at \$CCE6 to load the X register with the device number of your printer and altering the LDY #01 instruction at \$CCF7 to load the secondary address required. For instance, if you use the 1520 printer/plotter then you would use LDX #06 and LDY #00.

As if the above commands are not enough, it is possible to add your own very simply. This is because, whenever Dismon does not recognise a particular command character, it searches through memory from \$0800 to SCF00 looking for a sequence of four machine code instructions at the start of every page. If it finds them it then JSR's to that page with the accumulator containing the Ascii of the

command character.

Therefore all that is required within your subroutine is to check if it is the correct command and if not, to Return at which point Dismon continues looking through memory for any other routines and if none are found, gives an error. For instance, if you wish to add the '+' command to give the function of clearing the screen it would be done as follows:

A 1000 :Start at some page boundary > 1C00 SID This is the sequence of four instructions that > 1C01 CLD :Dismon uses to recognise an added command > 1002 SEC

> 1C04 CMP#'+ > 1C06 BEQ 01 > 1C08 RTS

> 1C03 CLC

> 1C09 PLA

> 1C0A FLA > 1C0B LDA #93

> 1C10 RTS

:Not this subroutine sc try another :Remove the Error return address from the stack :And the hi byte :Now your CLS routine > 1C0D JSR FFD2 :Print clear screen char :Return to Dismon to execute next command

:Was the correct

3ranch if correct

character used


If, within your extra command, you require to read in any parameters from the remainder

49/8 DATE 00.D0,20,40,81,91,19,20,603

of the line, then this would be done by repeated JSR's to a subroutine at SFFCF. Each JSR would return, in the accumulator, the ASCII value of the next character on the line, with a \$0D indicating the fianl carriage return.

A couple of final points of interest to the experienced programmer are that Dismon is totally independent of the Basic Rom therefore the Rom can happily be switched out while within Dismon although den't try exiting from D.smon while it is out. Dismon makes quite extensive use of zero page locations for all its commands so the following locations should not be used by your programs; \$19-\$20, \$26-\$2A, \$45-\$4A. \$8B-\$8F, \$A8-\$AA, \$B0-\$B1 and \$0240-\$0256.

If you don't relish the task of typing in the 4K hexdump then I will supply a cassette copy of the program along with an example of the extra commands in the form of a disc command routine giving you all the normal disc commands including cataloguing for just £3. Write to John Twiddy, 65 Holly Avenue. Wallsend, Tyne & Wear. NE28 6PB.



(continued from previous page)

### **COLLINS GEM** REVISION SOFTWARE

### programmed for results!

Collins make revision for CSE. 'O' level and 16+ exciting, fun and more efficient with Gem Revision Software for the Spectrum 48K.

Each tape has eight or nine programs which will thoroughly test your knowledge of each subject -Biology, Chemistry, Computer Studies and Physics. Used in conjunction with the Gem Basic Facts Dictionary included in every pack, the programs provide everything you need for effective revision.



Available now at only £8.95 each (inc. VAT) Also available for the Commodore 64 at £9.95 each (inc. VAT), publication 27 June.

PERFECTION ASSURED FLOPPY DISK MEET ANSI, DIN, ECMA, IBM, JIS AND SHUGART SPECIFICATIONS.

EVERY DISK IS CERTIFIED MINI FLOPPY DISK AND GUARANTEED TO BE

#### LOW PRICE - HIGH QUALITY

40 TRACK	BOXES OF 10	
S/S S/D	10.50	
SIS DID	11.00	ADD V.A.T. TO
D/S D/D	13.00	ALL PRICES
80 TRACK		PLEASE ADD £1
S/S D/D	15.00	POST/ PACKING
D/S D/D	16.90	
40 TRACK	#LOOK-SPECIAL	BILL K DDICES

40 TRACK #LOOK-SPE	CIAL E	ULK PRICES
S/S S/D	PER	MIN. 600 DISCS PER BOX ADD V.A.T. TO ALL PRICES CARRIAGE FREE

ALSO COM	IPUTI	ER CASSETTES
BOXES OF	A Summing Co.	ADD VAT TO
C10	E23	ALL PRICES
C15	£24	PLEASE ADD £3.50
C20	225	POST/PACKING
* C15 BULK TAPE PRICES AVAILABLE		

D/S D/D.....1.38 /

P.V. TUBES 104 ABBEY STREET, ACCRINGTON, LANCS BB5 1EE Tel: (0254) 36521. (0254) 32611

VISA


FOR 'BULK' ORDERS

Telex: 635562 Griffin G for PV Phone in Access/Visa card no. for same day dispatch

## MAGAZINE EAM-DIESEL-ELECT

The glorious past - The challenging future The new, bigger Railway Magazine brings the whole world of railways alive

This month we feature Third-Rail on the Western Margaret' preserved



# AMSTRAD

For just £2.99 you can buy THE AMSTRAD PENTACLE, a program which takes all the hard work out of writing adventures on the Amstrac. Just type in the program provided in our £2.99 book, THE AMSTRAD PENTACLE, and follow the instructions, and you'll be crecting your own, original adventures. It comes complete with a full set of data for the medieval adventure Castle of Doom. So, for just £2.99, you get the book THE AMSTRAD PENTACLE which contains the full listing of the adventure-creating program, full instructions, and c complete set of data for the Castle of Doom adventure. You can even market the adventures you write with this package - without paying a penny ir royalty!

DYNAMIC GAMES FOR THE AMSTRAD contains 50 exciting games for your computer, including arcade programs, a complete Chess, adventures. and much more. Complete with detailed instructions. Just £5.95.

Both THE AMSTRAD PENTACLE (ISBN 0 907563 708) and DYNAMIC GAMES FOR THE AMSTRAD (ISBN 0 947695 168) are available from your computer or book store, or by mail (post ree) from:

Interface Publications Ltd., Dept. QTYC 9/11 Kensington High Street, London W85NP (UK Trade: WHS Distributors) .

Interface

BOREM enter the usual value of peo 90REM for your system in line .10 I I DP + GEX - VENU 128 130PROCSETUP 140PROCASSEMBLE 130PROCTUMPTAB 140PROCTINISH 170END 1900EFPROCASSEMBLE 200FOR PASS=0103 STEP 3 220.UPT PPBS
230
240.START
250 PLA:STA RLIPLAISTA BH
260 T5XISTX SP
270 IDYMBILDA (PL),YISTA RIL
280 INYILDA (PL),YISTA RIL
290 INYILDA (PL),YISTA FUL
300 INYILDA (PL),YISTA FUL
310 LDYMBISTY FP
328.SVB LDAMBISTA (RIL),Y
330 LDA FVHICHP RIFIBNE SVI
340 LDA FVHICHP RIFIBNE SVI
340 LDA FVLICHP RIFIBNE SVX
350.SVI INCRIL:BNE SVE:INCRIH:BNE SVS
360.SVX LDAM4
370 210PX=FT 220:0PT PASS 370
380.SR
390 CLC:ADC PL:STA PL:BCC SF
400 INC PH:BNE SF
410.9X INC PL:BNE SF:INC PH
420.SF LDY#8:LDA (PL),Y:TAX
430 LDA JT,X:STA CTL:INX
440 LDA JT,X:STA CTL:INX
450 JMP(JTL)
460 470.FVL BRK: FVH 3RK 198.add 580 PLR:STA R:L:PLA:STA RIH 510 PLA:CLD:ADC RIL:TAY 520 PLA:ADC RIL:SHA:TYA:PHA 530 JHP SX 550. sub 560 PLAISTA MILIPLAISTA RIH 570 PLAISECIESC RILITAY 580 PLAISEC RIHIPHAITYAIPHA 588 PLA:SBC RIH:PHA:TYA:PHA
590 JMP SC
608
618.mul
628 LDAME:STA SB
630 PLA:STA RIL:PLA:STA R:H
640 BPL N2
650 LDAM0:SEC:SBC RIL:STA RIL
660 LDAM0:SEC:SBC RIL:STA RIL
660 LDAM0:SEC:SBC RIL:STA RIL
670 LDAM0:SEC:SBC RZL:STA RZH
670 BPL N3
780 LDAM0:SEC:SBC RZL:STA RZH
720 LDAM0:SEC:SBC RZL:STA RZH
720 LDAM0:SEC:SBC RZL:STA RZH
720 LDAM0:SBC:SBC RZL:STA RZH
720 LDAM0:SBC:SBC RZL:STA RZH
720 LDAM0:SBC:SBC RZL:STA RZH
740 LDX P16:LDA RIH:BEQ ML
750 LDA RIL:LDX RZH:STA RZH:STY RIH
760 LDA RIL:LDX RZH:STA RZL:STY RIL
770.ML CLC:ROL RIL:ROL BIH
800 BCS MA
790.MC CLC:ROL RIL:ROL BIH
800 BCS DAC MX
920 LDAM0:SBC:SBC RX::TAX
830 LDAM0:SBC:SBC RX::TAX
830 LDAM0:SBC RX::PHA:TXA:SHA
840 JMP SX
950.MX LDA RX::PHA:LDA RXI:PHA
860 JMP SX
970.MA LDA RIL:CLC:ADC RXI:STA RXL 860 JMP SX 870 MA LDA RIL: CLC: ADC R3L: STR R3L 880 LDA RIH: ADC R3H: STA R3H 890 JMP MC B98 JMP MC
908
918.div
920 LDAMB: STA SE
938 PLAISTA R3L:PLAISTA R3H: 14x
940 ORA R3L:BNE DK
952 LDAMBB: JMP EXIT
968.DK TXA:RNL D2
970 LDAMB: SEC: SBC R3L:STA R3H
960 LDAMB: SBC R3H: STA R3H
960 LDAMB: SBC R3H: STA R3H
960 LDAMB: SBC R3H: STA R3H
10:0 FPL D3
10:0 LDAMB: SEC: SBC R2L: STA R2H
10:0 LDAMB: SEC: SBC R2L: STA R2H
10:0 LDAMB: SBC R3H: STA R2H
10:0 LDAMB: SBC R3H: STA R3H
10:0 LDAMB: SBC R3H: FHA: TXA: FHA
11:0 JMP SX
11:00.DX LDA R2H: PHA: LTA: FHA
11:0 JMP SX
1:00 LDAMB: STA INI: STA RIH
11:10 LDAMB: 1150.PL 1140.FOL R2.:ROL F2H 1170.ROL F1 :ROL F1H


1190 I DA ROHEDAD RIHEBEO DO 1190 BOS DE RED DE 1200.00 LDA R3L1CKP RIL:9E0 D1 1210 BCS D01BCC D1 1220.00 CLC:BCS Dn 1229.08 CLUTBOS 1238.D1 1248 LEA RILISECISBO RSLISTA RIL 1258 LDA RIHISBO RSHISTA RIHISEC 1268.DN DEXTENC DL 1270 ROL RZLIROL RZHIRTS 1260 1270 ROL RZL:ROL RZHIRTS
1280 ROD LDAMBISTA SO
13.0 PLAIBTA R3L:PLA:STA ESH:TAX
1320 ORA RXL:BNE OK
1330 LDAMBES:JMF EXIT
1340.0% TXA:BNE OZ
1350 LDAMO:SEC:SBC R3L:STA R3L
1350 LDAMO:SEC:R3M:STA R3L
1370.02 PLA:STA RZL:PLA:STA RZL
1390 EPL OS
1390 LDAMO:SEC:SBC RZL:STA RZL
1400 LDAMO:SEC:SBC RIL:TAX
1450 LDAMO:SEC:SBC RZL:STA RZL
1450 LDAMO:SEC:RBC RZL
1450 LDAMO:SEC:RBC RZL:STA RZL
1450 LDAMO:SEC:RBC RZL
1450 LDAMO:SEC
1450 LDAMO:SEC:RBC RZL
1450 LDAMO:SEC:RBC RZL
1450 LDAMO:SEC:RBC 1508.gtt 1518 PLA:STA RIL:PLA:STA RIH 1528 PLA:STA RZL:PLA:STA RZH 1538 JSR CP 1548 BED CF: RMI CF: SNE CT 1550 ltt 1570 PLA:STA RIL:PLA:STA RIH 1580 FLA:STA RZL:PLA:STA BZH 1590 ISR CP 1680 BEQ CF:SPL CF:BNE CT 1630 BEG CF:BPL CF:BNE CT
1610
1620 geg
1630 PLA:STA R1L:PLA:STA R1H
1640 PLA:STA R2.:PLA:ETA R2H
1650 JSR CP
1640 BM1 CF:BPL CT
1670 1590,leq 1590,leq 1590 PLAISTA R:L:FLAISTA R1F 1700 PLAISTA R2L:PLAISTA R2H 1710 JSR CF 1720 BPL CL:BE2 CF:BNE CT 1730, CL BNE CF:BEQ CT 1750. equ 1760 PLA:STA PIL:PLA:STA RIH 1770 PLA:STA RZL:PLA:STA RZH 1780 JSR CP 1790 BNI CF:BNE CF:BEQ CT 1800
1813.neq
1920 PLA;STA R1L;PLA;STA RIH
1830 PLA;STA R2L;PLA;STA R2H
1840 JBR CP
1850 BEQ CF;BNE CT
1840.CT LDA#&FF;PHA;PHA;JHP GX
1870.CT LDA#&F0;PHA;PHA;JHP GX
1870.CP LDA R2L;CMP R1L;BEQ CQ
1930 LDA R2H;SBC R1H;DRA \$1
1910 BYS CO;RTS
1920.CQ LDA R2H;SBC R1H;BYS CO;RTS
1930.CD EDR #&803;ORA #1;RTS 1930. DE 1940 1950. DE 1950. DE 1950. DE 1950. DE 1960 PLAISTA RILIPLAISTA RIH 1970 LDAMOISECISBO RILITAY 1980 LDAMOISBO RIHIPHAITYAIPHA 1990 JHF 8X 2300 2010.Vdu 2020 PLAIJER OSWRITE:PLA 2030 JMP 5x 2040 2050.ink 2040 2050.ink 2060 PLA:TAX:PLA:TAY 2070 LDA#&61.CA DSBYTE 2090 CHP#&IB:BEQ IT 2090 CHP#&IB:BEQ IE 2100.IR TYA:PHA:TXA:PHA 2110 JNP EX 2120.IE LLA#&7E:JSR OBBYTE 2130 LDX#B:LDY#@:JMP IR 2140.IT LDX#SFF:JMP IR 2150 2160.rts 2170 FLA:STA PL:PLA:STA PH 2190 2200.Idi 2210 PLA:STA RIL:PLA:STA RIH 2220 LDA#@:PHA 2230 JDY#@:LOA (RIL),Y:PHA 2250 2240 JMP SX 2250 2240 JMP SX 2240 JHP 3/ 2250 2260.sti 2270 PLA:TAY.PLA:TAX 2280 PLA:STA RIL:PLA:STA HIH 2290 TYA:LDY#0:STA (RIL),Y 2300 LD#69; \_DY#1:STA (RIL),Y 2310 JMP BY 2328 2330, end 2340 LDAW44; JMP EXIT



IN THIS ARTICLE, the TC Basic run time system generator - RTSG - will be described. This program generates the TC Basic run time system - RTS; the purpose of this, is to provide the facilities and functions required by TC Basic programs. In addition, the RTS must also interpret the p-code programs.

The RTS consists of a small Basic program followed by a substantial amount of machine code. To construct it, type in the listing of the RTSG in figure 1. Before doing this, type in

2378 PLATETA RILISTA R2... 2388 PLATETA RIHISTA R24 2370 BPL FB 2408 LDA #0:SEC 2418 SBC RILISTA RILISTA R2L 2428 LDA #0 2438 SBC RIHISTA RIHISTA R2H 2448 LDA #ABC'-":JSR OSWRITE 2458.FB 2468 LDA#BISTA S6 2478 LDA#BISTA S6 2468 LDA#0:5TA S6
2478 LDA # 10000 MOD256:STA R3L
2480 LDA # 10000 DIV256:STA R3H
2490 JSR PS
2500 LDA # 1000 NOD256:STA R3L
2510 LDA # 1000 DIV256:STA R3H
2520 JSR PS
2530 LDA #100:STA R3L
2540 LDA #0:STA R3H
2550 JSR PS 2558 JSR PS
2568 LDA #10:STA R3L
25/8 JSR PS
2568 LDA #10:STA R3L
25/8 JSR PS
2598 LDA #1:STA R3L:STA SG
2598 JSR PS
2608 JMP SX
2610.PS LDX#0
2628.PP LDA R1L:SEC:SBC R3L:STA R1L
2638 LDA R1H:SBC R3H:STA R1H
2648 BMI PE
2658 STA R2H:LDA K1L:STA R2L
2668 INX:JMP PP
2678.PE LDA R2L:STA R1L
2688 LDA R2H:STA R1H
2698 TXA:ENE PR:LDA BG:3EG PX
2708.PR TXA:CLC:ADC #ASC"0°



PAGE = PAGE + 5120

This is necessary because the RTS is constructed at the usual value of PAGE for your system. In fact, the value of PAGE used by your computer, must be entered in line 110. For a Tape based system, this will be &E00 and for a disc system &1900. The RTS is therefore constructed underneath the RTSG in memory.

When you have typed in all of the program, Save it and then go through the usual debugging process. When Run, the RTSG will produce an assembly language listing, this will be followed by a statement of the value of the address of the top of the RTS. Note this number down. Next reset Page to its usual value and type End followed by Run. If everything is CK you will be greeted by the RTS menu.

Three functions are performed by the RTS and can be selected by pressing the number keys 1, 2 or 3. These are to load a code file produced by the compiler into the RTS and form, a free standing module. Second, execute any such module and, thirdly, Save any such module. Initially, you must select option 3. This will allow you to Save your copy of the RTS.

Now reload the compiler into your computer and enter in line 120 the value for the top of the RTS which the RTSG provided you wish. The compiler is now complete and can be Saved.

In the last article, it was described how to compile a program. After following this prescription, you will be left with a file whose name starts with C. and which contains the p code version of your program. The next thing to do, is to Load the RTS and Run it. Now select option I and type in the name of the code file when promoted.

This will be Loaded and a module formed which can be Saved with option 3. In the fature whenever you want to execute the comriled version of your program, the module can te Loaded and Run and option 2 - execute selected. The module will be saved with a file name prefixed by M.

The RTS can be Escaped from and reRun. In addition, if your p-code program gets into an endless loop; Break plus Old will also work.

The TC Basic system, is thus now complete. Some points about its use should be noted. First, there is a limitation on the use of delimiters like Next and Endproc not present in BBC Basic; this is that for each Defproc there can be only one Endproc and for each FOR there can be only one Next. Thus statements like: IF A = 2 Endoroc; will not

This is done to protect the programmer; returning from a non-existent subroutine, would have disastrous results. Similar restrictions apply to functions and Repeat Until loops. Secondly, if a Def statement is encountered in the path of execution, it will be treated as an End statement.

The RTS implements code to deal with run time errors: attempts to divide by zero, to take square roots of negative numbers or dimensicn arrays twice will gracefully terminate execution with an error message and return control to the Basic section of the RTS.

As you can see from the listing of the RTSG the final few lines - lines 6970 to 7270 - are in fact the Basic section of the RTS; procedure Proccopy - lines 6750 to 6830 - is used to copy this Basic down to the usual value of Page. The two Stops in line 6960 are used as a tag for this copying process and must be typed exactly as shown. This piece of the program is just used to handle the RTS menu and the three functions that can be selected: i.e. loading, saving and executing the mc.

#### Interpret p-code

The machine code part of the RTS has to be able to interpret p-code; it does this by using the opcode number - you may have noticed from the code generation procedures in the compiler that all opcodes are multiples of two - as an index to select the start address of a routine from a jump table. An indirect jump to this address then results in the required function being performed.

Thus most of the assembly language consists of a large number of routines - each represents one opcode. In the listing they can be clearly seen by being split up by blank lines; in addition, each one starts with a label in lower case letters which corresponds to the names of the code generating procedure in the compiler.

Finally, the value of the top of the RTS is printed out so that it can be inserted in the compiler. For a system with a Page value of &E00 this number will be 7040 while, for a system with a Page value of &1900, it will be 9856

A C30 containing the listings from both articles, TC Basic systems set up for both tape and disc based computers and example programs and code files is available from D J Pilling, 12 Cherrywood Avenue, Anchorsholme, Blackpool FY5 ISU in return for £2.99.

```
2720 LDA#1:8TA SB
2738.PX RTS
2740
2768 JMP SC
2800. SWD
2800 PLA: TAY: PLA: TAX
2820 PLA: BTA RIL: PLA: BTA RIH
2830 TXA: PHA: TYA: PHA
2840 LDA RIH: PHA: LDA RIL: PHA
2850 JPP SX
2860
2870.drp
2880 PLA: P_A: JMP SX
2910 PLA: JER OSWELTE
2920 PLA: JER OSWRITE
2930 JEP SX
2940
2958.vdl
2958.vdl
2968 LCY#1:LDA (FL),Y
2970 JER OSWR:TE
2970 JER DSWR:TE
2988 LEAW2: JMP SR
3000 PLA:STA R4L:PLA:STA R4H
3030 PLA:STA R4L:PLA:STA R4H
3030 PLA:STA R3L:PLA:STA R3H
3040 PLA:STA R2L:PLA:STA R2H
```

```
3050 PLA:STA RIL:PLA:STA RIH
3060 LDA#7:JGR OSWORD:JMP 8X
 3088.1dt
3070 LDX# R1L:LDY #2
3100 LDA#1:JSR OSWORD
3110 LDA F1H:PHA:LDF
3120 JMP-SX
3132
3140, m:t
3150 LDX# RIL:LDY #W
3160 PLA:STA RIL:PLA:STA R:H
3170 LDA#0:STA R2L:STA R2H:STA R3L
3180 LDA#2:JSR OSWORD:JMP SX
 3200 and
 3210 PLAISTA RIL:PLA: STA RIH
 3228 PLA: TAX:PLA: AND RIH: PHA
3238 TXA: AND RIL: PHA: JPP GC
 3250. or
 3260 PLAISTA RIL:PLAISTA RIH
           TXA: DRA RIL: PHA: JPP BX
 3380. sor
 3310 PLA: TAX: PLA: CLA: CTA DIH
3320 PLA: TAX: PLA: EOR RIH: PHA
3330 TXA: EOR RIL: PHA: JNP SX
 3350
3360.rnd
3370 FLA:STA R3L:PLA:STA R3H
3380 BMI RX:QRA R3L:CMP#2:BCC RX
```

```
3390 LDY#14
3400.RLO LDA R2:AND#96:STA R1L
3410 KUL A
3420 EOR R1L:ROL A:ROL A
3420 EDR RILIROL AIROL A
3430 ROL PIIROL R2
3440 DEVIBNE RLO
3450 LDA RZIAND#12745TA RZH
3460 LDA RZIAND#12745TA RZH
3460 LDA#IIGTA RZLIJSR DH
5470 LDA#IIGLC:ADC RILITAY;LDA#D
3480 ADC RIHIFHA;TYA:PHAIJMP SX
3490.RX LDA#IISTA KIIGTA RZ
3500 LDA#0:PHAILDA#1:FHA:JMP SX
3500 LDA#0:PHAILDA#1:FHA:JMP SX
                      DA PLICECIADONSTAN
 3548
 3580 _Dv#1:LDA (PL ,Y:TAX
3590 _Dv#2:LDA (PL ,Y:STA PH
 3630 jmc
3640 PLA:BNE C1
3650 PLA:BNE C2
3660 BED jmp
3670,C1 PLA
5680.C2 DA#T:JMF SR
   3700.1da
```

```
(continued from previous page)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                6180R3L=878: P3H=879:R4L=87A: P4H=87B
6190R5L=87C: P5H=87D:R6L=87E: R6H=87F
6280R7L=830: F7H=8B1
42100F=882: 5C=883: KL=884: RH=885
6220FFL=888: F5H=887: FLL=888: FLH=887
6230FSL=888: F5H=888: FJL=88C: FJH=88D
6240FF=88E
                                                                                                                                                                                                                                                                                                                                                                              4440
                                                                                                                                                                                                                                                                                                                                                                          4948

4950.cl.

4960 LDA PL:CLC:AEC#2:TA)

4970 LDA PH:ADC#0:TAY

4960 JSR USGLI

4990 LDY#1:LDA (PL),Y:CLC:ADC#2

5000 JHP SR
                  37:0 LDYM::LDA (PL),Y:STA FIL
3720 LDYM2:LDA (PL),Y:STA FIL
3730 LDYM::LDA (RIL),Y:PHA
3740 LDYM0:LDA (RIL),Y:PHA
3750 LDAM3:JMP SR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       A0180F - 882: 9C - 883: KL - 884: RH - 885
6220F FL - 886: FAH - 887: FLL - 888: FL - 
                                                                                                                                                                                                                                                                                                                                                                            5010
5020.eqr
5030 PLA:STA R4L:STA R5L
5040 PLA:STA R4H:STA R5H
                   37/0 LDY#1:LDA (PL),V:STA RIL
37/0 LDY#2:LDA (PL),V:STA RIH
38/0 LDY#2:PLA:STA (RIL),V
38/0 LDY#1:PLA:STA (RIL),V
38/0 LDA#3:JMP SF
38/30 LDA#3:JMP SF
                                                                                                                                                                                                                                                                                                                                                                            5050 BHI GE
5060 CLC:RDR RSH:RDR ASL:LDA*10:STA 50
                                                                                                                                                                                                                                                                                                                                                                        5070.QA

$080 LDA R4L:STA R2L:LDA R4H:STA R2H

$090 LDA R5L:STA R3L:LDA R5H:STA R3H

$190 JSR DM

$110 LDA R2L:CLC:ADC R5L:STA R5L

$120 LDA R2H:ADC R5H:ETA R5H

$130 CLC:ROR R5H:ROR R5L

$140 DEC SG:BNE QA

$150 LDA R5H:PHA:LDA R5L:PHA

$160 JMP SX

$170.QE LDA+22:JMP EXIT

$180
                  3830
3840.1d1
3858 LBY#2:LDA (PL),Y:PHA
3868 LDY#1:LDA (PL),Y:PHA
3878 LDAHS:JHP SK
3888
                3888
3890.fxr
3908 LDX FP:LDY#7
3918.FX LDA FAL,Y:DJA&300;
3920 INX:DDY:EPL FXL:STX FP
3930 LCYM::LDA (PL),Y:STA FFL
3940 INY:LDA (PL),Y:STA FFL
3950 FLA:STA FSL:PLA:STA FCH
3950 PLA:STA FSL:PLA:STA FCH
3970 LDA#3:CLC:ADC PL:STA PL:STA FJL
3980 LDA#0:ADC PH:STA PH:STA FJH
                                                                                                                                                                                                                                                                                                                                                                            5180
                                                                                                                                                                                                                                                                                                                                                                         5180

$190.egn

5200 PLA:STF RIL:PLA:BMI EM

5210 DRA RIL:BEQ S2

5220 LDA#0:FHA:LDA#1:FHA:JMP 3R

5730 SM LDA#0:PHA:PHA:JMP SX

5240.SZ LDA#0:PHA:PHA:JMP SX
                    4018.1dm
4028 JBR GTA:LJY#1:LDA (R3L),Y:PHA
4038 DEY:LDA (R3L),Y:PHA:LDA#3:JMP BR
4048
                                                                                                                                                                                                                                                                                                                                                                        5250
5260.ebs
5260.ebs
5270 PLAISTA RIL:PLAIBHI AM
5280 PHAILDA RIL:PHAIJHP SX
5290.AM STA RIH:LDAMO:SEC:SBC RIL
5300 FAX:LDAMO:SBC RIH:PHA:TXA:PHA
5310 JMP SX
5320
5330.get LDAMO:FHA
5340.gp JSR DSRDCH:8CB ge
5350 PHAIJMP SX
5360.ge CMP#ZZ:BNE gp
5370 LDAMIZ6:JSR DSBYTE:BNE gp
5330
                   1040
4050, stm
4060 PLA:STA Ral:FLA:STA R6H:JSF GTA
4070 LDY#1:LDA R6H:STA (R3L),Y
4080 DEY:LDA Rol:GTA (R3L),Y
4090 LDA#3:JMP SR
                      4100
4110.dmn
                4110.dmm
4120 LDY#1: DA (PL), V:STA RIH
4130 INY:LDA (FL), Y:STA RIH
4140 DEY:LDA FUH:STA (RIL), V
4150 DEY:LDA FUL:STA (RIL), V
4150 PLP:CLC:AEC FYL:STA FUL
4170 PLA:ADC FWH:STA FVH
4180 LDE#3:JMP SR
4190
                                                                                                                                                                                                                                                                                                                                                                     5390

5370.adv

5400 PLASTAX:PLASTAY:LDAM&80

5410 JSR DSBYTE:TYA:PHA:TXA:PHA

5420 JMP SX

5430

5430 ppm

5450 LDAM&86:JSR OSBYTE:LDAM&:PHA

5450 TXA:PHA:JMP SX

5470

5480 USBYTE:LDAM&:PHA
          4786 dma
4218 LDV#1:LDA (PL), V:STA RIL
4228 INV:LDA (PL), V:STA RIL
4228 DEV:LDA (PL), V:STA RIL
4238 DEV:LDA (RIL), Y:DEV:DRA (RIL), O
4240 REG DMY:LDA (RIL), Y:DEV:DRA (RIL), O
4250 JAV:LDA FV:STA (RIL; Y:STA RSE
4269 DEV:LDA FV:STA (RIL; Y:STA RSE
4269 DEV:LDA FV:STA (RIL; Y:STA RSE
4260 JAV:LDA FV:STA (RIL; Y:STA RSE
4260 JAV:LDA FX:STA RAE:STA (RSE), Y
4260 INV:PLPA:STA RAE:STA (RSE), Y
4260 INV:PLPA:STA RAE:STA RSE
4260 LDA FAL:SEC:SBC#1
4360 CLC:ADC RSE:STA RSE
4270 LDA FAL:SEC:STA RSE
4270 LDA FAL:SEC (RSE), Y
4360 INV:LDA RGH:STA (RSE), Y
4360 INV:LDA RGH:STA (RSE), Y
4360 STY R7H:LDA#B:STA R7L:STA R2H
4360 PLA:CLC:ADC#1STA RIL
4290 PLA:ADC#0:STA RIL
4290 LDA ROL:CMP RAE:BED DMLA
4428 LDV R7H
4350 LDA ROL:GMP RAE:BED DMLA
4440 INV:LDA RSH:STA RSH:BED DMIR
4550 LDA FVHICMP RAE:BED DNX
4550 DTY:LDA (RIL), Y:STA RIL
4560 INV:LDA (RIL), Y:STA RIL
4660 LDA RIL:CMP RILIED RILIER
4660 LDA RILIER

                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                67000EFFRODSTEET
6710PX74=34: !PX=(PX+5)+(PX+5)+&10000
6720PX+PX+5
                                                                                                                                                                                                                                                                                                                                                                          5480. vpo
5490 LDA#&86:JSR OSEYTE:LD##0:PHA
5590 TYA:PHA:JMP SX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   673BENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    674Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   6750DEFPROCCOPY
                                                                                                                                                                                                                                                                                                                                                                        5510
5520.ppi
5520.ppi
5530 PLA:STA RZL:PLA:STA RZH
5540 PLA:STA RIL:PLA:STA RIH
5550 LDX#PIL:LDV#0:LDA#&9:JSR OSWORD
5540 LDA #511:DP#MAFF:BEO PM
1070 LDX#WIPHA:LTA R3L:PHA
5580 JHP EX
5590.PH PHA:PHA:LDA#I:JNP SR
5600
5610.cal
5620 PLA:STA RIL:PLA:STA RIH
5633 LDA#I(CR-1)DIV256):PHA
5642 LDA#I(CR-1)MDD256):PHA
5657 I BAXA3C:RDL A:LDX#4600:LDX#464
5670.CR JMP S)
5680
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               675@DEFPROCCOPY
676@CX=TOP
676@CX=TOP
6770REPEAT CCX=DCX-1:UNTIL 7GCX=NFA
676@IF CDX71<>S3 ORCCX*2<>NFA GOT06770
679@CCX=2CX-3
68@GFR CXX-CCXFO TOP
631@TPX=7CXX:PX=PX+1:NEXT:PX=PX-1
682@SLOX=PX:PX=PX+100
683@ENDPROC
684@
685@DEFPROCFINISH
686@toprtaX=PX: (SLOCX-4)=toprtsX
687@FROGTEST
688@$(SLOCX+8)=**SAVE RTR =+STR**
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                6888$(GLDC%+8) = '+SAVE RTR "+SIR*"
pageX+" "+STR$"(PX+1)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               pageX+ "+ETR#"(PX+1)

6890PRINT""<< TOP DF RTS IS =
"itcprts%;" >:>"

6900PRINT"This number should be entered
in the""compiler."""Reseting PAGE to
its usual value""and then typing RLN will
allow you" "to save your run time syst
                                                                                                                                                                                                                                                                                                                                                                             5688
                                                                                                                                                                                                                                                                                                                                                                         5698.nct

5708 PLAISTA PILIPLAISTA RIH

5718 LEAM&FF:SECISBO RILITAY

5728 LEAM&FF:SEC RIHIPHAITYCIPHA

5730 JRP SI
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   691 BENDPROC
                                                                                                                                                                                                                                                                                                                                                                              5748
5758.env
5758.LDX#10:LDY#14
5778.EL PLA:STA RIL,X:PLA
0768 DEX:DEY:BNE EL
5798.LDX#RIL:LDY#E:LDA#&8:JSR DEWORD
5808.JMP SX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  693@REM type in line 696@ exactly as 694@REM shown.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            6960STOP:STOP
                                                                                                                                                                                                                                                                                                                                                                          SBOR OF SX
SBOR. FEF
SBOR PLAITAY:PLA:TAX
SB40 PLA:STA PL:PLA:STA FH
SB50 TXA:PHA:TYA:PHA
SB60 JMP SF
SB70
                                                                                                                                                                                                                                                                                                                                                                        5880.0x4
5890 LDY#0: DA FSL:CLO:ADD (FAL),Y
5900 STA (FAL),Y:STA FSL
5930 STA (FAL),Y:STA FSL
5930 LDA FSH:BAL),Y
5920 STA (FAL),Y:STA FSH
5930 LDA FSH:BEL NE
5930 LDA FSH:SEC:SBD FLL
6950 LDA HSH:SEC FLH
5960 BVS NN:BHI NE:BPL NN
5970.NP LDA FLL:SEC:SBC RIL
5980 LDA FLH:SEC RIH:BVS NN:BHI NE
5900.NN LDA FJL:STA PL:LDA FJH:STA PH
6000 JPF SF
6010.NE LDX FP:LDY#0:DEX
6820.NXL LDA $5300,7:STA FAL,Y
6840 JMP SX
6050
                                                                                                                                                                                                                                                                                                                                                                             6050
6060.EXIT
6070 STA SR
6880 LDA SP:TSX:STX SP:TAX:TXS
                                                                                                                                                                                                                                                                                                                                                                          5090 LDA RHIPHA LDA RL PHE
5100 RTS
61101
                                                                                                                                                                                                                                                                                                                                                                             5140
6152DEFPPOCSETTIP
6162DFL=8701PH=871;JTL=872;JTH=873
6170R(L=874;R)H=875;R2L=875;R2H=877
```

# Cash & C

→→→ Even further price reductions this month are indicated with an arrow →→→

#### The UK's Best Printer Prices

Only a sample of our massive range of printers shown here — phone for further details

anovir note phone for	Tur eller accans
DAISYWHEEL LETTER QUALITY  → Juki 6100 (P)  → Brother HR15 (P)  → Daisystep 2000 (P)  Smith Corons TP	. £315.9C + VAT= £363.23
PRINTER/TYPEWRITERS Brother EP44 (S) Modems available for Fasylink and Telecr Juki 2200 Daisywhee (P or S).	£189.9C + VAT= £218.39 nm Gold £259.9C + VAT= £298.89
Brother LIR5 (P or S).  Canon 1080A NLG (P).  Canon 1 56A NLG (P).  EPSON RX80 (P).  EPSON RX80 (P).  EPSON RX80 (P).	. £329.9C + VAT = £379.3B
	£259.9C + VAT = £298.89 £379.9C + VAT = £436.89 £113.9C + VAT = £130.98 £199.9C + VAT = £229.89

Smith Corona range of printers. Now in Stock — Phone or write for details. New Low Prices.

South London's Largest Range of Computer Software - Games, **Business, Educational** Top Titles always in stock.

LONDON'S LOWEST PRICES ON FLOPPY DISKS

Prices per box of ten ex VAT

	SSDD 4UTR	080D 401H	SS96TP' 80TR	DS96TP1 _BOTR
BASF 51/4"	£10.00	£17.80	£18.50	£21.00
3M 51/4"	£13.50	£19.50	£19.90	£23.90
VERBATIM 51/m"	£14.50	£18.40	£18.40	£24.50
DYSAN 514"	£15.90	£23.50	£23.50	£28.50
TDK E1/4"	£17.50	£16.90*	-	£32.00
3M/EASE 31/2"	£34.90	*Evel	uniun offen	

3M/EASF 312 234.30 \*Exclusive offer

Acd 70p for P&P per box of 10 disks

#### **CASH & CARRY COMPUTERS**

53-59 High Street, Croydon, Surrey CRO 10D.

12" MONITORS - GREEN SCREEN		
Sanyo 2112 Med Res Sanyo 8112 High Res	65.30 + VAT =	£74.75 £101.20
14" MONITORS - COLOUR		
Commodere 1701 Composite/Sound Fidetry CM14 3GB/Comp/Sound Microvited 1431 DS North Res RGB Microvited 1431 DZ for ZX Spectrum Microvited 1431 DZ for ZX Spectrum Microvited 1451 DS Mcc Res RGE Microvited 1451 DS for Sinclair GL Microvited 1441 DS High Res RGB Series 3125 bform Res RGB	£173.00 + VAT= £169.00 + VAT= £169.00 + VAT= £190.00 + VAT=	£19E.95 £194.35 £194.35 £22E.85
Microvite: 14510S Mec Res RGE Microvite: 145100 for Sinclair QL Microvite: 14410S High Res RGE	\$229.30 + VAT= \$234.74 + VAT= \$379.30 + VAT=	\$263.35 \$269.95 \$435.85
Sanyo 3125 Norm Res RGB Sanyo 3117 Ned Ros RGB. Sanyo 3115 Hgh Res RGB.	= TAV+OC.2853 = TAV+OC.9663	\$198.95 \$327.75 \$458.85
Cormodora		
Plus 4 NEW 84K Computer. Commodore 64. SX64 Portableinc D. Drize and Co. Monitor. C2N Cassette	C126.92 + VAT = . C165.17 + VAT = . C478.22 + VAT = . C32.51 + VAT =	£145.95 £189.95 £549.95 £37.50
C2NCassette 1541 Disc Drive DPS1 101 Daisywheal Printer (by Juki). 801 Tractor Printer. 803 Friction Tractor Printer.	£173.37 +VAT= £309.95 +VAT= £139.09 +VAT=	£199.95 £356.44 £159.95
1702 Colour Monitor.	£173.87 + VAT=	1199.95
Amstrac		100001140004
CPC 464 Green Monitor inc. FREE software CPC 464 Colour Monitor inc. FREE software CPC 664 Green Monitor inc Disk Drive CPC 664 Colour Monitor inc Disk Drive	£208.65 + VAT = £301.00 + VAT = £286.91 + VAT = £382.56 + VAT =	1239.95 1346.15 1329.95 1439.95
Atari		200
130XE 128K	£139.09+VAT=	1159.95
Aco-n/BBC		
→ Acom Electron  → BBC Macol B.  → Model B inc Disk I F.	C108.65+VAT= C290.D0+VAT=	£124.95 £332.36
→ Model Binc Disk I F	£345.90 + VAT=	\$397.79
Full range of CUMANA Disk Drives in stock at V	ery Low Prices.	
Sindair		
OL 109K Computer     NEW Spectrum 48K PLUS     Microdrive + Interface 1 + 4 Free Programs	0321.60 I VAT= 0104.30 + VAT=	£369.95 £119.95
Microdrive + Interface 1 + 4 Free Programs	£82.60+VAT= £21.70+VAT=	£95.00 £24.95
MSX Computers		
→ Toshba FX10 34K.  → Sanyo MRC1064K.	£156.48 + VAT=	£169.95 £179.95
→ Sonv HB75B 64K.  JVC HC7GB 64K.  Full range of MSX accessories available	£217.35+VAT=	£249.95 £259.95

## Apricot Computers Fantastic Low Prices — All models in stock: F1 • Apricot PC • Xi • Portable PHONE NOW!

### Mail Order + Export + Trade Hot Line Phone 01-686 6362



Delivery by Securicor (3 day) please add £5.00 + VAT per item. Delivery by T.N.T. (overnight) please add £9.50 + VAT per item.

Send off the coupon or order by 'phone quoting your Access, Barclaycard No. 'Phone D1-686 6362. Immediate despatch on receipt of order or cheque clearance.

Or you can Talex your order on: 946240 Attn 13001335

We accept afficial orders from PLC's, Government Departments and Educational establishments.

These prices correct until superceeded by nex; advertisement.

	53 58 High Street, Croydon, Surray CRO 100.
Please supply	A STATE OF THE STA
Tenclese my chaque for E	including delivery by Securios/T.M.T*
or charge my Access/Barclayo	and Vo
Name	Signature
Address	
ACC 1889	Y
'Rease Delete	(Vision Technology L

# COMMODORE 64, BBC AND SPECTRUM

# Figure 1. 5 REM HEX LORDER FOR CBM 64 FIG.: 6 REM 10 FOR I=680 TO 727: READA: POKEI, B T=T+A 20 NEXT-IF T=57.6 THEN GUID 100 30 PRINT"ERROR IN DATA ".T-6716 END 40 DATA 169.1,133,186.169,1.133,184 50 DATA 133,185.169,8.133,183,69.208 60 DATA 133,185.169,2.133,183,69.208 60 DATA 133,251.169,2.133,183,69.208 60 DATA 133,251.169,199.33.252.169.251 80 DATA 162,231.160,206,32,216.255.96 90 DATA 68,79.87,78,76,79,65,60 100 SA=51000 LH=52855 110 INPUT"START ADDRESS".A 120 IF (ACSA) OR (ADLA) "HEN GOTO 140 130 IF A/8=INT(A/8) THEN GUID 150 140 PRINT: PRINT"ADDRESS ERROR".GOTO 10 150 T=:A-32768) AND255 PRINTA: INPUTDS 160 IF D\$="END" THEN GOTO 190 170 IF LENCU\$>=20 THEN GOTO 190 180 PRINT"WRONG LENGTH":GOTO 150 190 FOR B=0 TO 7 BS=MID\$(D\$,2\*B+1.2) 200 GOSUB 300: IF E\*1 THEN GOTO 280

```
210 POKE A+B,D:T=T+D:NEXT
220 B$=MID$<(14:10:0):COSUB 300
230 IF E=1 THEN GOTO 280
240 IF T=D THEN GOTO 260
250 PRINT'CHECKSUM ERFOR":GCTO 150
260 H = H+B:IF RCLF THEN GOTO 150
270 GOTO 800
280 PRINT TABC(8+2*E+D)C$'??"

290 B=8:NFXT GOTO 150
300 E=9:D=0:FOR N=1 TO LEN(E$)
310 C$=MID$(8$,N,1):GCSUB 400
320 IF E=1 THEN D=N N=4:NEXT RETURN
300 D=D*16+X:NEXT RETURN
400 X=8SC(C$:-48:IF X<0 THEN E=1 RETURN
410 IF X<10 THEN RETURN
420 X=X-7:IF X<10 THEN E=1:RETURN
440 RETURN
500 H$="0123456789$BOIEF"
510 FOR A=$A TO IA STEP 8
520 PRINT A:"? ': T=(F-32768)AND255
530 FOR B=0 TO 7:X=PEEK(A+B) GCSUE 600
540 T=T+X NEXT:PRINT"=")
560 Y=INT<T/256: FRINT MID$(H$,Y+1,1):
570 X=255 AND T:GOSUB 600:PRINT
580 NEXT GOTO 900
600 PRINT MID$(H$,INT(X/16)+1,1):
610 PKINT MID$(H$,INT(X/16)+1,1):
```

THE PROGRAMS given here will enable Spectrum, BBC, and CBM-64 owners to download via Your Computer's Telsoft service. Each month for each machine we transmit at least one — and usually two — of the main programs appearing in the current issue. Also available is the full user to user communications program, Dialsoft.

So far OE LTD's Telemed 2 and the VTX

So far OE LTD's Telemed 2 and the VTX 5000 moderns have been tested with the BBC and Spectrum but the service also works with

```
800 SYS 680:C$=CHR$(34)
810 PRINT PRINT" TO RELOHD CODE:"
815 PRINT:PRINT" LORD'C$*DOWNLOAD';
820 PRINTC$*.,1 (RETURN)"
825 PRINT:PRINT" THEN TYPE NEW",
830 PRINT" (RETURN)"
835 PRINT PRINT"TO RUN THE PROGRAM';
840 PRINT" SYS 51000 (RETURN)"
900 PRINT PRINT PRINT". ENTER THEN"
910 PRINT PRINT PRINT". ENTER THEN"
910 PRINT PRINT'S SAYE DATA"
930 INPUT Z ON Z GOTO :00,500,800
```

#### Figure 2.

CEGIDOCESUDICEADSCI DOCESUDACES DINCESSE DECEGIDACES DINCESSE DECEGIDACES DINCESSE DECEGIDACES DINCESSE BRASCOTS PROBREMS 602=4:4 RESTRICTION FOR THE STATE OF THE STATE 51969 51968 51976 51984 51592 52040 52043 52056 52112 52128 52128 52136 52134 52152 52160 52168 52165 52184 52192 52288 52288 52216 52224 52248 52248 ABCC2018C9604N7D≈48F CE817DCER208AD7DE49=44R CE2890193D7DE49=441 088D7DCERD7CCE49=446 198D7CCE2E7CCE2E=3DS 7DCE0RD0E1668069=516 R9809580114C8C018=40E 10F660R99320D2F≈583 S048A5R2299F301F6=37E R5144885R229:0F6≈481 8594844C88CCP920=42B 20D2FF69088514R9=510 #509844218800F928=428 2002FFF98085D469=516 502002FF6835D468=53F 692002F=0931FJC9=628 2100F608682825CD=489



## A reminder of how to use the Telsoft service.

a number of other makes. For the CBM-64 it will initially only be available with the OEL Comms pack together with the Telemond 2 or similar modem; later we hope to adapt the service to work with Commodore's modem.

To enter the download program first type in the hexloader for your machine - figure 1 and then enter the machine code figure 2. Once the program has been saved you can run it by entering CALL &6000 on the BBC, SYS 51000 on the CBM 64, RANDOMIZE USR

60000 on the Spectrum.

To find out what is available and how to receive software dial up Colchester (0206) 8068. This audio recorded information line will also advise you which telephone numbers to ring for the 300 and 1200 bit/s services.

When a program you want to download is on line, make sure your modern is set up and dial the number appropriate to its speed. As soon as you hear the modern tones switch the modem to line and replace the receiver. Select

Option 1 from the menu - Receive. After a block of data is received you will see "OK" printed if there are no errors, otherwise the program will wait for the blocks to come round again. When the "Program loaded OK" message appears return to the Telsoft menu and select Option 5. You can now save and run the program.

Note that CBM-64 owners will need to use Option 6 if machine code is to be saved.

```
258 A=A-8:GOTO 58
248 PRINT "TYPING ERROR "
278 A-9*(A DIV E):GOTO 58
                                                                                                                                                            168 B= EVAL("%"+FID$(B$,2*N+1,2))
178 ?A=B;A=A+1;T-T+D
                                                                               70 FRINT "A" ":
90 INPUT ":" B$,C$
Figure 1. BBC.
                                                                                                                                                            188 NEXT
                                                                                                                                                                                                                                        280 +SAVE -DOWNLOAD" 6600 5F87
                                                                                                                                                           198 FOR M = 1 TO LEN (C#)
288 X#=MID#(C#,M,1):BOSUB 388
218 IF E =1 IMEN A-6-1: GOTO 268
228 NEXT
                                                                               98 (F LEN(8#) (>16 THEN 58
 18 REM BBS HEX CODE LOADER
15 HIHEM-669FF
                                                                                                                                                                                                                                       248 END
380 E=01:F ASC(1$)<48 THEN E=1:RETURN
310 IF ASC(X$)<58 THEN RETURN
320 IF ASC(X$)<55 THEN E=1:RETURN
330 IF ASC(X$)>71 THEN E=1
                                                                                                                                                                                                                                        29B END
                                                                              118 FOR N=8 TO 7
 28 CLS:PRINT
                                                                             128 ($= MID$(B$,2*H+1,1); GOSUB 388
138 IF E=1 THEN 268
148 X*= MID$(B$,2*N+2,1); GOSUB 388
:58 IF E=1 THEN 268
 20 CLS:PRINT
32 INPUT " START ADDRESS (Hex)":A#
40 A=UAL("&'+A#)
59 IF A>&6F87 THEN 280
60 IF A<&2408 OR A>&6F87 THEN 20
                                                                                                                                                            238 IF T= EVAL ("&"+C$) THEN 50
                                                                                                                                                            240 PRINT "CHECKSUM ERROR
                                                                                                                                                                                                                                        340 RETURN
                                                                                                                                                                                               6D48 : A98C28E3FF28AB6D, 3th
6D58 : A98728806EA99AB5, 386
                                                                                                                                6C28:495CC68FD8023B60.374
                                                                            :6CB8F2917628D55D,477
:CBC475E8F1288E6C,45A
:B8E3C57AF88BA95B,4UE
                                                                                                                                                                                                                                                                5E70 : 8C6AA57CA67D4471,3D3
6E78 : 68847E867DA976A2,446
 Figure 2, BBC
                                                                                                                                6C38 : A5BAC982D8662879,369
4C38 : 6EB8EC68A9914281,447
6C48 : 28F4FF98A4/ED8DF,55C
                                                                                                                                                                                               6D58 182A96E8583A80020,351
                                                                                                                                                                                                                                                                          : 0820F4FF982901F8,3CD
: 08A996A28920F4FF,408
                                                                   6818
   0A02 :A°CBA0FEA20120F4,4C6
5A0E :FF20616C20485DC5,38A
5A10 :3!FWWDC754F029C9,4C8
                                                                              20E3FF20E7FF4C67, 4BB
                                                                                                                                                                                                                                                                6E98
                                                                                                                                6C48 : 68BAAZDZCAEBCAD8, 5AA
6C58 :FEAA68A988B47EAB, 45E
                                                                                                                                                                                                                                                                          19818480130A27DA1, 148
17E68444F574E4C4-,281
14144494E47284D45,215
                                                                             :6A200C&CD0CFC57B,3C1
:F000A95820E3FF4C,147
                                                                                                                                                                                               6D70 16DA98A28886E28F8, 2C6
                                                                   6528
                                                                                                                                                                                                          :6D28AB6DA7022888.278
:6E28FB6D28AB6D28.54B
:E7FFA7D22BF9FF4B.5AB
:A98FA28828F4FF6B.3D5
                                                                   6836
                                                                                                                                 6C58 : 2049628888FAA47E,449
             :35F8864C8C6A4C47,288
:64A98C28E3FFA9E8,482
                                                                   6838
                                                                              676A20L76B20C7FF ,425
                                                                                                                                                                                                                                                                6EAB
                                                                                                                                                                                                                                                                          6080
                                                                            1A573A8A98899856F,3F6
:A58AC982D85828D7,419
                                                                                                                                                                                                                                                                SEAB
SEAB
                                                                                                                                5C68 :F4FFA908858A390C.460
6C79 :Z8E3FFZ0A86DA984.3E4
                                                                                                                                                                                                PLBR
             : AB0842FF28F4FFA9, 4FD
: 03.020828F4FFA982, 363
: A20228F4FFA9D8A8, 4D8
                                                                                                                                                                                               6098 : A98FA29828F4FF68,305
6098 : 68F98828886E28F8,287
                                                                   6358 : 68A9C828556CA955,388
                                                                                                                                           28086EA9098592A9,2F0
6-8583A03028F6AD,39
20156DC941F80BC9,370
42F0.1C943F0174C,3A2
                                                                                                                                                                                                                                                                6EE8
                                                                            . 20106FA95020556C,298
:A915A20120F4F-20,394
:F769A471C8809985.505
                                                                                                                                                                                                                                                                6ECS
                                                                                                                                                                                                50A8 : 6D28A85D6828A86D,334
                                                                                                                                                                                                COAB : 20486D20E7FF28E7.445
              :FEA28828F4FF68A9,490
                                                                                                                                 6088
              :0C20:3FF20F76BA9,439
:15A20128F4FFA068,3EB
:A9FFB899856-D0FA,507
                                                                   6B68
                                                                                                                                                                                                6DB8 :648938C93A308318.1F1
6DC8 :698728E3FF68298F 312
ADCB :093BC93A30831869.1F8
4DD8 :0728E3FF68437DD5,3AE
                                                                               6FD05198D0F7A98C.4A4
                                                                                                                                                                                                                                                                6EDB
                                                                   4878 :28E3FF28A56DA95A,437
6888 :8582A96F85834987,3D7
                                                                                                                                                                                                                                                                           :284E554D4245528D, 1F6
                                                                                                                                           :FF403760A988A283.304
12854FF408766A980.423
                                                                                                                                                                                                                                                                           12828555345204354,
15240204720544F20,
               : A915A28128F4FF28,394
: 8C6C98F8288C6C88,348
                                                                    6888 129086£28F86D28A8,2DE
                                                                                                                                                                                                                                                                6EF 8
                                                                                                                                            : #20420F4FFE6BAF5,4CE
: *C20E3FFA47:20AB,46E
    6A6B
                                                                                                                                                                                                                                                                6EF8 02430458524E2854,254
6F08 :4F284D454E552829,1ED
6F88 :0053455420545241,208
                                                                    6898 160A98520886EA988,204
6898 120E3FF20F86DA9D2,502
68A8 120E8FF4C0C6AA955,38F
                                                                                                                                                                                                ADD8 18/28E3F68897D85, 38E

#DD8 17EA288A57B2A988C, 38E

#DE8 1A57B4988E57BA57A, 399

**DDE8 14918B57A267A267B, 299

**DDF# 1CADBCD6929C%FCEC, 5AC

**DDF# 1BL82C%BD98F6C868, 4F7

**DE8 1B57DABA92828E3FF, 473
                -BADGGB477847884.416
                                                                                                                                 6CBB
               :/Y847A047B657928,38B
:D56DA57829F8C988,489
                                                                                                                                 6000 10DA98828006220FB,204
6000 10DA01720154DC941,200
6000 100050942F0110943,413
              :D569A5782919C909

:D8E2288C6C88D899, 468

:7188C828D56DC899, 364

:D6F8A988A51C857618A5,354

:1D65738577288C6C,289
                                                                                                                                                                                                                                                                 6F18 :4E534D4954284261
                                                                              : 28386EA99628556C, 2DE
: 406A68A475288C6C, 2D2
    643B
                                                                    5880
                                                                                                                                            :F0174C616CF907A2
                                                                    6988 :89D0FA200C6C200C,315
                                                                                                                                           10120F4FF4C096D49,37F
                                                                                                                                                                                                 6E08 : CADBFAA6706EC97F, 55F
6C10 : DWMBA98620F4FFE0, 4FD
6E18 : BBF812A97FC920B0, 5C3
6E20 : EEC98AF88AC98DF0, 3A1
                                                                                                                                                                                                                                                                 6F28 : 6175648D42202033
                                                                    68U8 1004040484C4C6889.336
    GRAD
                                                                                                                                                                                                                                                                           13838284261756480,289
14328313238382842,188
1617564805.455428,283
15285434549564520,223
                                                                                                                                  6CEB .07020330F4FF4C09,314
     6AAB
                                                                    6BC3
                                                                               12020E3FFAY6F20E3,43D
                                                                                                                                           16DA907420420F4FF,3D6
:E48AA58AC907D609,443
A9E8A000A23120F4,3E8
              188528637F3828D5,524
16D081859F8A57328,435
1826DZ88C6C88A8C5,3CC
                                                                               FFA96BZEE3FF6BA9,51E
                                                                                                                                  6CFB
      SABB
                                                                    6BDB
                                                                              18BA21328F4FFA212,387
128F4FF68A29723F4,468
1FFA29628F4FF68A9,553
                                                                                                                                                                                                 6E23 : E6C987F802A98068,201
6E38 : 857C867D847EA991,448
6E38 : A20128F4FFA983A2,484
6E48 : 8728F4FFA995A208,483
                                                                                                                                 ADB8 :FFF57C28E3FF2853,495

AD18 :AC10535L0878ADAD,2E3

AD18 :A7952880AE28F86D,2C1
                                                                                                                                                                                                                                                                6F58 :425175642852617
6F58 :658D58524F47524
               17AF008495620E3FF,478
                                                                    6BEB
     6908 :20E7FF4C676A288C,34F
6A08 :6C988CC578F88BA9,48C
                                                                                                                                                                                                                                                                 eFo0 .4020294046414445,1F2
6F69 :4420206F68005052,280
                                                                              19CA98BA6BAE882D8,41E
                                                                    6BFB
                                                                                                                                  6020 : 20AB6DA98520086E,274
     6AE8 : 502063FF20F7FF4C,4AC
6AE8 : 676AA573A8B9656F,43E
6AF8 : D0062967FFA98B20,3B8
                                                                              : EBA25328F4FFA252,4E7
: 2WF4FF6010A79495,44F
:BF847EA791A20828,38D
                                                                                                                                                                                                 6E48 :20F4FF982902F0F4,48A
6E50 :347CA997A20920F4,41F
6E50 :FFASMTA20420F4FF,464
                                                                    9C88
                                                                                                                                  6728 : 28F86028AB6DA785,36B
6038 : 28684E28F86078AB.2DE
                                                                                                                                                                                                                                                                           : 45535328414E5928,213
: 48455928464F5228,218
                                                                    6CIB 1F4FFB009C007D005,448
                                                                                                                                  AD38 : 60347EA98328086E
                                                                                                                                                                                                                                                                  SERO +40454E550D202028,192
      6AFB 1E3FF4CB36B4C676A.469
                                                                                                                                                                                                  6E60 1A991A20820F4FF80, 491
                                                                                                                                  6048 : A90229E8FF857C68,4DB
```

	_	88 INPUT " 1"15#		158 IF e=1 THEN 00 TO	200		240 PRINT "	Checksum	Error"
Figure 1. Spectrum.		85 IF BS-"END" THEN GO T	0.288	178 POKE A, YI LET A-			250 LE1 4-4		
		98 IF LEN 58<>28 THEN BO	TO 26		ILLET Y-D		268 PRINT "	Typing E	rror"
5 REM SPECTRUM 4EK #14		100 LET t=4-ZD0*IN" (4/25	41	198 FOR m=1 TO 3			278 LET AME	WINT (a/	g): GO 10 5a
18 REM Hex Code Loader		118 FOR n=8 TO 7		280 LET x5=b\$(17+m T)	17+m)		280 SAVE "d	ioersload"	CODE 68908,1136
15 CLEAR 59888		128 LET x 8=38 (2*n+1 TO 2*	n+1)	205 80 SU3 3001 LET y	my#16+2		298 PUKE 23		
28 POKE 23658,81 CLS   PRINT		125 GO SUB 388: LET YER		218 IF wel THEN LET	ma-11 30	TO 268	WAR LET a-8	BE LET X	CODE x\$-48-7* (x\$>
38 INPUT "Start Address 'In		138 IF e-1 THEN GO TO 268	1				310 IF × 0	CR x>15	THEN LET #=1
58 IF 4361135 THEN GO TO 288		140 LET x*=b\$ (2*n+2 TO 2*	n+2)	238 IF tay THEN PRIN	******** I	60 TO 52	320 RETURN		
		145 GO BUB 308: LET y=y+1	6+x	238 IF tay THEN PRINT	1000		CAD HATON	_	CONTROL DESCRIPTION OF THE PARTY OF THE PART
70 PRINT AL	_				40472 .FF	EF10324F	EF3721,305	68984 :	D73E00D7F1E1D1C1,
	69208	I COME I ZI I I I I I I I I I I I I I I I I I		31D3FF3E0F32BF5C,395	APADE AN	EECB1A23	CB160E, 358		C9FEØ7281CFECE28,
Figure 2. Spectrum.	60216		04140	32805C32485C3E81,258	404.00 .20	EPCLE LCS	110501,394		19FE0C2814FE0B28.
	68224	CDIFEDDAAAEA2178,518	60456	103FE21915CCB9EFB,56B	A9494 171	16AOOCDBS	503393£,32#		INFEND280CFE28FA
		I had been a window or the same of the sam	68464	CD50EDC366EACD15,52F	60704 19/	3277EFC	47EDDA,527	60936	OFEEFEBOFALIEESE.
MANUEL TEDEDSPECCDPPENCD 421	60248		60472	1EEC066ED3E01D3FE,556	68712 : 26	EEDELC366	SEACDAC, 508		00C93E07C9CD680D,
8016 :50EDCD47EE38FBCD.5AF	68248		48488	12165EE3E09CD9FEC,442	48778 +FI	TREADIFA	60203FE,548		3E@2CD01163E1832,
MM24 : BBEDFE3 CA99EAFE . 69A			68488	CDB4ECCDA3ECCDA6,654	68778 : OF	F2177EF3	200237,2FC		895CC93E1216B1CD,
ARTO :35CARTEAC3&&EACD.EDB	68264		60496	:EC23CD77EC3D77EC,5BF	437 XA 1 C	PCD77ED36	BEBC9CD, 5FB		1122C93E1216@aLU,
MM48 (15EDSEFACDD4EDCD, SFD	60272		69584	CDAMECCDB4ECCDA6,561	MAZAA 14	PERMEECI	BC837C9,5E6	60976 1	1122C905D5E53E02,
9848 :15E0C9C015EDC356,553	60200		68512	:EC233E0DCDBFECCD,4CF	40789 · E	SDRFF 368	1EFFE00,507	60984 1	CD0116CD47EE38FB.
8856 :EACD66ED11E5EE86.58C			60520	BAECZSUDASECSEBS,498	40743 17	HB93E361	B023E17,187	68992 1	CDSCEEE 1DIC1093A.
9954 :803EFF121310FCCD,458				CDBFECCDB4ECC9CD,688	A0748 : E	SEEDB7FF	1C9F53A,675	61000 :	3BSULEGF 280C3A00,
80/2 :15EC11CDEEAA173E,3D2	69384		60536	ASECSE87CDBFECCD,561	A0776 :8	IEFFER02	BØ43E36.376	61888 1	SCF5213B50CBAEF1,
0000 :20121310FC3D1FED,3DA	68312		69544	:84EC23C97EFE00C8,520	AD764 . 0	SEFEDSOE!	DF1C93E, 644	61016 :	A7C937C9F51110000,
DEBB : 30F2CD50EDCD1FED,588	68328		60552	CDBBED23C394EFFE.651	-0707 - 19	ODSECTADO	37CADB.59.	61024	CD18EDF1C9444F57,
8896 : 38FB3265EF3E8932,3E9	68328			1 00CBF53E28CD90ED,528	10000 . 6	EEAB237C	BUBFFE6,626	61832	4640454144494E47.
0184 16CFF326FEF3278EF,544	68336			:F13DC28FECCDABEC,650	COURS IT	02004087	FA7C93A,3E8	61949 1	204D454E5500312R
Ø112 : 3A65EFCDEEEC3A65,DA1			69576	CDASECCDASECSEDD, 5A6	10016 13	SECERGA?	0043E37,397	61848	2920524543454956
0:28 :EFE6F8FE8828DE8E,627	69352	: 32E4EE3ABB5CFE21 , 591		CORRESTREES AND	A0074 11	DOSTE TAN	3FFDB7F,452	6:856	4500352020204578
8:28 :891165EFCD1FEDDA,581		12803CD15EECDD7EC,553		1C9F513E6F0CB1FCB, 60C	19973 10	9CD47ED3	ATSEFD8,5DE	01864	407420746F284261
8136 : AAEA1312CDEBECED . 552		CDAGEC21ESEESA68,505	98988	1 1FCB1FCB1FF63ØFE, 4CF	Lansa .F	1CSASEAF	53ED23D, SEE	61072	73696300202225573
68144 : 20F23A69EFE66028,51A	49376	1 EFB56F3E000C6736,422	96989	13AFAC6ECC6871213,498	10010 17	DEDE LOSC	DACEDSD, 62A	61988	652023796D626F6C
0152 :00214E5C3A68EF0E,36C		19821ESEEED4800EF , 561	61486	:F1E68FF638FE3AFA,685	10054 12	MEDC 9CSD	SESFSFE,780	61@B8	2853686956742020
0160 :001709226BEFRE00,1DP		18C7EFEB8C2BDEA23,4FC	68624	: D4ECC60712130921,460 : CDEEESCD84ECE106,69C	40044 17	E2813CDF	PEDFERC ,537	61 096	284798745F295265
68168 : 11CDEECD1FED389A, 47F		18D29F63EFACDB4ED, 589	69632	:173E20772310FC3E,339	AB672 : 2	BECFEED2	0053E20,28A	61184	7475726E20/40F20
60176 112130CCDEDCC79FE,45C		13E81D3FEC366EACD, SE8	90945	1087709E52178EFAE,539	AMPRIA ID	73EBD371	E183E28,34F	61112	4D454E5520290045
68184 : 1828F83A68EFCDB1,447		11FED30F0C30DEAF3,894	49696	17/LD9E087EA7CB17,449	A0000 1D	73E88073	48850FE,4EB	61128	4E544552204E554D
60192   ECCDIFEDDAAAEA21,574	68424	18683AFD3FF:BFB3E,3DB	100000	130007EEE08773A4F,309	ABB96 12	212893356	BD73ERF 2FA	61128	4245522600000000000
66200 16FEFBE28133E5811,325	68432	140D3FF3EFFD3FF3E,56F	00004	10000 ECCODY ONCE 3CA	30070 13			_	



### Nalin Sharma continues his epic for the CBM-64.

HERE IS a reminder of the loading and game instructions for Space Junk.

Insert cassette, press Shift and Run/Step and start your cassette recorder. Loading time is about two minutes. Put your joystick into Port 2.

Can you retrieve all 32 satellites by mastering control of your ship, which can move up, down, left and right and can also fire bullets?

However, beware of the four yellow junkies which patrol the skies. Unless you can work out now to destroy them you're in trouble! To help you there's a radar at the top of the screen which will pinpoint the junkies and any miscellaneous junk which appears from time to time and can be retrieved for bonus points.

After every two sheets you'll get an extra life and an attempt at the challenge stage. Here you have 99 units of time to turn the four junkies into stormer — if you succeed you'll get 8000 points! Below your score is shown the number of satellites left to collect, together with the number of lives left.

Pressing F7 will freeze the game and pressing the Space-Bar will restart it. Tape copies of the program are available for £3.25 from Nalin Sharma, 35 Kitchener Road, Walthamstow, London E17 4LJ.

```
note: enter letters as
                                        55±8: a2008=1dd09d27d0 3o1 5710:
                                                                                     c952#005ce01d0ce 47e 5878:
                                                                                                                          a9dd9d28049d3104 32: 59e0: 184a4a4a48ad01d0 2bc
   capitale
                                        55b0: e8e003d0f8aSbe23 5lf 5718
                                                                                      01d0a5312902c900 29b 5880
   5450: 46a90f3d08d88d09 301 55b8
                                                                                                                          a9049d28d89d31d8 349 55e8:
                                                                                                                                                               38e9524820870985 289
                                                f356a9ff8d15d0a3 5Ao 5720
                                                                                     000dad0td0v9b6+0 4cc 5888
                                                                                                                          a9948dfb078dfb07 45c 59f0:
  5458
          d00x24d88d25c8a9 494 55c0
                                                553d91d08d03d08d 3a0
                                                                                                                                                               3002a201866c684a 279
                                                                             5728
                                                                                     66ee31d0ee01d0a5 429 5850
                                                                                                                          8dfd078dfe07a364 430 59f8
          168:33848:44848:d 23c 55c8
   546R
                                                                                                                                                               4a29fea.abde66885.4ab
                                                05d0a985Ed07d08d 3+4 5730
                                                                                     312904c900d045a5 2e1 5898
  5468: 5b048d6c04a9078d 299 55d0
                                                                                                                          35388539a996853a 375 5a30
                                                                                                                                                               69bde768856a6848 414
                                                09d0a9h58d0bx084 42c 5738:
                                                                                     110901+007e630e3 3oe 58a0
           33d88d44d88d55d8 474 55d8
                                                                                                                          353ba902854ca903 2e8 5a08
                                                                                                                                                               a820375ae8e8bde6 4cc
                                               0dd08d0fd0a97c8d 3fb 5748
                                                                                      324c6057c630c630 31f 58aS
   5478
                                                                                                                          854da905854ea906 302 5al0
          3d6cd8a90e8d5294 36k 55e0
                                               06408096d28d8ad8 35a
                                                                                                                                                               688569ode768856a 451
                                                                            5748
                                                                                     a5302980c980d067 3fe 58b3
                                                                                                                          0544a9058de7032b 319 5a.8:
          3d6e04a9043dFed8 374 55e8
  5489
                                                                                                                                                               6848a820375a68a8 319
                                               eDaoSc02d38d9cdy 41d
                                                                             5750
                                                                                     a9008538a90285:1 294 58b8
  5488
                                                                                                                          e768a200bd176c9d 3c6 5a20
           8d52d8a90f8d5804 358 55f8:
                                                                                                                                                               a560c901+00160e3 414
                                               a9do8d04d08d08d0 44b 5758
                                                                                     a9928d+8074c6a57 3d4 58c8:
                                                                                                                          0470a9039d3803e8 2dd 5a28
          8d7404a9048d74d8 38b 55f8:
  5490:
                                                                                                                                                               e8hde6688569bde7 565
                                               8d@ed@a9818d1670 3a3 5760:
                                                                                     453029205920d002 2d9 58c8
                                                                                                                          e019d0f060a56fc9 4f6 5a30
          8d58d8a5298d5904 375 5600
                                                                                                                                                               68856a20375a608a 242
                                               a9a4851a20+356ad 402
                                                                            5768
                                                                                     8530a530480a1869 25d 58d0
  54a8
                                                                                                                          01d0362006612051 lof 5a38
          a52a8d7504a9038d 30e 5608
                                                                                                                                                               4888a900856bc8e6 417
                                               1a701869198d1a70 23b
                                                                            5779
                                                                                     a08d00d0684a4a65 37e 58d8
          75d83d59d8207e46 3ef 56:0:
  54a8
                                                                                                                          £160a56fn901d009 378 5a40
                                                                                                                                                               Skie56bc907f05/b1 443
                                               a21420aa46c61aa5 34b 5778
                                                                                     164co357a5312903 233 58e0
          207e46207e46a90+ 280 5618:
                                                                                                                         28a861201f622032 21c 5a48
  54b8
                                                                                                                                                               69c920t0f138e9db 52t
                                               1ac99cd0e7e61aa2 4d8 5780
                                                                                     o900d045a511o902 35f 58e8
          8d0070a914205846 278 5620
                                                                                                                         6360a56fc901d018 389 5a50:
  54b8:
                                                                                                                                                               0a0a0a0a852e8d4e 1b6
                                               3220aa46a209a006 293 5788
                                                                                     f007e630e6304cad 41c 58+0
                                                                                                                         23495e20fe5G20cf 32a 5a58:
  54c8
                                                                                                                                                              03204655a9209169 281
          a9158d83048d9434 247 5628
                                               9000d0ee01d0e903 45e
                                                                                     57c630c630a53029 341 58f8:
                                                                                                                         5920a15a20105f20 223 5a60
          a9298d8a04a92a8d 34d 5630
  5408
                                                                                                                                                               981865124a4a4aa6 2ab
                                               d0ce04d0ee05d0ee 523 5798
                                                                                    800980d0cda90085 494
                                                                                                                 5900
                                                                                                                         6d5b20e65f20ea63 39a 5a63
  5480
         80048d8c04a32b8d 30d 5638
                                                                                                                                                              2fe0004003186920 2a3
                                               06d0ce68d0aeBad0 444 57a0
                                                                                    30a9018511a99084 336 5908:
          8d0420e854e62420 322 5648
                                                                                                                         60a56+0901+00160 384 5a70
  54d8
                                               ce0bdWce0dd0ce0e 430
                                                                                                                                                              aaa5009d00c2a62f 387
                                                                            57a8
                                                                                    f8074cb257a53029 357 5910
         e854c62f20664460 35b 5643
                                                                                                                         a612208959a612ca 33c 5a78:
  54e0
                                                                                                                                                              b527+833e9019527 3b2
                                               d0ce04d098488a48 424 57b0
                                                                                    20o920d002853006 296 5918
                                                                                                                         20245960a564c901 2eA 5a80
 54e8:
         a200561aa002a52f 2b8 5650
                                                                                                                                                              08ad3883a9884684 37d
                                               20aa4668aa68a8ad 3df
                                                                            5768
                                                                                    30a9a836e3308d00 353 5920
                                                                                                                         400160a612208959 30b 5a88
 5140
         c900f004a204a01e 321 5658:
                                                                                                                                                              c910x00fa9108d38 336
                                               03d0o985f0:fad13 3f0 57b0
                                                                                    d04630a5364a4a85 334 5928
         b51b484a4a4a4a99 2d9 5660
                                                                                                                         a612e3202f5960a0 348 5a90:
 5448
                                                                                                                                                              03a9188d3903a900 236
                                               7038e9058d137688 32e 57c8
                                                                                    10a5312910c900d0 2b3 5930:
         2804a9019928d868 2d7 5668
 5500
                                                                                                                         ffcan8e88e2907c9 4fc 5e98:
                                               ляя 2000 година на применения на 1946 година на 19
                                                                                                                                                              8#3a#34c3e5a68aa 2c9
                                                                                    1fa534090:f060a2 3b4 5938
                                                                           37d0
                                                                                                                         00d0f78a4a4a4aaa 3d9 5aa6:
         08290f992804a901 26# 5670
                                                                                                                                                              63a93c1865308d1a 299
                                               48e61aa51a20f356 370 57d8
                                                                                   01a002ad15d02902 268 5940
                                                                                                                         8a291fa62fe000f0 377 5aa8:
 551R:
        9928d8c8e8e61aa5 4ee 5678
                                                                                                                                                              78a9608d1379a981 3b3
                                              68aa4c285620da44 31a 57e0
                                                                                   0902d0:1e808o8ad 4d: 5948
                                                                                                                        023020aa48bd0002 29c 5ab0:
 5518
         1a0904d0dba288a0 344 5686:
                                                                                                                                                             8d1670ee3d03a921 30b
                                              e3808d1670a907sd 379 57e8
                                                                                   15d02904c904c005 2b4 5550:
                                                                                                                        0930f02848290f0a 26b 5ab8:
 5529:
        03a52to960f034a2 336 5688
                                                                                                                                                             38e530cc3d03100d 277
                                              1dd0a9888d92d0a9 426 57+0
                                                                                    9900853460980±15 27c 5958
 5528
         01a01fb527484a4a 278 5690:
                                                                                                                         aabde668856dbde7 54b 5ac8:
                                                                                                                                                             A9008d3d03ad4897 322
                                              b88d04d0a9848d03 3d6 5748
                                                                                   d08d15o0adf0074a 438 5960
        4444995004490393 206
                                                                                                                        68856e684a4a4a4a 2eb 5ao8:
                                                                                                                                                             4901Edf807a90285 306
                                     5698
                                              d88d85d68d91d0a9 439 5800
                                                                                   0948d00da9309559 385 5958
 5538: 50d868290f995104 2b6 56a0
                                                                                                                        48:869db916d68aa 3k4 5ad0
                                                                                                                                                             75a9018576ad15c0 3ac
                                              a08d00d6a90e8d27 368 5803
                                                                                   ad00d018692c4c1b 291 5970
                                                                                                                        a9d418656a856abd 418 5ad0
5540
        a9039951d860a200 370 56a8
                                                                                                                                                             25750575005aab/6 41a
                                              d08d28d08d29d0a9 484 5013
                                                                                   58aS019559ad00dd 36d 5978:
                                                                                                                        0569916d68aae898 3fe 5ae0
5548:
        a52fo9d0f002a204 335
                                                                                                                                                             8a8aa3b559c981#8 484
                                     55b0
                                              90a0cd201a492052 2+2 5818:
                                                                                   38eS14488a0aaa68 323 5980
                                                                                                                        186908a8c02830b8 301 5ae8: 34b900d0:8650690 2d4
5550
        #818b51e652e951e 329 55b8
                                              49a990a0be201a49 373 5820
                                                                                   Sd00d0e8ad01d09d 470 5988
5558
                                                                                                                        60a0ffoac8e0Ea29 52c
        b51a652a951ak51c 2e7.56c0
                                                                                                                                                     5af0:
                                                                                                                                                             0a48ad10d005758x 2e6
                                              205249a9rf8d15c0 3x5 5828
                                                                                   60d09849ff2d18d0 3bd 5990
                                                                                                                        07c900d0f78a4a4a 3b5 5af8:
5568:
        652c951cb51b652b 2a2 56c8
                                                                                                                                                             10d0689900d0ad10 36e
                                              a2008a48a9cc2009 312 5830:
                                                                                   8d10d0a901653460 330 5998
                                                                                                                        4aaa8a291fa62fe0 37b 5b00:
5568
        951od8a900852b85 366 56d0:
                                                                                                                                                             d02575c575d031b9 45e
                                             4920704aa9062009 20f 5838
                                                                                   a234a9A085309590 2c0 59a0
                                                                                                                        00+3020928aa43bd 2ca 5b08
        2c852d852e60b200 200 56d8
5570
                                                                                                                                                             00402948c960d028 412
                                              4920b64aa20a20aa 2df 5840:
                                                                                   e3e08cd6f9a9043d 557
                                                                                                               59a8
5578
                                                                                                                        00c2c900f0144329 300 5b10:
        01059107e8c8e003 3e1 56e0:
                                                                                                                                                             a57549ff2d15d08d 401
                                             4658aae8e00od0e2 4de 5848
                                                                                   28d98d2Sd9a9018d 3b5 59b0
                                                                                                                        349aaabde668856d 3cA 5b18
5539
        d0f660a200b10591 404
                                                                                                                                                             15d94c305b98aabd 3d3
                                     56e8
                                              a9908df807a9018d 34c 5950:
                                                                                   15d00d1du0851185 37a 59b8
                                                                                                                        bde768856e68a920 438 5b20:
5583
        97e688e003x0+660 486
                                                                                                                                                             00d038e9059d00d0 364
                                     5640
                                             15#060a2009df807 383 5858:
                                                                                   54855585568557a6 38b 59c3
                                                                                                                       916d68aae8981869 411 5b28:
5593
        a200a41220bd47e8 374 56f8:
                                                                                                                                                            2948c900d80aa575 3da
                                             e8e008d0f860ad00 4a5 5868
                                                                                   2+b52338a9@14aa8 31b 59c8:
                                                                                                                        08a8c92830cc69ad 3a1 5b30
        c8e028d0f76020da 4f1
                                                                                                                                                            49++2d15d68d15d6
                                     5700
                                             do29148531a53129 2d9 5968
                                                                                  b9fd6b8d6f52a201 412 59d0:
                                                                                                                        1fdE2901c901f001 2d4 5b38: e6760675a576c903 3be
        44aSfa8d1370aS01 3a1 5708:
                                            01c906d00dad01d0 325 5870
                                                                                 a52fc900f002a21d 34e 59d8:
                                                                                                                       60a200ad00d038e9 3a0 5b40:
                                                                                                                                                            d093ad15d02906c9 3ed
```



298045aS058d0170 291 €498 15d8a5799d80d8a5 415 6218: 49205249a8006098 29c 5498 a96885 rk05fda985 4c1 7ac901d009ad10d0 3aa 2901c900d0048d4f 2a3 6480 6220 64a8 85fca9d985fea270 598 5+a8 05753d10d060a575 361 6228: 0360a203932909c9 29b 6230 09-054e8932911c9 3c0 6466 a52fc900f002a278 3a9 49 f f2d10d08d10d0 3c2 5fb0: 11-04ce8982921c9 3e0 6468 a010a91820954624 28c fRa57ac9ffd91ca5 4d8 6238 54b8 7e46207e46a533o9 349 21+044e8982941c9 498 7938e9e390:5aca6 479 6240 6400 5fc0: 01+044a00da280a9 3ad Available on Telsoft. 82ck00f007a57938 30f 6240: 4160308046032574 364 6448 5fc8 1a209546a200bccb 33+ o981498160982981 35d 54d0 54d3 e9088579a901857a 398 6250: 00+021+652a552c0 409 5o58: 01+0+398cd325b10 496 6258 o931+00160a90285 3cb 54d8 6c9d1805a9039c18 288 4n645fa57549f42d 39e 5h48 5443 dae8c005d0-0a62+ 53n 06d004a9003552aa 304 5c60: 2fa670b561094095 339 6260 /4ad15d029748d15 350 54e0 5h50: 5feB :5d88d15d989a998 368 dRa9488d3803a903 32a 64e8 b423a900f8186901 2fa 1869978d#9878d#a 42c 5d68: 61a54:9541a54995 3a8 8575a203867620f4 3af 6268 5658: 5468 49a93f95518a1069 322 622048540675e676 300 8d3a93a9498d3993 27c 6443 d888c000dd0f6484a 478 5b60 97bd306c8d1370a9 315 5070 5140 6270 f08d1a7060a90385 39d 5478 d848a8a9be201a49 3b2 5448 a20420+46220435+ 2e3 6278: a£2fb523aacabd44 422 64+8 4a4a4a8d1e966829 220 5b68 265249a670689df8 3be 3675e676a20528+4 392 6280 6k852x20465560k/5 2ed 6500 3f8d1f66a9338d1e 218 5480: 6999 5b70: 71a9938578a679b5 3dd da8d1fda4c1d65a9 3d7 07686368684c665c 2c5 6288 612901c901d048b5 322 6508 612901c901d00620 24b 5488 6888 6228485406754676 388 5b78: a670b56109089561 333 6129026992400160 288 525≥4c665cb5€129 2fd 5d90 a20520f46220485f 2e5 6290 6510 93849179a99ca2c9 318 5b80: 6010: a910209546a2ff20 381 5b88 46c940d00620s25d 33e 5498 a080a670957b9895 473 69:8 a574o901d0070675 335 6298 b5610902956lad38 2fc 6518 03u950f011a0208a 353 6520 aa46a24f20aa4660 401 4c665cb5612904c9 31a 5da@ 5:60k551488a1869 30a e67620485+60k561 399 62a0 5b90: 6020 a900856485108504 2bb 62a8 3803a9008d3a0395 243 6528 04400bd65:b551c9 345 d8a8a994201a4968 3a8 29394a4a4a4aa8b9 2e2 5da8: 5h98: 6928 59a9108d3903a900 284 8d217020bc5860al3 352 6530 6260: Sha@ 00c00324745cb561 2d9 5db0 a6200355a6769895 3e3 6030 386h8540b54108e5 37o 3ca2008e0570Ce01 270 2908c908d00620ek 2e3 Edh8 514a4aasad3b03c9 343 77853db549e57829 3bd 62b8: 8d3h03a62fb523aa 322 6538 5ba8 6038 5d4c665cf659b559 3c8 5dc0 02f00ba5048;3b03 275 6848 07853e063d263e06 177 6200 cabd546k852db561 40e 6540 d48a489848a01420 35a 5hb0 b:8e6c8d0570a670 3cf b94668a868aae8e0 4e9 4829048572684a4a 273 5dc8 3d263e063d260ea5 1cd 6268 29304a4a4a4a1865 :fe 6548 5bb8 6948 2d852d29465560a5 29f 6550 ffc0e888c000d0e1 568 4a4ac504d604a908 2ce b551e900d0148d3b 37b 3e18691b293+853e 265 62d8 5bo0 5ddP 6050 6558 68a95a8d1a78a9c8 3eb 33c900+00160b561 363 955918757baand52 3af 03b56129bb990895 2a3 6258 2993186543a8a53e 274 62d8 5ko8 5dd8 6a0a0a0a0a185572 181 5bd0: 5de8 61a9949df807a980 463 6068 293c0a853eb53538 254 62e8 2940o940#00acc4# 387 6559 8d1379a9898d1678 34c 634695a9618d4d83 274 6568 a9a48c480Za23229 3cd 5hd8 aabd5269a6784829 3a9 5de8 955190b56129304a 2ff 6668 e94f4a4a4a853fa9 383 52e8 8c4f8368b5614829 2c5 aa46adf80738e90: 3ke 154a4a8572a5194a 2d4 008548a53f2938c9 2a3 5248: 6570 0718758385726940 2he 5d+0 6679 5be8 6248 304a4a4a4aa8b51d 2d6 6578 a99ad0aaa9be3d#8 694 5be8 2986908f012b541 2fa 5df8 1865728572e672a5 3e3 6878 08f90ba96b8d9860 33c 6b9d27d3682943c9 39c 07a2++20aa46a21e 378 6580 1865729541654963 320 5b+8: 5e00 4138#541a549#549 3db 6888 8d9e604c8e60a90f 37d 6300 0029079549400450 105 b012b54138e57295 3do 0d98608d9e60a53f 344 6308 00d026fe3d03bd3d 32e 6588 20aa466020da4420 2ce 5bf8 5e08 6990 03d93b6bd01ba900 316 6590 e854a9058d0170a9 391 5000 b54138e5729541b5 410 5e10 41b549e900290795 2ed 290719653eaabd88 2d2 6313 6899 9d3d03fe4503bd4'5 325 b885fb85fda90585 4ed 0b190a699d800be6 2a5 6313: 6598 5-08: 45-9032907954968 248 494c2b5eb5411865 291 5e13 6098 03c906cAA5a9009d 2ed fca9d985fea279a5 5b8 729541k549590029 2d8 6328 65a0 5-18 4a4a4a4a48290785 225 5e20 68aW: 3108080808e640a5 52a 2fc903f002a278a0 3a4 65a8 726829085908#014 2e0 4593a8b93e6b9df8 3e7 5018 5e28 379549a535d535f0 3b9 68a8 40c903d0c668a200 3a4 6328 18a918209546207e 25a b535186572957229 249 6330: 3760a574c901f96f 3a5 65bй 5020 5e30 174535900kb535c9 384 6366 a924283268a28328 244 46207e46a00+a2kf 33a 0982d88166a62fb/5 386 6568 fcc9k4f02ea57295 543 b4f00df6354c435e 3ce 2669a294292669a2 274 6338 5028 5e38 68b8 a919209546a2ff20 37e 6340 27c916=00160a901 301 65c0 9529266932962926 199 354c455cb53538e5 329 5e40 b535c952+602d535 402 MICH 5c30 8574ad;bd4482907 30d 6508 aa46#2ff20aa46a2 443 6348 5038 72857229fcc35040 497 5e48 60a9u8200049205c 2c1 6008: 60a574c901d907a2 3bc 0385240900400262 334 855368293#18695a 288 65d0 4963b5612902c902 2b5 07a93020326360a2 294 6350 1aa5729535a679b5 3c6 5e50 6040 6358 97a090b9886c3845 301 00a9009d800o9d80 2ee 853cb523aabde46b 44f 65d8 612904c904d017b5 2f7 f048a9c89df827f6 53b EBd8: 5048 5e58 65e8 1kb9076cf51ab906 315 51a9023d3b03k551 2cd 0fe8e086d@456020 49o 6360 a829015901d008ad 32L 51a8b53529tod912 3f3 5e60 60e0 5050: 1dd009808d1dd098 383 €5e8 6cf519b9056cf518 3b1 6368 d769a209a070989d 41e 299fa8c97e6c8d05 315 5058 6bd00ba670k56129 39b 5e68 69e8 2902c902d808ad17 292 6549 9609080508080000 485 6370 #b9561209a5ce670 45d 5e20: 70k56129384a4a4a 2bd 60+6: 340409809d5c04a9 267 5000 6548 d3e160c008401a3a 46d d899898d17d99829 38e 4aa8b91a6bd551d9 426 099d34d89dtcd698 46b 6378 5c68 6671a578c997+003 34+ 5e78 6948 4898488505±008±2 2fc o8c030d0e960ad38 506 6380: 94c994d99Bad1cd9 342 EERE 4c755b68b5610904 29f 5e80 20a9008d3o039d3d 26e 6199: 5c79 09808c1cd0adlbd4 39e 0cca88b9056c9d95 32a 03%5612933186910 223 63c900f838ad3a03 2de 6388 6608 5198 5078 29b/956Lad.bd429 39b Je88 6390 2904094080399385 274 6610 600435d9f468a968 471 290f0d380338e910 1b1 5088 079551a3b5353849 3b0 5490 29309561a9949df8 421 5110 58a9308d3803a900 2a2 aab51b99086cb51a 356 6398 6618 126bb007a938957b 325 5€98 07a9019551a9ff95 3d4 5118 aabd366c8d0c7Ead 3bf 5088 8d3a0385463560e6 362 99076ch51999066c 2e5 0a8Ca900d013ac38 2ce 63aB 6620 5098 4cb15ca930957b4c 38e Sea0 5960b559c910+030 3c0 6120 60a560c908d004a9 3h3 5628 £51899056c984820 2d7 b15cb56129304a4a 310 5ea8 f659b5594a8572a9 447 6128: 934a4a4a4aaacabd 35c 63a8 5093 003560a62fb52333 2ca 5630 ec45a52f48a90085 37b 63b0 7a6c8d0f70ae3a93 31d a438e5729df807b5 484 6138: 5000 4a4aa20435ca670 3c3 5eb0 e9010a0a0a0560aa 217 6633 2f200f5468852fa9 277 63k8 ad1bd4290+155195 2cf 5eb8 59090fd01a+659a9 413 6133 60ee3a03ad3a03ud 342 50 p8 bd65658d+f07a668 426 0085122090552084 240 6643 6300 51a9ff9559a62fb5 471 5ec0 0095518a1869d848 311 6143: 3903f00160a9008d 2c3 5cb0 bdf56o8d2ed9c658 456 6648 64a9018511851068 2a1 a8a99120: a492052 2a3 9b708d6c708d3803 24c 6308 5ck8 2338e9010a0a0a85 1c8 5008 6148 72ad1bd425070572 2b5 e648a558u908d011 3d5 6650 454a48a8c930d807 324 5ed0 49a679689df89768 353 6159 58ad3b83c988d88a 2ee 63d0 5000 23:a9014c5d66c9 365 8d05708d04708d3h 2ch 63d8 ad15d8297f8d15d8 3ac 6658 h551488a1869d8a8 3d9 6158 a8a624b525187992 37a Sec8 59d8 a9028574a9008d38 312 6660 91d997a231a91a4c 2ba 63e0: 5cd9 6aa6709583a54138 3b6 a994201 #4968a020 240 6160: 9363c991d999ad15 2c8 beed 0360a533o900f00a 2fe 5d664c7a668505bd 346 f541a549f549k006 418 7655a670989551ad 40c 6168: d02978c909f0e960 473 63e8: 6668 5cd8 5ee8 63 fA ee3e93ad3e93c998 2ee 6679 e2519dfb51cae405 4cf b57o0904957ba533 325 Sef@ 3b03c902f010b551 30f 6170 38e9018569a90085 33e 5ce8: c901d006b57b4904 31d 4a4aa8b99e6c8d05 391 6178 6a0669266a06692G 1fe 6348: f00160a500633e03 208 6678 d0f5a9018ce251a9 4d8 5ef8 a62+36527c900f0 462 028#fb51a9038d14 328 78a9038d3b03b551 2ed 6180: 6a8669266a866926 1+a 6400 6680 5c+0: 957b60ad1bd44a4a 3a0 STOR 5268a8ke116c5848 37d 0538e9019527d860 31b 6688 6408: a0c8a533a901400c 40e 5408 c934d9934c815e69 366 6138 6a8669266aa98018 22a 5of8 ee3c03a5008576a5 378 6190 65698559a96e656a 3a2 a9830d9:78a96835 ?a8 a5712d15d8c571d0 42a 6416: 6690 a000a9209ded51e8 42c 5d90: 5416 fb85fda90465fca9 554 6698 6418 c8c00ed0+76848aa 4b7 5d38 034c905d93dd206k 33c 5418 1238e9030a26783a le8 6198 856aa000b1699d00 346 d885fea270a52fc9 50a 66a0: bc116ca200a52fc9 373 26700a267838e50f 272 61a0: c2e8c8c023d0f560 577 6429 5d10 1887a900a2804c9a 2u6 5+28 6428 00f002a278aU18a9 365 6698 00f002a204b51b48 2b3 8577a578e9902907 332 61a8: a203ad1ed8a82906 317 5ddd236b1007a908 290 5418: 5428 18209545a290bodi0 342 66b0 29484a4a4a4a99e4 3be 5430 a@804c9a5ddd266b 3c1 8578a577186d00dd 36e 61b0: c900d0016098290e 2c9 5438 5d29 5168290fo899e451 387 1007a910a0f04c9a 346 8541a57869802507 27c 61b8: c08af029c98cf025 3d6 5438 6n9d2105bde66c9d 3db 66b8 5d28 5438 7195a9939d21d99d 356 66c0 e8c8e608#004±004 470 5030 5ddd296b1007a918 2a6 5448 8549ad01d0853560 366 6100 e8982916c912f01d 3a7 6448 a8f84c9a5ddd2c6b 447 6108 c914f019e8982926 3h5 71dSe8e016d0e760 534 66c8: d0e3206b53201064 325 a676b54138e57785 42b 6443 5638 5f48 79b549e57829078'5 389 6453 a289bdfc6c3d96R5 3+f 1007a920a0f04c9a 356 61d0: c922f011c924f00d 3d6 5640: 545% (continued on a9039d56d9a8e01c 49c 5ddd2+6b1887a923 2bc 5453 ?aa95738e579a901 3ba 61d8: e8982946c942f005 3ef 6458 5d48: next page) a0004u9a5da533c3 444 5f60: c57a9055b535488a 400 61e0: c944f001608d4f03 33d 6460 d9+9a93ca2+f8e95 4d9

5#68: @aaae8689d@@d@ad 41e 61e8: 29@649##2c15d@8d 316 6468

6208

6210

61-8: #022b5612901c901 31c

6200: #01ab56109015561 320

a90095599551a9o6 3cc

9d+807a8a994201a 3bo

5f/0: 3b03c902101ba901 1de 6140: 15d3b561293An920 33d

8d3b03ac3c032903 1e3

a8b9ae6c8d0570bd 43a

06d038e9500a8d05 2de

79caad15d995753d 3d3

5480

5+88

5490:

708e01d48a489848 385

aacae000d/0e888c0 554

98d9e169a299bdb2 422

6c9d64709d88d448 3d6

e019d0f220804360 3fe

34b

a91420b94668a868

6479

6478

6480:

6188

6490

Confunct from	(000)	tinued team	11.04004				10000		- Carolina			- 1
Company	I I I I I I I I I I I I I I I I I I I		6940	0c03401004013fcf 172	6bc0:	c3c3c3c3c3c1c1c1 612	6046	1920344418283e4e	174	7000	5834782b53+71+d2 36	6a.
Sept	F145-000 495-000 A		6948		6bc8	0101010101020202 600	€e48:	182e324c142s3648	178	7008:	194585bdb9674400 46	6d
Sect	Section 1		6950	f3fc031403132313 252	6bd0:	0202020202050505 619	6e50:	18263a441c223e40	178	7069:	0000000010101010101 00	95
Septime	66d8:	8506a9018573a9df 3b5	6958	2322322232313230 15e	6bd8:	n5c5c5c5c5bobobe 604	6e58:	1e2e384814243848	174	70d8:	0101010101010202 00	0a.
Seed	56e0:	991nMA6905991oda 2fa	6960:	31303839383a393a 1b7	6be0:	bobobobobo000100 3ad	6e68:	1921324313223140	140	7060:	3292020202039393 At	13
Company	56e8	a9003d7702a90085 2dd	6968	2a3a2a2b1b2b1b0b 125	6be8:	9999999193919191 997	6968:			70-8		880
Comparison   Com	6640:	c6ad27028507a241 35b	6979:		6b+9:		1000000			200		100
Color	6648	e407/035e8e05bx0 503	A STATE OF THE PARTY OF THE PAR				200					5000
1986   1986	6700:	+7a607e00dc000aa6 451			10000		150 MAR.		10000			551
## 10 146941642009 146 670 670 20032033353503 125 650 670 680000000000000 125 660 125	6708:	05a920991d064c3e 215	100						122 Value			3/2
Ex-							2000					35
Color	100000000000000000000000000000000000000		19777989							No Septime Pitt	Control of the Contro	V350V
2006	100000000000000000000000000000000000000		1000				(C)					CON I
Company	01 - 12 - 12A-1											1000
Section   Sect					E 18 375 V.					100000000000000000000000000000000000000		CORE -
Fig.	700											200000000000000000000000000000000000000
Composition	10000								Service.			1000 m
CFG	200											Ziovini II
CFR	B. (Colors		STATE OF THE STATE							SIST OF THE	AND THE RESIDENCE OF THE PARTY	2000
6706   30.0074-0.0075-0.0076-0	260		6900:		6059:	38b0c0d0e0f01000 4c0	6ed0:	12263a4e12263a4e	180	7150	0030200030003133 64	f0
Scher   Act   1955-196   444   569   Seal Augusta   569   669   669   1955-196   100   1	3000		6908	320202020232020.2 010	6058					7158:	3133313331333133 19	90
2776   27750-4784-4499640   149   549   149   129   129   149   12	THE PARTY OF THE P		6968:	02020±€a0a3a0a⊌a, 040	6060	6000d000f000f0e0 440	,6ee0:	1b2c3a4d192c3a4b	198	7160	3133313135000035 13	36
7750 6750-6750-6750-750-750-750-750-750-750-750-750-750-	6768		69e3:	0a0a0a0a0a0a0a0a0a	6068	d0c0b0a09080f0e0 5c0.	6ee8	18263a441c223e40	178	7168	3199993335999935 0	ce
\$700 85744830832740 259 540 3000434483464 400 600 500 500 12005412039510 170 750 13000408033331 120 570 170 170 170 170 170 170 170 170 170 1	1000000000	TANK TO SEE THE PROPERTY OF TH	6943:	0-0-20202020202020 0d4	6c79:	d0c0k9a09089f010 5e1	6ef0	102e324c142a3648	178	7170	3333000033353500 13	33
Figure   Phi-400   Phi-4	6778:		5948:	202020202020202020 100	6078	fefa2121212100f0 36c	6ef8:	1b2c3a4d152c3a4b	198	7178	0033353335000031 13	31
2709   52090674290007   405   419   3895024520230   509   50906945509500   509   50090645095000   509   500906696000000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   50090645095000   509   5009064500000   50090645095000   50090645095000   50090645095000   50090645095000   50090645095000   50090645000000   50090645000000   50090645000000   50090645000000   500906450000000   50090645000000   50090645000000   50090645000000   500906450000000   50090645000000   50090645000000   50090645000000   500906450000000   500906450000000   500906450000000   500906450000000   500906450000000   50090645000000000000   50090645000000000000000   5009064500000000000000000000000000000000	6780		5a00	2020a0a0a0a0a0a0a0 400	6588	18e029d038c048b0 3c0	6460:	182630421c223c42	175	7:80	31333300000333331 13	Ze
2709   5209.052000572   206   5209.052000575   206   5209.052000575   206   5209.052000575   206   5209.052000575   206   5209.052000575   206   5209.052000575   206   5209.052000575   206   2	6788	0f5468852fa90085 2ad	6aØ8:	авававававаялява 500	6088	56a0609070800010 2a0	6408:	1022304210223846	178	7:88	3100003135350031 0-	fd
57500 55000-	6790	1220905542002024 208	5a10:	a0a0a2a2a2a2a2a2 50o	6090	2030435060708090 200	6f18:	1826364216223642	178			48- I
8780 8058aul eu Behleit 355 Aug.  6790 6758 6769 67690054559 315 630 2222222222222 11 6:20 40:00 40:0000000000000 10 6760 1226441120541 180 7140 3535333333559 150 700 40:0000000000000000000 10 6760 1226441120541 180 7140 353533333359 150 700 40:000000000000000000 10 6760 1226441120541 160 7140 353533333359 150 700 40:000000000000000000 10 6760 1226441120541 160 7140 35353333359 150 700 700 700 700 700 700 700 700 700 7	6738:		6a18:	a2a2a2a2a2a2a2a2 510	6098:	a8b0c3d0e0f0f0e3 680						9.55
From   Gridsherold-Northern   Gridsherold-N	6790:	3858adled0a90185 35a			TO CO							0000
5769 6-2005/2004009 313 630 2222/2012/2012/2014 (40 m) 4400000000000000000000000000000000	67a8	6f20ae6020e854a5 39e	6a28:	222222222222222 110	6ca8:	5040302010005090 1e0	6f28:					2000
\$769   \$412000000000000000000000000000000000000	67b0:	33c900f0034c7068 313	6a30:	22222a2a2a2a2a2a 140	6cb0	4000000000000000000 127	5430:					STREET, SQUARE
6709 61298029552937 1cs 6449 224288888888883931 1cs 6709 6969046455644 1cs 6449 1528844162842 1cs 7149 325938138553031 1cs 6709 6969046455654 1cs 7449 15288441626941 1cs 7149 3359331395331 1cs 6709 69690462848978273 304 6469 6970890896909 0cs 6449 1cs 7449 1cs 744	6768:	a62fb527c9994993 36d	£438	2a2a2a2a2a2a2a2a 150	6cb8:	00000000005403a00 844						45000
6768 658008011508027 355 6466 aaaaaaaaaaaaaa556 657 658 6586 6559 aaaabaaaaaaaa556 657 658 6586 659 6459 6590 6590 6590 6590 6590 6590 6590 65	67:00:	4c12682028652037 1ca	6a49:	2a2aaaaaaaaaaaa 450	Scott:	198899998899973998 RE#						1000
Fig.	6708	65a9008d15d0a62f 355	/4873E									0.0350
5769 - 9894964-462795523 55	67d9:	#623b523c511d910 3ab										Control of the last
6769   6886964-629759995   503   6696   66969666666969   676   6696   66969666666969   676   677   2786966762599995   503   677   678   67	6768	990195234625b525 357	P. State College		- 9217779						2007 (2007 (100 PH 100 PH 2007 200 PH 100 PH	
Exception   Exce	6760:				0.00		2000		The state of the s			3.00
6749   274801853407467 799   578   6999080908090900 877   679   27480185340747 799   578   69990809080908090 877   679   2748018534074 799   578   69990809080908090 878   679   6798080808090 878   67990809080908090 878   67990809080908090 878   67990809080908090 879   67980808080900 199   6798   12625441263742   175 7269   3531353133131 198   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   126254418699041 979   6798   67	67e8:		10000000						PART CONTRACTOR			Contract of
8731 - 27361183384-7467 Phis - 5276 - 00998099809809801 877 Phis - 52853209449014 222 Phis - 12261491522094 17 74 Phis - 5310515931933 198 5881 + 32652220207014 241 5888   6434408090046904 656 - 5384   44478322098001 198 Phis - 5325421222346 174 7288   253135319313331 198 5881   22524216223346 174 7288   2531353193313331 198 5881   22524216223346 174 7288   2531353193313331 198 5881   22524216223346 174 7288   2531353193313331 198 5881   22524216223346 174 7288   2531353193313331 198 5881   22524216223346 174 7288   2531353193313331 198 5881   22524216223346 174 7288   2531353193313331 198 5881   22524216223346 174 7288   25313531933333333 198 5881   22524216223346 174 7288   25313531933333333 198 5881   22524216223346 174 7288   25313531933333333 198 5881   22524216223346 174 7288   25313531933333333 198 5881   22524216223346 174 7288   25313531933333333 198 5881   22524216223346 174 7288   25313531933333333 198 5881   22524216233446980000   225244469800000   225244469800000   225244469800000   225244469800000   225244469800000   225244469800000   225244469800000   2252444698000000   2252444698000000   2252444698000000   2252444698000000   2252444698000000   22524446980000000000000000000000000000000000	6749:				200							-700
\$8925-2202075240-344	100000000000000000000000000000000000000				Photo Colonia							
Sept.   ##   ##   Sept.   ##   Sept.   ##   Sept.   ##   Sept.   Sep	5000											2000
Sale	10 Sec. 10 Sec		117		77.7				100000000000000000000000000000000000000	A CONTRACTOR OF THE PARTY OF TH		(CAN 152)
820 each 2026520979 344 639 022000001911182 099 6418 300000000003544 120 6498 1200044 1200044 154 720 2000000000000000000000000000000000	April 190		A 100 TO		E.338.25				SALVAL.	100000000000000000000000000000000000000		-
6820 eseasa202652059 3-4 6a80 022006181410220 06 6428 320746-943845300 1ct 6492 1220440, 222942 157 7220 2619533533233 197 6580 425052529900815 322 6a60 3830181802020 06 6428 396425515244500 277 6488 172134413263641 19 7229 25333133353323 198 6838 228055343200249 28 6a60 3800180202030 011 6433 4320444455 266 6481 122334141522344 19 7249 2533533331333331 198 6838 2280553432490249 28 6a60 3800180202030 016 6440 18 164464941444 272 6400 18 164244 18 724	1968 E-5 7 15 7 C		920000		No. of the last of		PF02103-11		100000			1250
6289   6429-9904903-9   32   6289-9904903-	1000000		100		72.50					200000		5000
6801 d529N522c990d000 382 6a00 0848081018020203 011 6033 42666a1544e455 2e0 6b0 14249a1732a334d 189 7230 2e2e63.3553353315 5a 6880 200c55a32c90c240 3a3 6ae0 080e010000000 011 6033 42666a1544e455 2e0 6b0 14249a1732a334d 189 7230 2e2e63.35533533135 5a 6880 6880 6880 6880 6880 6880 6880 6880	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		350 THE					The state of the s	Maria Santa			- 100
805 29865532290279 33 6ab 33801020202030301 013 403 543120434300203 103 6bb 13331461622344 170 728 353353331313335 19a 6440422230303040 015 5640 31064643410426 2 6bb 12331461622344 170 728 253353331313335 19a 6560 135574ab5262909 206 6ab 944422230303040 015 5640 452045457632095 103 12374b1723594 122 72 748 333353333333 19a 6560 135574ab5262909 206 6ab 94442223030304040 016 5450 43252454412055 2 6b 640 12234412404 116 755 31133553622026 18a 640 201454412055 2 6b 640 12234412404 116 755 31133553622026 18a 640 201454412055 2 6b 640 12234412404 116 755 31133553622026 18a 640 201454412055 2 6b 640 122344122374 177 7258 74315335530353 19a 640 201454412055 2 6b 640 122344122374 177 7258 743153355303533 19a 640 201454412055 2 6b 640 122344122374 177 7258 743153355262196 660 2 6b 640 12244142055 2 6b 640 122344142374 177 7258 743153355520 195 640 124545276904057 104 640 124545120 2 6b 640 12454541205 2 6b 640 12					CONTRACTOR OF						TO SECURE OF SECURITIES SECURIT	20.50
Be446-64485320902 2a6   6a6   8384023202033030 016   6d0   319644643411424 272   6f0   120334419222344 187   748   332333333333 186   6859   0.85274 a5523690 50   6a6   6a6   646402333034044 81   5d6   5d5   632644411255 13d   6d6   15933421243434 182   724   333333333333 184   6859   0.85274 a5523690 50   6a6   6a6   646403330304044 81   5d6   6a6   64650330304044 81   5d6   6a6   64650330304044 81   5d6   6a6   64650330304044 81   5d6   6a6   646503303040404 81   5d6   6a6   646503300404 81   5d6   6a6   64650300404 81   5d6   6a6   64650340404 81   5d6   6a6   64650340404 81   5d6   6a6   646503404 81   5d6   6a6   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034 81   6465034	370734		2000						-			G-2011
6888	1075-231-33		2015/00				O.II.					200
8556 018524nab529c90 206 6ad8 0469028803040404 016 659 6ad8 0459030303040404 016 669 6ad8 04590303030304 014 6ad8 04590303030304 014 6ad8 04590303030304 014 6ad8 0459030303030304 014 6ad8 0459030303030304 014 6ad8 0459030303030304 014 6ad8 0459030303030304 014 6ad8 045903030303030304 014 6ad8 045903030303030304 014 6ad8 045903030303030304 014 6ad8 04590303030303030304 014 6ad8 045903030303030303030304 014 6ad8 045903030303030303030303030304 014 6ad8 0459030303030303030303030303030304 014 6ad8 045903030303030303030303030303030303030303	30.00								The Server		A very contract to the second	507(0)
6856 4983407457452449 340 6a8 8465039339404049 01e 6d56 as221066d6045c1 2eb 6488 132135441827944 177 7258 2s13533539331 197 6568 0185543ab529c90 306 6ae0 856503938040406505 326 6d62 3139393906766484 01e 6498 132335441823743 174 7258 2s231533335952 196 6ae0 8565034040406505 326 6d62 3139393906766484 01e 6498 132335441823743 174 7258 2s231533335952 196 6ae0 8565034040406505 326 6d62 3139393906766484 01e 6498 1825324414230743 174 7258 2s231533335952 196 6ae0 8565040404040505050 622 6d62 3139393906766484 01e 4490 12204344 188 7279 333353331313331 195 6ae0 85650405034052 2ac 6d62 8565040404040505050 622 6d76 143455026233093 214 6498 14230543122d54c1 184 7278 32833312333131331 196 6498 185504304 184 848642876470903 21 2 6d88 5a14545345632052 2ac 7088 88650140060608080 10e 7388 38838353835333 1ba 68504 465524058524 2ac 6d80 852456545456454747 276 6d80 8524565454564545456454545645454564 2ac 6d80 8524564546444444 194 6d80 85245645464444444 194 6d80 8524564546444444444444444444444444444444	Electrical Con-				2000							200
6368	2000000		1000		100		6fd0:	152933421324334b	168			Park
6868	200						6fd8	1921354419273e41	177	(E20)350		7.65
6870 ac24b527c990d057 331 6a40 8596044040550505 025 6d76 113445502033000 214 6470 1229021020334 174 7278 362833333113333 19a 6678 2020652297652000 14 6470 35333333113333 19a 6680 20206300000000000000000000000000000000	0.00		100000000000000000000000000000000000000				6fe0:	13283649192a3745	17e			
6878 262865203765296 1F4 6a48 3686040498950506 029 5478 3866404142455120 2F9 6F48 142b64a122d34c1 184 7278 362e3312e303131 135 6869 53a490815d6a990 319 6b69 6826 6690505050606 02b 6690 552523016552d37 292 6b13 07754564b07470 276 6d98 355253016552d37 292 6b13 07754564b07470 276 6d98 35452630502 2d7 7080 0101010090000080 0p3 7290 3838338353835383 1b3 66390 a555293018652d37 292 6b13 07754564b07470 276 6d98 545300046650346 311 7010 0701000000000000 0p3 7290 3838338353835383 1b3 66390 45552623018652d37 2d8 6b13 0480000246040000000000000000000000000000	177.00		50000		ede8	3130303000786048 Lee	6f28:	182b324e14230743	174			2351
6886	100000		H 1995 SACE		6d70:	c1434d5020233000 214	6ffa:	1929364216263349	188	Note:		Эа.
6888 8533a5642938552 2cc 6bc8 68795555560608 62c 6888 551253018652d85 292 Gb13 9797545545674747 276 6888 25455253018652d85 292 Gb13 9797545545674747 276 6688 24555262318552d 23b 6b13 8480d2867e77098a 28155233152d 23b 6b13 8480d2867e77098a 28155233152d 23b 6b13 8480d2867e77098a 28155233152d 23b 6b13 8480d2867e77098a 2815523846525318552d 23b 6b26 4020109402160c 037 6b26 82452698304072b 321 6b28 826216142c1d1.36 6ed 6b26 84020109402160c 037 6b26 825254698304072b 321 6b28 826216142c1d1.36 6ed 6b26 85325465420033160b2 23b 7088 82030144900109 102 72a6 3838333333333333333333333333333333333			1000		6d78:	866d4dc142455120 2+9	6448	142b364a122d3a4c	184			200
6890	100000000000000000000000000000000000000	CONTRACTOR OF THE PARTY OF THE	-		Ed80:	53494c563303936d 271	7000:	01010100000000000	990			
6898 2da566293018552d 23b 6b13 8480d2867e37000a 321 6598 444c465341545320 23c 7013 318080800011ff000100 20f 72a0 3838383533333 1ba 68a8 252da56729301865 294 6b26 040201030402160c 037 6ba6 53454000afd05ac 314 7020 0000011ff000100 102 72a0 38383833533333 1ba 68a8 2465526e954205964 2b	4.66.783		1000000		6d88	56n1454a56332052 2ab	7008:	80050100000000880	10-			
68-8 2685246998409020 321 6b28; 0482010994021690 037 61ab 53545408afad5ac3 314 7029; 048001014ff000109 102 72a8; 383838383538313533 1b3 6500; 465526e654205964 2db 5b28; 0482010404021 197 6db 6d64055354412053 2ef 7038; 02014f0010002 105 72a8; 3838383538313533 1b3 6800; 465526e654205964 2db 5b362f430223109b; 27b23e0004f002a2 373 6b38; 060e10902019405 153 6db9; 4194b30076c6ec3 3b3 7033; 000e000000000ff000 0ff 72c9; 38318383835383135 1b7 6b80; 27b23e0004f002a2 373 6b40; 369659401020334 25f 6dc0; 4194b30076c6ec3 3b3 7033; 000e0000000004f000 0ff 72c9; 38318383835383135 1b7 6b80; 27b23e0004f002a2 373 6b40; 369659401020334 25f 6dc0; 4194b30a2f00e36d 379 7056; 000e000000000000000000000000000000000					6d98:	545300a46d50c346 311	7010:	07010000000083905	095	0.0000000000000000000000000000000000000		7
6848 2465240993409020 321 6b28 648201030402160 637 6486 53454080464053 314 7020 800011114000100 102 728 383838353835383 1ba 6888 2465526e54265064 2cb 5b3e52493295 325 6b38 70001300214003 153 6b80 6646435534412053 244 7030 0201470001000214 24 7280 3838383353835 1b7 6800 271,52360040022 373 6b40 96955940102034 254 6600 6646435545412053 244 7000 0201470001000214 24 7280 3838383353835 1b7 6800 271,52360040022 373 6b40 96955940102034 254 6600 6464435854412053 300000000000400040004 044 7280 3838383353835 1b7 6800 270,52360040022 27 70,52360040022 27 70,52360040022 27 70,52360040000000040004000 70,5236 70,52360040000000000000000000000000000000000	Partie and Control		6b18	848cd2a87e37089a 321	6d98:	4940405341545320 230	7018	318888889 <del>111</del> 8888888	28+			A 962 (33)
6848: 2485240989400720 321 6b28; 082E16142c1d1c36 0ed 648 53424320233100kc 238 7028: 0203014400310002 198 728: 3838363538313538 1k3 6808: 4555266554693295 325 6b38: 220205224004440 194 6db0 6d54035354412053 2ef 7038: 020144001300244 2e4 72v0: 38313503838335 1k3 6808: 27k525e0004004004004232 373 6b40: 9596759401020304 25f 6dc0: 41540900000065 2.a. 7040: 0000000000440000 0ff 72v0: 38383833353835 1k3 6808: 282070514c7d67a5 2e5 6b40: 9596759401020304 25f 6dc0: 4644120233000045 2.a. 7040: 0000000000440000 0ff 72v0: 383838333538313 1k3 6808: 262070514c7d67a5 2e5 6b40: 9566780909101112 856 6dc8: 6d78c35354410453 303 7048: 6000000000000000000000000000000000000	F104500 +10050		6b20	840201080402160c 037	6:4a0	53454000af6d5ac3 314	7020:					0000000
6809 465526e554265964 2ob 5h 30: 23203c322e404240 19f 6db0 6d64035354412053 2ef 7038: 0201+fp0019002ff 2b4 72b0: 393135038383538 1k3 6808 266555462f4932257 355 6b48: 9696599401020394 25f 6dc08: 4154b390076c6ec3 3b3 7038: 900600030000ff00 0ff 72b0: 38383833353835 1b7 6808: 22070614c7d67a5 2e5 6b48: 96965799401112 056 6dc8: 6d78c35534412053 3b3 7038: 9006000000000000000000 0ff 72b0: 383838333538318 1b3 6808: 05c9031006206267 3b0 6b58: 05062700001112 056 6dc8: 6d78c35534412053 3b3 7038: 0500000000000000000000000000000000000	100 CONTRACTOR   100 CO		6b28	082016142ctd1c36 0ed	6da8	53424320233100kg 238	7928			72a8	3838383538313538 1	43
6808 286655a62fa93295 325 6b38 P08c189382819405 153 6db8 4154b398c76c6ec3 3b3 7033 80808030000ff08 9ff 7208 353838383353835 1b7 6809 271525a606f409223 373 6b48 3596559401920384 25f 6dc8 4c444128233000d5 2.a. 7049 060800000000ff08 9ff 72c8 388838383538313 1b3 6808 262070514c7d67a5 255 6b48 2506370809101112 056 6dc8 6d78c3535441053 393 7049 06080000000000000000000000000000000000	+10000077200		5630	: 23203c322e404640 19f	6db0	6d54c35354412053 2ef	7030:	0201++00010002++	284	7250:	3831353638383538 1	63
6808 202079514c7d67a5 2e5 5h4: 6506379899101112 656 6d0: 4c444128233800d5 2.a 7040 000000000000000000000000000000000	100000000000000000000000000000000000000		6b38	P00c180302019495 153	6db8	4154b900c76c6ec3 3b3	7033:		C 100 100 100 100 100 100 100 100 100 10	7208	3538383833353835 1	67
6868 282076514c7d67a5 2e5 6b48 6506370809101112 656 6dc8 6d78c35954417053 309 7019 600000000000000000000000000000000000	0000000		6b48	9696959401820304 254	6dc0	4c444120233000d5 2:a	7040			7200:	3838383835383135 1	63
6848: dob68a28328aa46 344 6b58	( COV. (C.)		5b48	0506370809101112 056	40					7208	38:8313538383835 1	03
6848: 4cdb68a2032@aa46 344 6b58: 0506101112131415 07a. 6cd8: 82c341534c205341 2d9 7058: 0600000000000000000000000000000000000	6849	o5c903d006206267 350	400000		1000		7050:		AND DECEMBER	7240	3835383838383538 18	oa.
6808: 20d7604ca967a004 357 6b68: 1620212223a5a5a6 28c 6ne0: 54b900426d0cc352 40d 7068: 2a126473777a361e 258 72e0: 3533383133313331 19e 6808: c804400418054005 222 6b68: a5a5a5a6a6a7a8a7 532 6de8: 44*c26534154b9aa 306 7068: 087175794440012 375 72e8: 3331333133313331 190 6840: 58059005b805e005 2a4 6b70: a8a7a8a9aaaab 544 6df0: 3100ff6d95c34153 38a 7070: 2334465a6e849hb3 377 72f0: 3331333133313331 190 6848: 3806300658066006 128	68d8:	4cdb68a20320aa46 344	6b58	0506101112131415 87a	- REMARKS		7958			7248:	3538383838353831 18	63
688: c894f00418051905 222 6b68: a5a5a5a6a6a7a8a7 532 6de8: 4f4c2E534154b9aa 306 7068: 05717579ffff0012 375 72e8: 333133133313331 190 6870: 58059005b805e005 2a4 6b70: a8a7a8a7a8a9aaab 544 6df0: 3100ff6d95c34153 38a 7070: 2334465a6e849hb3 327 72f0: 3331333133313331 190 6870: a8a600065a0a94034d 238 6b80: aeadadaeaeafb0k1 574 6e00: 1021324314253647 15c 7080: de9062545638cb3 3cd 72f8: 3331333133313331 190 6903: a8a600066a094034d 238 6b80: aeadadaeaeafb0k1 574 6e00: 1021324314253647 15c 7080: de9062545638cb3 3cd 72f8: 3331333133313331 190 6903: aaa600060828020 162 6a8 b2afb0b1b2b3b4b5 590 6e08: 1728394a1k2c3d4e 194 7088: 9kd0196750106cce 3de 7300: 3331333133313331 190 6910: 0802802008828020 154 6b90: b5b3b4b5b5bdb0b5 5cd 6e18: 1728394a1k2c3d4e 194 7088: 9kd0196750106cce 3de 7300: 3331333133313331 190 6910: 0802802008028020 154 6b90: b5b3b4b5b5bdb0b5 5cd 6e18: 1728354413223140 15c 7298: 7220d89c6b462425 30b 7318: 3331333133353631 197 6928: 080200300c038020 1a9 6ba0: c4c4c4c4c4c4bfbfbf 6l1 6e20: 10223446182a3c4e 170 70a0 2a34649ae334b138 372 7260: 0001ff00ff00ff7f 3dd 6e30: 6e3	68e0:	28d7604ca267a004 357	6b68	1620212223a5a5a5a6 28c	6d=0	54b900426d0cc352 46d	7068			72e0:	3533383133313331 19	9e
6876 \$8059005b805e005 2a4 6b70 a8a7a8a7a8a9aaab 544 6df0 3100ff6d9sc34153 38a 7076 2334465a6e849hb3 327 72f0 333133313331 190 6876 38063006580600 128 6b78 acacabaaa9adadae 556 6df0 4c20534154b9000 210 7078 cde9062545638cb3 3cd 72f8 333133313331 190 6900 a6e6d0066a0a403dd 238 6b80 aeadadaeaeafb0k1 574 6e00 1021324314253647 15c 7080 do836679bd20c49 343 7309 333133313331 190 6903 0a0e8020008028020 162 6b88 b2afb0b1b2b3b4b5 590 6e08 1728394alk2c3dde 194 7088 8bd01967b910cue 3de 7300 333133313331 190 6910 0802802008028020 154 6b90 b5b3b4b5b5db0b3 5od 6e:0 1e2d3c4b1a293847 194 7390 35a31793159-3cce 33f 7316 333133313331 197 6918 0802b03300c038020 1a9 6b98 babdbdbdbdbdbdbdbdbdbdbdbdbdbdbdbdbdbdb	6848:	cR04f00418054005 222			10000				The state of the	72e8	3331333133313331 19	98
698: 3886306658368066 128	68+9:	\$8059005b805e005 2a4			- VIII ( ) ( ) ( ) ( ) ( ) ( )					7240:	3331333133313331 15	98
6909 a686du066a044034d 238 6b80 aeadadaeaeafb0k1 574 6e00: 1021324314253647 15c 7080: dc0836679bd20c49 343 7309: 333:333133313331 190 6903: 0a0e802008028020 162 6o88 b2afb0b1b2b3b4b5 590 6e08: 1728394a1k2c3d4e 194 7088: 9bd0196750106cce 3de 7300: 333133313331 190 6910: 0802802008028020 154 6b90 b5b3b4b5b5dbdbdb 5od 6e:0: 1e23364b1a293847 194 7390: 35a31793159-3ccd 33f 7310: 3331333133313331 190 6918: 080200300c038020 1a9 6b90 bdbddbdbdbdbdbdbdbdbdbdbdbdbdbdbdbdbdb	6848:	3806300658368006 128	120						Committee of the commit			TALL OF
6903: 0a0e802008028020 162 6088 b2afk0b1b2b3b4k5 590 6e08: 1728394a1k2c3d4e 194 7088: 9bd01967b3106cce 3de 7303: 3331333133313331 190 6910: 0802802008028020 154 6b90 b5b3b4b5b5bdbdbd 5od 6e:0: 1e2d3c4b1a293847 194 7390: 35a31793159-3cod 33f 7310: 3331333133353631 197 5918: 0802c03300c038020 1a9 6b98: bdbddbdbdbdbdbdbdbdbdbc4c4c4 5fd 6e18: 1725354413223140 15c 7398: 7220d89c6b462425 30b 7318: 333536313335363d 1aa 5928: 0802c03300c038020 1a9 6ba0: c4c4c4c4c4bfbfbf 6l1 6e20: 10223446182a3c4e 170 70a0 2a3f649ae33fb138 372 7320: 001ff00ff00ff7f 3dd 6938: 0802c03300c038020 1f9 6bas: bfofbfbfbfc00c0 5fb 6e28: 1e2c3a4816243240 178 70a8: d68d5a4b557ec834 3db 70 be continued.	6909	a696d966a834939d 238	0.000				Zerien					56257
6918: 0802802008028020 154 6690 b5b3b4b5u5bdbdbd bod 6e:0: 1e2d3c4b1a293847 194 7890: 35a31793159+3cod 33f 7310: 3331333133353631 197 5918: 0802c0330c0330c0330c033020 1a9 6b98: bdbddbdbdbdc4c4c4 5fd 6e18: 1725354413223140 15c 7898: 7220d89c6b462425 38b 7318: 333536313335363d 1aa 5920: 0802c0330c038020 1a9 6ba0: c4c4c4c4c4bfbfbf 6l1 6e20: 10223446182a3c4e 170 70a0 2a3f649ae33fb18 372 7320: 0061ff00ff00ff7f 3dd 6930: 0c03300c03c030 1fe 6ba0: c0c00c0c0c6c6c6 6:2 6e30: 10223446182a3c4e 170 70a0 2a3f649ae33fb18 372 70a0: 0061ff00ff00ff7f 3dd 70a0: 0c0330300c03c030 1fe 6bb0: c0c00c0c0c6c6c6 6:2 6e30: 10223446182a3c4e 170 70a0: 0c7f6l6fac7ebc95 490	6903	0a0e802008028020 162	100000		57.77				Company of			200000000000000000000000000000000000000
5918: 0802c0330c038020 1a9 6b98: bdbdb;bdbdc4c4c4 5fd 6e18: 1725354413223140 15c 7398: 7220d89c6b462425 38b 7318: 333536313335363d 1aa 5928: 0802c0330c038620 1a9 6ba0: c4c4c4c4c4bfbfbf 6l1 6e20: 10223446182a3c4c 170 70a0 2a3f649ae33fb138 372 /320: 0061ff00ff00ff7f 3dd 6938: 0802c03300c03c030 1f9 6ba0: c4c4c4c4c4c4bfbfbfcc00c3 5fb 6e28: 1e2c3a4816243240 178 70a8: d68d5a4b557ec934 3db 6930: 0c0330300c03c030 1fe 6bb0: c0c00c0c6c6c6 6:2 6e30: 10223446182a3c4c 176 70b0: c67f6l6fac7ebc95 490	(15/4/07/20)		70000		The state of		277					2000
5928: 0802c0330c038620 1a9 6ba0: c4c4c4c4c4bfbfbf 6l1 6e20: 10223446182a3c4c 170 70a0 2a3f649ae33fb138 372 /320: 0061ff00ff00ff7f 3dd 6928: 0802c0330a0c03c020 1f9 6ba8: bftbfbfbfbfc6c0c3 5fb 6e28: 1e2c3a4816243240 178 70a8: d68d5a4b557ec934 3db 6930: 6c033c0300c03c03c0 1fe 6bb0: c0c0c0c0c6c6c6 6:2 6e30: 10223446182a3c4e 176 70b0: c67f6l6fac7ebc95 490			335000		2000		A CONTRACTOR					-01
6928: 08002003890c03c030 149 6bas: b+b+b+b+b+b+c000c0 5+b 6e28: 1e2o3a4816243240 178 70a8: d68d5e4b557ec034 3db 6930: 0c0330300c03c030 14e 6bb0: c030c0c0c6c6c6 6:2 6e30: 10223446182a3c4e 178 70b0: c6746164ac7ebc95 490	1034943,50		100000									250
6938: @c83583880c83c8388 1fe 6kb8: c858c8c8c6c6c6c6 6:2 6e38: 18223446182a3c4e 178 78b8: c67f616fac7ebc95 498 To be continued.	A PARTON BANK				The agent of the							7
000 0000000000000000000000000000000000	200000000000000000000000000000000000000								-	To	be continued.	
COMP COCCOCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	14.40.500.60						1 30000		Service Service	-		
			CONO	500000000000000000000000000000000000000	-		1000	STORIO COTECZOT	Sud			

#### VDU 19 FOR CBM-64

This routine for the CBM-64 simulates the BBC's VDU 19 function. It changes all the text and graph cs characters in a given colour to another colcur specified by the user. Although the Basic loader program Pokes the routine into memory from address 49152 onwards it is relocatable.

To call the routine use SYS (address) x,y where the address is the start address - in this case 49152 - x is the colour to be searched for, and y is the colour to replace it. x and y are the colour numbers as given in the User Guide.

David Rocke.

e deleted" Praise or wormal Pri 9010 PORE STACE CO. 132 AND IS-

#### ROMAN TO ITALIC

The short machine code program listed below is for a 48K Spectrum. When run it allows an alternative character set to be called from within a Basic program. Printing can be switched at any time from normal to Italic and back

The Basic program can be saved in the normal way or alternatively cnce run the basic program can be deleted and the code saved as follows:

SAVE "ITALICS" CODE 64768.768 remembering to CLEAR 64767

before re Loading. T Walmsley.

18 T=49152 20 F8PP=1T010:8°ADS 30 If S=-1 THEN 80 40 PRET,S:CS=C3+S\*Z:T=T+1:NEXT 88 READC: IFC=CSANDSC>-: THENCS=8: 90 READC: IFC=CSANDSC)-:THENCS=0:
RNT078
95 IFS=-ITHENEN)
100 PRINT"EFROR IN DATA IN LIKE"
,PEEC(G3)+256\*P:EK(64) END
200 DATA32,:33,:173,:22,:247,:183,:16
5,:20,:41,:15,:2092
210 DATA133,:253,:32,:253,:174,:32,:3
8,:73,:32,:247,:2934
226 BATA183,:165,:20,:41,:5,:122,:554
169,0:133,:2254 .169.0.133.2226 230 BATM251,169,216,131,252,160, B,177,251,41,33)0 240 BATM15,197,252,240 24,160,1, 24,181,251,2550 250 BATAL33,251,169,0,:01,252,13 3,252,201,219,3422 268 bATA288,231.165,251,281,282, 208,225,36,165,3964 208,225,36,165,3964 278 PATA254,145,251,168,8,248,22 BBC ORGAN?

I have little knowledge of electronics, but I would like to be able to connect my organ up to a BBC Micro Model B to achieve computer-controlled music using a combination of hardware and software. The organ is about 10 years old, and was made at a

time when home computers had barely been thought of. It has no ports of any kind. Can you help? Jason Phillips,

Helfway, Sheerness

UNFORTUNATELY, I can't. The age of the organ suggests it is almost certainly an analogue device, so interfacing it with a digital device is not possible. It is likely that inside the organ is a vast set of switches, one per key, which trigger particular little circuits for each note. The organ is therefore totally hardware dependent.

#### SPECTRUM BLUES

About 10 months ago I got a 48K Spectrum. Ever since I got it, I have been having problems with its memory. When I turn it off, after putting in a large program, I have to leave it for about 10 minutes before loading in another program. If I don't, the computer simply says "out of memory" half way through loading another program. My friend's 48K Spectrum works perfectly. What should I do about it?

Jason Wallace, Marondera,

SEND IT back to Clive quickly, or his representative in your country, before the warranty runs out.

#### CBM-64 GRAPHICS

I am the owner of a Commodore 64, and would be grateful for information concerning graphic programs for my computer. All the programs and utilities that I have seen, or typed in myself, have been very slow and lacking in sophistication. They seem mostly to be a single colour background and pen, and without many of the professional computer art necessities. Are there any drawing utilities available for the 64 that incorporate some of the features mentioned?

David Warren, Hazlemere, High Wycombe.

THERE ARE a number of such products available. From those available on disc, Quicksilva's Doodle seems to be the strongest,

Do you have a problem related to your micro? Tim Hartnell will do his best to help. Please include only one question per letter and mark it "Response Frame". Alternatively, perhaps you have an idea you'd like to pass on to others. Why not write to us with your top tips?

while the cassette Pix-Stix comes complete with a light pen. You might also wish to investigate the Kcala Touchpad.

#### **VERIFY BUG**

I own a 48K Spectrum which has worked (almost) perfectly for over a year. Recently, however, when saving programs on tape, I have been unable to get them to verify, as the message "Tape loading error' appears. It is the same with any tape. Is there something wrong with the computer or the tape recorder, which is only three months old? James Hickling,

Canterbury.

YOU DO NOT say if despite the nability to verify your programs, they will load back in. You also do not say whether or not the problem began wher you first hooked in your new cassette recorder.

I would suggest that, if you've followed all the ordinary preccutions of clean heads, proper computer tapes, and making sure the load/save cads de no. twist around things like the power supply lead, you should find the computer loads and saves quite happily, despite your inability to verify.

If it does not, and it does not work with another cassette recorder, the problem is almost certainly the

#### STOP THE FLICKER

I have a BBC model B. I find that the best I can do to get smooth action graphics is illustrated in this cut-down program:

10 MODE 2

20 X = 640:Y = 512: VDU 5:GCOL

30 REPEAT

40 MOVE X,Y

50 \*FX 19 60 VDU 65

70 X = X + 2:Y = Y + 2

80 UNTIL Y>1000

It is not the speed of the character which concerns me, but the flashing of it. I have found that line 50 helps to an extent, but I find I cannot improve on this. I have also written the program in machine code and see no difference. Is it the slow VDU drivers? Or have I gone as far as I can?

Stephen Blears, Bowdon, Cheskire.

I CANNOT SEE how this program will, in fact, produce 'moving graphics'. All you get with the listing you've giver me is an 'A' plotted over and over again in slightly different positions, leaving the "old" A still on the screen.

There is nothing in this program to "flasa" which suggests to me that you have a CLS in your original program, probably as line 55, before the "new" A is printed. The \*FX 19 causes the display to wait until the next frame which would tend to stabilise your picture slightly.

A far better way to get "moving graphics" of this type would be to set up two additional variables - such as X1 and Y1 - which hold the position of the A before it is updated. Then, in line 55, do a VDU 32 after moving to X1, Y1. Follow a Move X,Y with your VDU 65, then before you incremen: the values of X and Y, set X1 equal to X and Y1 equal to Y. This will produce an 'A' which moves very smoothly, without flicker.

#### COMPILER

It is possible to buy a compiler that is able to translate all Basic into machine code? If so, which one is suitable? This is to use with Spectrum programs. R Bruce.

Aberdeen.

THERE ARE no Spectrum compilers on the market, that I know of, which can cope with all of Spectrum Basic. For example, Softek's FP-Compiler, which is one of the best ones I've ever used, does not cater for string arrays, which makes it almost impossible to use for adventure programs. However, apart from that, it appears able to handle all of Spectrum Basic.

# CALDEW BUSINESS COMPUTE SYSTEMS

RBC Model B	335.00
BBC Model BD	380.00
Acorn Electron	
Electron Starter Pack	
Electron + Interface	
Electron + 3 Interface	
Acorn Data Recorder	
3502 2nd Frocessor	
Speech Interface K t	49.99
Z80 2nd Processor	
Torch Z80 Disk Pack	
Prestel Adapto	120.00
CSX100 Disk Drive	105.00
CSX200 Disc Drive	
CSX400 Disk Drive	
12" Novex M/tors amber/green	
12" Philips Green moritors	
14" Grundig TV/monitor	
Epson FX80 Printer	
Epson RX80 FT Printer	272.00
Epson FX100 Printer	
Juki 6100 Daisy Wheel	
Brother M-1009 Printer	
ATPL Sidewise ROM Board	
Ravan 20K Expansion Board	

\* \* \* Al. Prices include VAT\* \*\*

Add £1.50 (P&P) per item to all orders and forward with address. Send stamped addressed envelope for detailed handware and software price lists, with genuine reductions on all items.

Deliveries - software: 48 hours - hardware: 7 days

161 DENTON STREET DENTON HOLME CARLISLE

MON TOR LEAD	
BBC to Microvited	€2.20
TV to Somputer	€1 56
Green to Scieen	£2.95
BBC to Fidelity etc	£4.95
QL to Sidelity etc	£4.95
Commoders to Ficelity etc.	£4.95
Phone to Phone	£1.25
MSC to Ferguson	EZ.50
QL to Microvited	£2.50
OL to mono monitor	£1.60
BBC to SonriKegs	£5.95
INC to BNC	16.53
Commodore to Ferguson	12.50
BBC to Hitachi	£2.50
Spriy to Fidelity etc	£3.50
MSX to Ferguson	E2.50
QL to Ferguson	€2.50

£4.95
10000
LEADS

IDC AMEHENOL

DON SHITE CEN	
Just cisk dave power lead	£4.50
Qual cisk dave lead 1m	£10.25
Single disk drive	
power lead	€2.75
Single disk drive lead 1 m	£7,25
Disk drive extra lead 1m	£7.25

CASSETTE LEADS				
BBC to castette	€2.25			
Dragon to casaette	€2.20			
Spectrum to cassette	£1.25			
BBC O Accom Capavion	12.25			

#### PRINTER LEADS

ALL 1 METEE	LENGTH
BBC	19.95
BBC serial	18.95
AMSTRAD	£16.75
MEMOTECH	£12.75
FINSTEIN	£12.75
IBM PC	£15.75
SPECTRUM interlec	
to FS 232	19,75
ATAR	£15.25
ATAR	£133.95
APRICOT	£'5.20
DRAGON	19.95

RIBBON CABLE (price per lt)					
	Grey	Baintow			
2 way	EO. 2	£0.24			
10-way	60.5	£0.28			
14-way	60.8	£0.32			
15-way	€0.20	£0.36			
15-way	£0.22	£0.40			
20-way	£0.10	£0.50			
29-W8Y	LU.10	10.00			
25-way	£0.40	£0.65			
28-way	€0.45	£0.70			
34-way	£0.60	CC.80			
37-way	60.65	£C.85			
50 was	07.03	66.90			
50-way	£0.95	£1.25			
60-way	£1.10	£1.40			
04	64.95	61.50			

EDGE CONNECTO	DRS
2 x 23 way ZX81i 2 x 28-way (Spectrum)	£1.85 £2.10
DOUBLE SIDED PLUGB	DAFD
ZX 81 23 way	€1.26
Spectrum 28-way	£1.50
ADDITIONAL ID:	
66-way Card Edge for	
Extension lead	£4.25

D CONNECTORS					
Solder	Burket	Male	Female		
9 way		10.75	£1,00		
15-war		10.95	£'.50		
25-way		11.50	€. 30		
27-WH.		12.40	£3.25		
H0008	20.85				

TELEPHONE	CCNNS
Surface master	/V
jack socket	£3.7

Surface master	
jack sacket	£3.75
Surface axtn cocket	£2.60
Dual outlet adapter	£4.25
Line jack and 3m:r	£1.85
4 core cable per metre	£0.48
All surface onits shortered	BT
approved	

19.95	CONNECTORS IDC			
£16.75 £12.75	Name of	Card Edge	Trans PCB	2 Row Socket
£12.75 £15.75	O-way	€20	£0.95	08.03
19.75	20-way	£1.90	£1.35	£1.20
£15.25 £133.95	26-way 14-way	£2.40 £3.10	£1.60 £1.95	£1.60
19.95	40-way	£3.40 £3.85	12.25	£1.85
£'0.75	60-way	£4.80	£2.60	£2.25

o non extensions color	€10.50
6 nch F to 2M's	E14.75
12 inch extension cable	
M to F	£10.75

Outstand	Straight	Right angle
10-way	10.85	10.90
16-way	71.00	€1.20
16-way	£1.25	£1.45
20-way	E1.40	£1.60
26-way	£1.70	£1.95
36-way	£2.00	€2.30
40-way	E2.15	E2.45
50-W5V	06,53	62.65
60-way	£2.45	€2.85

#### BBC MONITOR STAND





#### SPECTRUM DRIVES R5232 WAFA lead 1m E10.50 Controlles WAFA lead 1mE10.50 Micro Extr. lead 12" £6.00

IDC D CONVECTORS		
7500	Mah	Female
3-way	£2.70	£3.20
15-way	£3.20	£3.70
25-way	£3.80	£4.45
Company of the Compan	MIT ON	0000

#### TRADE ENQUIRIES WELCOME

75p P&P IN U.K. Access & Visa accepted. Add 15% VAT to all orders Cheques made payable to

> RSD Connections Ltd, Dept YC6 PO Box 1, Ware, Herts. Tel: 0920 5285



30,000 people save money

The user group for BBC micro users run by BBC micro users.

Find out how Telephone (049481) 5228 (24 hr) for a free information pack (UK only)

or write to BEEBUG, Dep! 4. PO Box 109, High Wycombe, Bucks.





#### Listing 2.


\$60.044,\$00.043,\$00.0440,\$00.0	556400000000000000000000000000000000000	10067001400200000000000000000000000000000000
30796:	328150872003AF32	= 906
30804:	3875210309223075	= 432

Programs for Software File should be fairly compact and sent on a cassette. Please include clear instructions and say what computer it's for. We pay

between £6 and £36 for programs published. They must be double-checked and submitted

#### **Nuclear Tomatoes**

David Green. Ashford, Kent.



THIS IS A fast machine code game for the Spectrum with weird sound effects but, most importantly, it is not very long. You should be able to type in the 1K of machine code within an hour without suffering any ill effects on your eyesight. The game itself is based around the atterly ludicious premise that by the end of the 20th century, the main source of atomic power will be the heavy element Spectrum 428, found in very small quantities in tomatoes.

Unfortunately, by this time a few small genetic engineering errors have made all vegetables considerably more intelligent than they were before, and the following speech, made by the leading vegetable rights campaigner Heinz Tomato, shows some of the problems caused by this:

"Friends, tomatces and other vegetables, lend me your ears, for I have come to bury these humans, not to praise them. After all, some men are born tomatoes, some achieve tomatoes, and some have tomatoes thrust upon them. Whether 'tis nobler in the mind to suffer the slings and arrows of out-rageous fortune, or 'tis better to stay at home and watch the television? If you prick us, do we not bleed? If you poison us, do we not die? And if you put us in the fuel cores of nuclear reactors, shall we not jump up and down a lot and make them explode?

"We will fight them on the beaches, we will fight them in the frozen food department of Marks and Spencers, we will fight them in large square buildings belonging to the CEGB, we will fight them in the cracks in the pavement, and future generations will remember us, and say: 'Never in the field of vegetable conflict was so much owed by so many to a bunch of tomatoes'. Or something like that, anyway."

Your job is therefore to move the boron blocks in the nuclear reactor up and down to absorb the fanatical tomatoes, since if two many of them hit the unshielded walls on the left and right, the reactor's temperature will get so high that it will melt down, and you should obviously try to prevent this sort of

The game is in three sections, a short Basic loader which prints up the title screen and defines the graphics, the machine code which controls the actual game, and a longer Basic program which does everything else. If anyone out there has still got a 16K Spectrum, then this program should work on it, but I'm not sure since I haver't beer able to test it. All you have to do, therefore, is type in listing 1 and save it, enter the machine code in listing 2 using the hexloader in listing 3 and save that, and then type in the last section shown in listing 4, saving it right after the other two bits. Then rewind the tape, load the whole thing again, and, in the words of a certain well-known software company, play the game.

E STATE OF THE PARTY OF THE PAR	THE RESERVE ASSESSMENT OF THE PARTY OF THE P	the suprame have
22000044200000000000000000000000000000	211009223E752100 37006577061E261F 11006577061E261F 110065577061E261F E6008E03E1012477 060836002410FB01 C5044002477060836 002410FB016942410 B01050400247706 083656724106807836 F801050400247706 083656724106807836 E048307807836 E048307807836 E70846207807836 4720070478678087836 4720070478678087836 472007047878087836 672001043E78678878 0720787878787878 0720787878787878 07207878787878 2001043E7878878 072078787878 072078787878878 072078787878 2001043E7878878 07207878 07207878	######################################


200 56686 56686 56686 56686 56686 56686 5	C5D247705083500 = 625 2410FBC173824779 = 938 834FCD24777EB7CA = 1081 CA7976247779834F = 1007 7E=E544200FAFF257 = 919 75D33CA79FEFF200C = 1188 HH2477183012242 = 670 75D33CA79FEFF200C = 1039 1630212102224275 = 403 CD44772A337550C32 = 736 3675212575BECA231 = 1109 01322242752A3975 = 436 36752323233753617 = 381 7AD3D079A = 935F21 = 1109 01322242752A3975 = 436 36752323233753617 = 3863 7223014773231397601 = 683 C128775232410FAD1 = 683 72230244275252521 = 706 013011210320FBE1 = 1310 012011210320FBE1 = 1310 01201121032CDB503 = 408 E11552B7CB32B7C3B4 = 1139 7811803DC3P27A072413 = 408 E11552B7CB32B7C3B4 = 13139 7811803DC3P27A07 = 886 0707B7B7C35F3E008A = 623 572506281A7724413 = 408 572506281A7724413 = 4079 7D0107097EE551 = 7079
	(continued on next page)

## SOFTWARE File.

(continued from previous page)		420 LET WV=3+((a(3)/4)-1)+((a/2)+1)/2)-1
31284: 083ECD107A002100 = 446 31292: 041114003CD500C1 = 620 31300: 0CE1237EFE2A20E5 = 555 31308: 2A39753607233627 = 405 31316: E526010614112300 = 314	Graphics: A=a,B=b,T=t,U=u 80 REH 90 REH Ly.(ef.:23969(?!) (Plt/ded) 100 GO TC 460	430 POKE 30008, INT (#V/10): POK E 29999, WY-(INT (WY/10)+10) 440 GO TO 110 450 DATA "Speed: ",20,16,2,2,30, "Difficulty: ",1,21,2,1,5,"Towato es: ",4,19,4,4,36
31384: CD9C77CD44777D44 - 1145 31332: 77E17DFEBF20E436 = 1228 31340: 07060021FF0F1101 = 334 31348: 00CD9C77010131CD = 588	130 FOR N=1 TC 18: PRINT INK 3;	es:",4,19,4,4,36 460 RESIURE 450: DIM a\$(3,11): DIM a(3): DIM c(3): DIM s(3): DI M L(3): DIM u(3): FOR n=1 TO 3: READ a\$(r),a(r),c(n),s(r),l(n),u
31356: 2477050608363024 = 455 31364: 10FBC10079FE1F20 = 910 31372: EE0E010478FE1320 = 562 31380: E63A3775B7301F1F = 765 31388: 003D32377520143E = 397	2; ""; INK 2; ""; INK 3; "B"; NEXT 0 140 PRINT INK 5; "	(1): NEXT II 470 GD SUB 530: CLS : INK 7: PR INT AT 1,1; BRIGHT 1; "NUCLEAR TO MATOES"
31396: SF3237753A357506 = 711 31404: 043235753A35753D = 514 31412: 3236753A2F753CFE = 757 31420: 0A20083A38753C32 = 391 31428: 3875AF322F75011B = 590	150 PRINT TAB 4; "Score: 0002000 Reactor: "; INT (wv/10); wv-(INT (w v/10) ±12) 100 PRINT "Temp.: "; PAPER 2; "." PAPER 0; ""	480 PRINT ("Absorb the tomatoes threatening to destroy the nucl ear reactor. Use keys:" 490 FRINT AT 7,6; "Left block:"; HI 7,18; "Right block:" 500 FRINT AT 9,0; "Up: ": AT 9,9;"
31436: 140D0D7A0D3A3875 = 604 31444: 0D0D7A21A65A3617 = 706 31452: 223975030678F50D = 979 31460: 2477F10901012601 = 1022	170 DATA -8,-8,-6,-8,-4,-8,-3,-	(1)";AT 9,23;"(0)" 510 PRINT AT 10,0 "Down:";AT 10,5;"(0)" AT 10,23;"(0)" 520 GG TO 280
31468: 2614110100CD8577 = 501 31478: 5E324853CSE5CD08 = 964 31484: 7BE1C112ED247CFE = 1208 31492: 1420E5C3CD850321 = 904 31500: 20580603CD857718 = 575	190 FOR N=1 TO 2: RESTORE 170: FOR N=1 TO 8 230 READ a: BEEP .2,a: NEXT. N 210 NEXT M 220 LET z=USR 30657 230 BORDER 0	560 DATA -8,7,12,-8,7,13 570 DATA -8,7,12,-8,9,12
31508: 005F1917F7CDB577 = 847 31516: 77C9FE2300000000 = 614	240 LET sc=0: FOR n=2 TO 6: LET sc=sc+PEEK (30006-n) *10°n: NEXT n 250 CL5 PRINT TAB 2; "Reactor core "	590 DATA -8,11,16,-2,11,16 500 DATA -8,11,19,-2,11,16 510 DATA -8,11,11,-2,12,15 520 DATA -8,11,14,-2,10,13
Listing 3. 10 DEF FN h (h\$) =16+(CODE F\$(1) -48-(7 AND h\$(1) > "9")) -CODE h\$(2 )-48-(7 AND h\$(2) > "9")	; PEEK 30008; PEEK 29999; " melted down destroying everything wi	640 DATA -8,7,11,-8,9,14 650 DATA -8,9,11,-8,8,11
10 DEF FN h (h\$) =16#(CODE F\$(1) -48-(7 AND h5(1))"9"))-CODE h\$(2) 1-48-(7 AND h\$(2))"9") 20 INPUT "Start ";s 30 INPUT "Finish ";f 40 FOR n=s TO f STEP 8 50 LET tot=0 PRINT h; 60 INPUT hs: PRINT hs; 70 LET x=0 80 FOR b=1 TO LEN h\$ STEP 2 90 LET z=FN h(h\$): LET tot=tot	280 PRINT AT 12,0: OPTIONS: F OR n=1 TO 3: PRINT AT n+2+12,9,a \$(n) a(n) "" NEXT n 290 PRINT INVERSE 1; "Use 1 &	690 DATH -8,16,11,10,5,-1,-3 700 FOR n=1 TO 27 710 READ 8,5,0 720 BEEP .1,3-12: BEEP .1,5-12:
70 LET X=0 80 FOR b=1 TO LEN hs STEP 2 90 LET z=FN h(hs): LET tot=tot +Z 100 POKE n+x,z	a(3)/4)-1:+((a(2)+1)/2)-1:""	757 BEER .1.4-12: BEER .1.6-12:
110 LET h\$=h\$(3 TO): LET x=x+1 120 MEXT b 130 PRINT " = ";: INPUT t: PRIN T t 140 IF tot<:t THEN PRINT "input	38 (n);a(n);" LET ks=INKEYs: IF ks="THEN 60 TO 310 330 PRINT FT n*E+12,5;as(n);a(r	760 BEEP .1,a BORDER 2: BEEP . 1,b: BORDER 0: BEEP .1,c 770 OF INKEY\$<:"" THEN RETURN
error - try assin": GO TO 50 150 NEXT h 150 REH enter STOP to stop	340 IF k\$="0" THEN GO TO 390 350 IF k\$="0" OF k\$="0" THEN LE T n=n+1-(3 AND n=3): BEEP .01,20 : GO TO 310 360 IF k\$="1" AND a(r) (p(r) THE	790 FOR N=7 TO 1 STEP -1 BORDE R N: READ &: DECF .1,8-12 DECF .1,8: NEXT N 800 BORDER 0: BEEP .1,-20: BEEP .4,-8
Listing 4. 60 REM "Don't	N LET a(n) = a(n) + s(n); BEEP .05,0 : GO TO 310 : BEEP .05,-2; GO TO 310	\$16 RETURN 820 REM AAAAAAAA ATHE ENDA AAAAAAAAA
save trem for tre satad"	280 BEEP .01, -10: GO TO 310 290 POKE 31212,32-a(1) 400 POKE 30700,24 (7-a(2))-1 410 POKE 30691,3(3): POKE 30697 ,10-a(3)/4	Save Using: Save Using: SAVE "tomatoss" LINE Ø

#### Graphics designer

Richard Hamer, Peading, Berkshire.



THIS USEFUL utility program written for the Commodore 64 allows the user to plot characters or sprites on an on-screen grid, and, at the touch of the button have the necessary data statements inserted into the program.

When the program has loaded, it will ask you for the starting address — enter the number of the line you want the first statement to appear in. The next thing the program does is enter the options page. You can do one of three things:

Pressing 1 will put you into sprite mode—
there is a 24 by 21 grid for you to fill in, and
the sprite is shown in the bottom right-hand
corner. W moves you up—you can just see a
square flicker as you pass it—A moves you
left, D moves you right, X moves you down,
and S fills in the square you are occupying. O
returns you to the options page, destroying
your sprite, N inserts the necessary data statements into the program, and M enters multicolour mode.

In multi-colour mode, you can use three

different colours, as described in the user's manual. The normal colour, white, cannot be changed, but the first and second multicolours can, by pressing 1 or 2, depending on which you want to change. It is advisable to read about this in the manual first, and about the different bit patterns necessary to produce each colour, as it is rather complicated.

If you press 2 on the options page, you will enter the 8 by 3 character designer. This is much the same as the sprite editor, except that you are now working with normal 8 by 8 characters, and there is no multi-colour option here. Also, since it is necessary to switch over cases to view any user-defined characters, you must press P before you can see your character. Pressing any other key lets you use the designer again.

If you press 3 on the options page, the designer will erase itself, leaving only the data statements for your graphics. Before you can use them, you must, as always, poke them into memory. The designer is a great help since there will be no missed-out bits of data, resulting in Our of Data errors.

If you would like a copy of this program on tape, send a check/PO for £1.50 made out to R Hamer, to 26 St Barnabas Road, Emmer Green, Reading, Berkshire.

```
997 POKE53280, 8: POKE53281, 0: PRIN
              DERAPHICS DESIGNER
":FORT=1T040:PRINT"_";:NEXT:PRIN
998 PRINT":DATA START ADDRESS"; :
INPUTA: POKE50000, A/256: IFA>990TH
EN998
999 PUKE 58001.8-(INT(A/256)*256)
1000 POKE53280,0:POKE53281,0:PRI
               MGRAPHICS DESIGNE
R":FORT=1T040:PRINT"_"; :NEXT
1001 PRINT"LEMENU: U" : PRINT"D 1.S
PRITES": PRINT" 2. CHARACTERS": PR
INT" :: 3. ERASE DESIGNER"
1602 PRINT"[00]" · AS="[5](G)(基础][1](基础]
T=0: V=53248: POKEV+28, 6
1603 T=T+1: IFT>15THENT=1
1004 PRINTMIDS(65, T, 1)" 1 , 2
 OR 3?D":GETB$: V=VAL(B$): IFV(10R
UDSTHEN1003
1005 UNVUUTU1006,1059,1100
1606 PRINT"LE
                              SPR
ITES":FORT=1T040:PRINT"_";:NEXT
1607 PRINT": ___
         ":FORT=1T021
0
1888 PRINT"E"T: TAB(4)":51111111
HILLIA HILL ": NEXT
1009 POKE2040,14:V=53248:POKE650
, 255: FORT-896TD960: POKET, 0: NEXT:
P8KEU+21,1:P0KEU+16,1
```

# SOFTWARE file


1810 POKEV, 50: POKEV+1, 200: X=0: Y= 1811 PRINT"SOU",,, "MCHEULTI":PRI MT,,,"WIE COLOUR" 1812 PRINT, , , "BZE COLOUR" : PRINT, ,,"CDI:NeuMBERS":PRINT,,,"[30mPTIO 1813 GETAS: [FAS=""THEN1813 1914 IFAS="A"ORAS="W"ORAS="D"ORA ="X"ORAS="S"THEN1843 1015 IFAS="0"THEMPOKEV, 255 POKEV +28,0:60T01000 1016 IFAS="N"THEN1025 1817 IFASCO"M"THEN1828 1818 P=PEEK(V+28): IFP=1THEMPOKEV 120,0:60T01013 1619 POKEV+28,1:60T01813 1828 IFASCO"1"ANDASCO"2"THEN1813 1821 A=VAL (A\$): P=PEEK(V+36+A)AND 15:P=P+1:IFP<16THENPOKEU+36+A.PO R240:GOT01013 1822 POKEV+36+A, POR248: GOT01013 1825 P=PEEK(58888)\*256+PEEK(5886 1) : POKEV+28, 0 : POKEV, 255 : PRINT"[" 1028 PRINTP"DA"; :FORT-0T03:PRINT PEEK(896+T)"||,"; :MEXT:PRINTPEEK( 986) 1629 POKE198,9:POKE631,19:PUKE63 2,13:POKE633,71:POKE634,111:POKE 635,49:POKE636,48:POKE637,51 1838 POKE638, 49: POKE639, 13: GOTO1 841 1631 PRINT"["PEEK(50000)\*256+PEE K(56861)"D4";:FORT=0T09:PRINTPEE K(987+T)"||,";:NEXT:PRINTPEEK(917 1632 POKE198, 9: POKE631, 19: POKE63 2,13:POKE633,71:POKE634,111:POKE 635,49:POKE636,48:POKE637,51 1033 POKE638,52:POKE639,13:GOT01 041 1834 PRINT" "PEEK(58860)\*256+PEE K(58801)"D&";:FORT=8TG9;PRINTPEE K(918+T)" | ";:NEXT:PRINTPEEK(928 1035 PCKE198,9:POKE631,13:POKE63 2,13:PNKF833;71 POKE634,111:POKE 635,49:POKE636,48:POKE637,51 1636 POKE638, 55: POKE639, 13: GOTO1 841 1637 PRINT"["PEEK(50000)\*256+PEE K(56361)"D4"; : FORT=6T09: PRINTPEE K(929+T)"||,"; : HEXT : PKINTPEEK(939 1638 POKE198, 9: POKE631, 19: POKE63 2,13: POKE633, 71: POKEG34, 111: POKE 635,49 OKE636,48:G0T01052 1639 PUKE638, 48: POKE637. 48: IFP>9 SOTHENPRINT' PURDING MORE AFTER TH IS":FORT=1T03000:NEXT 1040 POKF639, 13

1642 POKE50001, P:END 1843 X=X+(A5="A")-(A5="D"):Y=Y+( A\$="W")-(A\$="X"):[FX)23THENX=23 1844 IFXCOTHENX=0 1845 IFYCOTHENY=0 1846 IFY>20THENY=20 1847 Z=1148+X+Y+48:77=PEEK(Z):YY =Y\*3+INT(X/8)+896:IFA\$="S"THENL8 1848 IFZZ=160THENPOKCZ, 76: POKEZ, 160: POKEZ, 76: POKEZ, 160: GOTO1013 1849 POKEZ, 168: POKEZ, 76: POKEZ, 16 0: POKEZ, 76: GOTO1013 1850 IFZZ=160THENPOKEZ, 76: POKEYY PEEK(YY) AND 255-(2+(7-(X-INT(X/8 )\*8))):601U1813 1651 POKEZ, 160: POKEYY, PEEK (YY) OR 2+(7-(X-INT(X/8)\*8)):G0T01013 1852 POKE637,53 POKE638,51 : POKE6 39,13:60T01041 1853 PRINT"["PFFK (58888) \*256+PEE K(50001)"D4";:FORT=0TOS:PRINTPEE K(940+T)"||,"; : NEXT: PRINTPEEK(958 1654 POKE198,9: POKE631,19: POKE63 2,13:POKE633,71:POKE634,111:POKE 635,49-POKE636,48 1855 POKE637,53:POKE638,54:POKE6 39,13:60101041 1856 PRINT" PEEK (58688) \*256+PEE K(50001)"D4"; : FORT=0T07: PRINTPEE K(951+T)"[],";:NEXT:PRINTPEEK(959 1657 POKE198,9:POKE631,19:POKE63 2,13:POKF633,71:POKE634,111:POKE 635,49:POKE636,48 1058 COT01039 1059 PRINT'L INORMAL C HARACTERS":FORT=1T040:PRINT" ";: NEXT: PRINT TREA LKINL. ":FORT=0T07:PRINT"E"T; TAB(4)" HEXT 1861 FORT=8T07:PRINT"5"T+8;TAB(4) 1862 PRINT"STEED", , "MINEUMBERS": PRINT,,,"MOMPTIONS":FORT=14336TD 15600 : POKET, 0: NEXT 1963 PRINT,,, "QUAPETCTURE": PRINT ,,"CLOUDDING CONTROL 1864 GETAS: IFAS=""THEN1864 1865 IFAS="A"ORAS="W"UKAS="D"ORA \$="X"ORA\$="5"THEN1082 1866 IFAS="D"THEN1888 1067 IFAS<>"N"THEN1091 1868 P=PEEK(58888)\*256+PEEK(5888 1) : PRINT'C' 1869 PRINTPEEK (50888) \*256+PEEK (5 0001)"D4";:FORT=0T09:PRINTPEEK(1 4336+T)"[[,";:NEXT-PRINTPEEK(1434 1876 POKE198, 9: POKE631, 19: POKE63 2,13:POKEG33,71:POKE634,111:POKE 635,49: POKE636,48 1371 POKE637,55: POKE638,58: POKE6

39.13:60101086 1872 PRINT"L"PEEK(50000)\*256+PEE K(50001)"D&";:FORT=0T09:PRINTPEE K(14347+T)"||,";:NEXT-PRINTPEEK(1 4357) 1873 POKE198,9:POKE631,19:POKE63 2,13:POKEG33,71:POKE634,111:POKE 635,49:POKE636,48 1374 POKE637.55: POKE638.53: POKE6 39.13:60T01888 1875 PRINT"["PEEK(50080)\*256+PEE K(58861)"D#";:FORT=0T08:PRINTPEE K(14358+T)"N,";:NEXT:PRINTPEEK(1 1076 POKE198, 9: POKE631.19: POKE63 2,13:POKE633,71:POKE634,111:POKE 635,49:POKE636,48 1877 POKE637, 48: POKE638, 48: POKE6 39.13:60T01080 1888 P=PEEK(50001)+1: IFP>255THEN POKE56000, PEEK(50000)+1:P=0 1681 POKE50001, P:END 1882 X=X+(A\$="A")-(A\$="D"):Y=Y+( AS="W")-(AS="X"):IFX)15THENX=15 1083 IFXCOTHENX=0 1084 IFYCOTHENY=0 1085 IFY>15THENY=15 1086 Z=1188+X+Y+40:ZZ=PEEK(Z): IF As="S" "HEN1889 1887 IFZZ=160THENPOKEZ, 76: POKEZ, 160:POKEZ, 76:POKEZ, 160:60T01064 1888 IFZZ=76THEMPOKEZ, 168: FOKEZ, 76: POKEZ, 160: POKEZ, 76: 60101064 1089 GOTO1094 1890 POKEZ, 160: POKEYY, PEEK (YY) UK 2+(7-(X-IMT(X/B)%8)):60T01864 1891 IFASC>"P"THEN1864 1892 P=53272:PDKEP, 38:GETAS: IFAS =""THEN1092 1093 POKEP, 21:60T01064 1894 IFY<3ANDXC8THENYY=14336+Y 1695 IFY>?ANDXC8THENYY=14352+(Y-8) 1096 IFY(8ANDX)7THENYY=14344+Y 1097 IFY>7ANDX>7THENYY=14368+(Y-2) 1098 IFZZ=160THENPOKEZ, 76: POKEYY PEEK(YY) AND 255-(2+(7-(X-INT(X/8 )\*8))):60T01064 1699 IFZZ=76THENPOKEZ,160:POKEYY ,FEEK(YY)0R2+(7-(X-INT(X/8)\*8)): G0T01064 1100 POKE50000, 0 1101 P=PFFK (58880) : PRINT"["P+997 ; :POKE198,9:POKE631,19:POKE632,1 3:P0KE633,71:P0KE634,111 1182 POKE635, 49: POKE638, 49: POKE6 37,48: POKE638,51: POKE639,13: END 1103 P=PEEK(50000):POKE50000,P+1 . IFP(104THEN1181 1104 PRINT"[A10203388811103038888111 04": POKE198.4: POKE631.19: POKE632 , 13: POKE633, 13: POKE634, 13: END

#### Piano

P Fitzpatrick Rubery, Birmingham.



THIS PROGRAM simulates a piane on the Spectrum. Instructions are included in the program. The first graphic on lines 400, 420, 440, 450, 470, 490, 510, 520, 540, 560, 570, 590, 610, 630 is inverted graphic CD, and the

second graphic is graphic CD.

The firs: graphic on lines 400, 430, 460, 480, 500, 530, 550, 580, 600, 620, is inverted graphic AB and the second graphic is graphic

10 GO SUB 3000 30 REM \*\*\*\*GRAPHICS\*\*\*\* 35 FOR N=0 TO 7 READ S. POKE USR "a"+n,s: NEXT N 40 FOR N=0 TO 7 READ S. POKE USR "h"+n,s: NEXT N 45 FOR N=0 TO 7 READ S. POKE USR "C"+N,s: NEXT N 50 FOR N=0 TO 7 READ S. POKE USR "d"+n,s: NEXT N 52 FOK N=0 TO 7 READ S: POKE USR "d"+n,s: NEXT N 52 FOK N=0 TO 7 READ S: POKE USR "d"-n,s: NEXT N 52 FOK N=0 TO 7 READ S: POKE USR "e"-n,s: NEXT N 55 DATA BIN 00001111,BIN 00001111,BI

1841 P=PEEK (58881)+1: IFP)255THEN

POKE50000, PEEK (50000)+1:P=0

N 00001111.BIN 00001111 BIN 0000 01111.BIN 00000011.

50 DATA BIN 11110000.BIN 11113 000.BIN 11113 000.BIN 11110000.BIN 11113 000.BIN 11110000.BIN 11110000.BIN 11110000.BIN 11110000.BIN 11110000000.BIN 11110000000.BIN 10000000.BIN 10000000.BIN 10000000.BIN 10000000.BIN 100000000.BIN 100000000.BIN 111111111

75 DATA BIN 00000000.BIN 0000000.BIN 00000000.BIN 111111111

80 DATA BIN 10000000, BIN 10000 000, BIN 100000000, BIN 12000020, BI N 10000000, BIN 102000000, BIN 1000 0000 BIN 10020000 90 CL5 92 LET Fit=0 100 PRINT AT 2,0; "Enter the len 9th of the notes tobe played (0,1 To 2.0)" 105 INPUT truyth 199 CL5 200 REM \*\*\*DRAW KEYBOARD\*\*\* (continued on next page)

# SOFTWARE file

(continued from previous page)
205 FOR n=1 TO 25 STEP 2: FOR N
210 IF n=5 OP n=10 OR n=19 THEN
230 PRINT HI W. N. ; "AR"
240 NEXT N 250 FOR k=0 TO 10 PRINT AT k.0
240 NEXT N 250 POP K =0 TO 10 PRINT AT K 0 "E"; AT K, 14; "E"; AT K, 20 "E"; AT K, 28; "E"; NEXT K 255 POR J=7 TO 9; PRINT AT J, 2;
255 FOR J=7 TO 9 PRINT AT J,2; "E" AT J,4; "E" AT J,8; "E" AT J,1 0 E" AT J,12 E" AT J,16; "E" AT J,16; "E" AT J,2; "E AT J,2; "E AT J,2; "E AT J,2; "E
18,"E" AT , 22,"E", AT J, 24,"E
AT 10 6 "CD" NEXT 6
300 FRINT AT 15,1; "2 3 5 5 7
310 PRINT AT 17,0:"Q U E R T Y
320 PRINT AT 20,0: "NOTE LENGTH= ", LENGTH 332 PRINT AT 21,0: "NOTE PLAYED=
340 IF INKEY#="j" THEN LET PI t=
352 IF INKEYS="k" THEN LET PITE
360 IF INKEY#="\" THEN LET pit=
370 OF INKEYSE M" THEN GO TO SO
P1 12: " PT 21.12
-Pit: PRINT AT 10.0."CD"
"AB"
420 IF INKEYS= W" THEN PRINT AT 21,12;" ", AT 21,12
21.12; " ", AT 21,12 ; "D" H! 10.2; ME : BEEP tength,2 -pit PRINT AT 10,2; "CD" 430 IF INKEYS="3" THEN PRINT AT
21,12) " "; AT 21,12 "D sharp/E flat"; AT 5,3; 'BB": B
EEP length 3+pit: PRINT AT 6,3;"
440 IF INKEY\$="e" THEN PRINT AT 21,10:"
"E"; AT 10 4; "BR": BEEP tength 4

	DET	A	-			
THIL	PHY	14 1	TK	44 THE	on the co	-
450	11 1	MUEL	#= 1	SEEF 6; "CI THE	PRINT AT	15
21,1	2		the later		) HT 21 1	=
T. F.	AT 2	2,0	100	SEEF	length !	5
+Fit	PRI	NT F	T 10	, 6; "CI		
450	IF I	VKEY	\$=115	THE	PRINT A	T
2111	2.0				AT 21.12	Ξ
F	haco	15 1	1 2 - 1	BT 6	7 AT 6,7	
FFP I	enat	5 6.	D. 1	DOTE	AT 6 7	1
RB"			The last			
170	TE +	110.00	4-01.	. THE	PRINT A	+
-10	TL T	MUL	#="t	TIE	A SHIM H	-
· 美生人。	= .			THE PARTY	) AT 21,1	-
J. G	H	0,8	(P)	DEE	Zenāth;	7
+011	PRI	NT F	T 10	,8: "CI	2	
					PRINT A	T
21.	12 "			10 mg / 12 mg	AT 21,1	2
1 1 1 1	bace	/A !	lat"	AT 6	.9. 193	5
FFP	enat	6 8-	-Dit	PRIN	T AT 6 9.	40
AB"						
490	IF I	NKEY	\$= "	THE	PRINT A ; HT 21,1; EP Length "CD"	T.
21 1	2 "		A CONTRACTOR OF THE PARTY OF TH		"; HT 21, 1	5
1 A	AT 1	0.10		" BE	EP Length	
9+011	PE	INT	AT 1	0.10:	PRINT A	3
500	TF T	NKEY	±=117	" THE	N PRINT A	T
21,	20	1313-1			AT 21,1	
50	E 1 C F	- P	1 + + +	- on e	, 11;	-
	R. C.	Selection of	0	AT 6	7 7 7 7 Marie	1
DEEL	rena	ith.	ro+b:	T PR	INT AT 6,	=
1,"68		190000				
510	IL 1	CHREE	章= 0	" THE	PRINT A	T
21,	12; "				";AT 21,1	20
1 0 0 11						
110000000000000000000000000000000000000	AT 1	0,12	2 " 6	" BE	EP length	7
11+0	AT 1	0,12 RIN	HT.	10 BE	EP length	7
11+p	AT 1	RIN RIN	AT	10,12	EP Length	7
11+0	HT 1	RIN INKE	F AT	10,12 10,12	EP Length CD" N PRINT A	7- 10
10至100	1000				+4 1 per 1	100/11
, # č /	AT 1	10.1	. Tell	BE	FF length	100/11
1946	AT :	10 .1.	4 . " EE	": BE	EF length	2
1946	AT :	10 .1.	4 . " EE	": BE	EF length	2
1946	AT :	10 .1.	4 . " EE	": BE	EF length	2
12 + 50 12 + 50 13 10	AT :	RIN RIN INKE	4,"EE	10 14 10 14 " THE	EF length; "CD" N PRINT A "; AT 21,1	N-1-N
125100	AT 1	RIN RIN INKE	4,"EE	10 14 10 14 " THE	EF length; "CD" N PRINT A "; AT 21,1	N-1-N
10+00 · P.0	AT 1	IO .1. RIN INKE	4,"ele T AT Y = "S f lat" 13+pi	HE THE	EF length; "CD" N PRINT A "; AT 21,1 ,15; "BB"; INT AT 6;	N-1-N
10+80 OP R6	AT 1 I	IO .1. RIN INKE	4,"ele T AT Y = "S f lat" 13+pi	THE	EF Length F	1 72 1
10+80 OP R6	AT I	IO 1. RIN INKE IO th,	4;"@B T AT Y = "3 f (a t " 13+pi Y = "3	HE HE	EF length ;"CD"; N PRINT A 1,15; "EB"; INT AT 6; N PRINT A	T2 1 F
10+80 OP R6	AT I	IO 1. RIN INKE IO th,	4;"@B T AT Y = "3 f (a t " 13+pi Y = "3	HE HE	EF length ;"CD"; N PRINT A 1,15; "EB"; INT AT 6; N PRINT A	T2 1 F
10+840M: 4440 10+840M: 4440 10-80M: H. 50M:	AT I	IO 1. RIN INKE IO th,	4;"@B T AT Y = "3 f (a t " 13+pi Y = "3	HE HE	EF length ;"CD"; N PRINT A 1,15; "EB"; INT AT 6; N PRINT A	T2 1 F
10+84-0 P. 86 - 1 10+84-0 P. 86 - 1 10-86-1 H. 581-4	Sharp 12. Sharp 12. 12. 12. 12.	INKE	4."es	10.14 10.14 10.74 10.74 10.75 10.15	EF Length ;"CD AT	2 - 12 1 12 -
10+840 E 440 + 5 10+840 E 440 + 5 1080 E 50 E 445	Sharp langer sharp lenger bir 12: 12: 12: 12: 12: 12: 12: 13: 14: 14: 15: 16: 16: 16: 16: 16: 16: 16: 16: 16: 16	INKE	4."es	HE HE	LEF Length ;"CD"; AT 21,1 15; AT 6; N PRINT AT 6; N PRINT AT 6; N PRINT AT 21,1 EP Length ; PRINT A	2 1 72 1 72 7
10 +00 · 0 40 · 0 50 10 +00 +00 · 00 · 00 · 00 10 +00 · 00 · 00 · 00 10 · 00 · 00 · 00 · 00	TALE STATE OF THE	IO 1 PRINT INKE IO 1 INKE IO 1 PRINT	4, "@G Y # = " 9 f (a t " 13+p i Y \$ = " 0 6; "@G Y \$ = " 0	10 144 10 144 10 146 10 146 10 145 10 155	LE CORINT AT A TO SEP CORINT AT A TO SEP CORINT AT A TO SEP CORINT A TO SEP CORINTA A TO	2 - 12 1 12 -
10 +00 · 0 40 · 0 50 10 +00 +00 · 00 · 00 · 00 10 +00 · 00 · 00 · 00 10 · 00 · 00 · 00 · 00	TALE STATE OF THE	IO 1 PRINT INKE IO 1 INKE IO 1 PRINT	4, "@G Y # = " 9 f (a t " 13+p i Y \$ = " 0 6; "@G Y \$ = " 0	10 144 10 144 10 146 10 146 10 145 10 155	LE CORINT AT A TO SEP CORINT AT A TO SEP CORINT AT A TO SEP CORINT A TO SEP CORINTA A TO	1 TO 1 TO TO
10 +00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AT I	IO 11 INKE IO 11 INKE IO 11 INKE	4, "MI Y # = "S f lat" 13+pi Y \$ = "S F AT Y \$ = "W	10,14 10,14 10,14 10,14 10,15 10,15 10,15 10,15	LE CORINT AT A TO SEP CORINT AT A TO SEP CORINT AT A TO SEP CORINT A TO SEP CORINTA A TO	1 TO 1 TO TO
10 +00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AT I	IO 11 INKE IO 11 INKE IO 11 INKE	4, "MI YEE"S flat" flat" flat" flat" flat" YEE"S YEE"S	10,14 10,14 10,14 10,14 10,15 10,15 10,15 10,15	PRINT AT 5, N PRINT AT 11, 11, 12, 14, 15, 17, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	2 · T2 · T2 · T2 ·
10 +00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AT I	IO 11 INKE IO 11 INKE IO 11 INKE	4, "MI YEE"S flat" flat" flat" flat" flat" YEE"S YEE"S	10,14 10,14 10,14 10,14 10,15 10,15 10,15 10,15	H LORIT OF A LORIT OF	2 · T2 1 T2 · T2 1 T
10 +00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	HAT I	INKE	4. "@8 T AT Y d = "9 f (a t "13+pi 13+pi Y 5 = "0 6, AT F (a t "15+pi Y 5 = "F	HE BE 10,14 PR 10,15	F Length 1: F CDRIZE AT 1: F CDRIZE	1 T2 1 T2 - T2 1 T0
10 +00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	HAT I	INKE	4. "@8 T AT Y d = "9 f (a t "13+pi 13+pi Y 5 = "0 6, AT F (a t "15+pi Y 5 = "F	HE BE 10,14 PR 10,15	F Length 1: F CDRIZE AT 1: F CDRIZE	1 T2 1 T2 - T2 1 T0
10+840H: 440+950 P46 10+840H: 440+950 P46 11 1880: H: 501: 450: H: 501: 11 18 18 18 18 18 18 18 18 18 18 18 18 1	HAT I	INKE	4. "@8 T AT Y d = "9 f (a t "13+pi 13+pi Y 5 = "0 6, AT F (a t "15+pi Y 5 = "F	HE BE 10,14 PR 10,15	F Length 1: F CDRIZE AT 1: F CDRIZE	1 T2 1 T2 - T2 1 T0
10 + 60 + 60 + 60 + 60 + 60 + 60 + 60 +	AT I I I I I I I I I I I I I I I I I I I	INKE INKE	4, "BI T AT YEE"S flat"	## BE 10,14 PR 10,15	EF CDRIZER 6, N 19 PRI 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 - T2 1 T2 - T2 1 T2 -
10+840H: 440+950 P46 10+840H: 440+950 P46 11 1880: H: 501: 450: H: 501: 11 18 18 18 18 18 18 18 18 18 18 18 18 1	AT I I I I I I I I I I I I I I I I I I I	INKE INKE	4, "BI T AT YEE"S flat"	## BE 10,14 PR 10,15	F Length 1: F CDRIZE AT 1: F CDRIZE	2 - T2 1 T2 - T2 1 T2 -

8010 PRINT AT 2,0; "Th sinulates a piano. Th octaves, but only tw sp.ayed due to the si creen. To aquire th and l."	RINT AT 8,2  EN PRINT AT 21,12  EEP (En)th, 22  EN PRINT AT 21,12  EEN CD AT 6,2  EN PRINT AT 6,2  EN PRINT AT 6,2  EN PRINT AT 7,12  EN PRINT AT 21,12  EN PRINT AT
orean.To aquire the and L.'  8020 PRINT AT 8,0 " From the angle of the	At the start of th
8040 PRINT BRIGHT 1; 21,4;"Press any key 1 PAUSE 0 8050 RETURN	FLASH 1: FT

#### **Bomb Squad**

Keith Miles, Cambridgeshire.



THE AIM OF the game is to defuse the activated bombs whilst avoiding the pursuing boots. Unactivated bombs will explode if touched. Points are scored for defusing bombs, securing the yellow flags and luring the pursuing boots onto defused bombs - which will destroy them. Penalty points are deducted for going onto the blue squares.

The game consists of successive sets of four levels. During each of these phases the number of bombs, flags and boots doubles. At the start of the next phase the speed of the boots and the countdown of the bombs increases, as do the

The game consists of a series of linked named procedures - subroutines - whose function is self-explanatory: Characters, Init, Titles, Board, Bomb, boot, Flag, Trigger, Man, Boot, bomb, Defuse, Dead, Explode and Hiscore. The program is controlled by the loop at line 230 to 250 i.e.

#### 230 REPEAT: PROCTRIGGER: PROCMAN: PROCBOOT.250 UNTIL —

Movement is achieved by use of Print Tab as a VDU command (VDU31) and contact by the Point command to detect colour.

The game runs in Mode 2 to take advantage . of the greater number of colours but, for the minority of BBC Micro owners with a Model A, could easily be converted to run in Mode 5.

```
LZENVELOPE3,129,2,5,6,28,14,7,2,8,9,-88,88,80;ENVELOPE2,4,-4,1,10,28,10,127,8,8,-5,126,126;ENVELOPE1,1,0,0,0,0,
100 FCJX(2 COX-2
110 RX-0: CX-0: EX-0: EXX-10: SYX-29: X9X-5XX: /SX-SYX: FLX--1: G
0X-1: DLX-0: B'X-0
120 PKCboard: PROCEOMB: PROChect: FROCH eq
130 REMAT: FROCY: igger: PROCHMIP FOCEBOT
140 FSCX-0-5 SCX-0: FROCMed
150 COLUMN: PRINTAB(14,1): SCX; ""; LUNTIL CX-ALX+: DR EX-
     OF SCA-8
16BIFEX-1OR SCIX-D THEN288
17BLVLX-LVLX+1
     17BLVLX=LVLX+1
18BIFCLX=ALX+1AMD ALX=18bCDX=DOX=ZbacX=scX=scX+5sapX=spX=2sLV
LVX+1sBDTG40
1-2GDAM=DAX-1s, ALX=ALX+6bDFX=3FX, 2c001078
26BIFLVX>@THEN*Q
200 FLYAZON HAMBE

210 FROEM PI ONDE

220 COLOURS PRINTTAS (5,15) "BIMB-SQUAR", COLOURS: PRINTTAS (4,30) "ANDTHER GAMES";

213 - FAST, 1

242 AS - SETS: IFAS: "Y'OR AS - "Y" HOSE 7: PROCHISCO - e: GOTO 40, 250 IFAS - N'OR AS - "Y" PRINTTAS (0,31) (1) END
```

3:WEDEFROD nit(alise 3:WEDEFROD nit(alise 3:WEDEFRO:=|TDI@:45(1,0)=(TRS(1+1000):45(1,1)="Bomb-Squid":

392COLDURT/FORIX=0"0 ALX:XX(1X)=1+RHD(1E):YX(IX)=1+RHD(2 7):YDU31,XX(IX),(X(IX),226:NEXT

```
ASDEFFROC

4SDEFFROCFIAD

41GFORTX-STO FLX

42GKIS-RND(28)-1:YIX-RRD(28)-1:#gZ-FNPT(XIX,YIX):[F#gZ-4

PROCHOMOW(XIX,YIX,3,228,1,233)

4SZMEIT

41DENDPROC

45DEFFRODDOOUT

45DFORTX-:TOFAXX

47DSIX(IX,-RND(28)-1:52X(IX)=RRD(280+1:54Z-FNPT(SIX(IX),

52X(IX):IF54Z=4 PROCHOMOW(GIX(IX),SZX(IX),1,225,3,231)

43DNE(T

47DENDPROC
      490NE(T

470ENJPROC

SMODEPROCKTICQUE

DMSIFFLZ 7-1 MHULDONDIGUIUSSM

SCRIFAND () (, (STHENSSM

SSURX-AND) (, (x+1) - 1) IF YX (RX: =-32THENSSM

SMEFLZ=18

SMEFLZ=18

SMEFLZ=18
     DBERNPROC

STRIFTLY-B PROCENDING-COX DLX-B ELSE EMBRAC

STRIFTLY-1: OCLOURS: COLOURISE: VDUS1, XX(RX): YX(RX), 48+FL

COLOURISE

COLOURISE

AMBRACHOS
      CRBCHSPROJ

618DEFPROJAN

620VLU31,3XX,8YX,32:X8Z=8XX:YSI=8YX

630+FX21,3

648+FX21,3

648+FX21,3

648+FX21,3

6501FINKEY(-99)ANI SXXXB SXX=SXX-1:80T0788

6701FINKEY(-99)ANI SXXXB SXX=SXX-1:80T0788

6801FINKEY(-1:AND SYXX29 SXX=SXX+1:80T0788

6903T0768

6903T0768

708EGUNDEL1.2 S8,14m72=FNPF(SXX.SY)):8mgX=FNpt(SXX.SYX)

7181FanX=4 SIZ+SXX-8XX:SYX-9XX:60T0768
      8405CX=SCX+(100+LVLX);CX=CX+1;(X(J1)=-32
        86000000F14:VXU31,8XX,8YX,229:FLX=-1
970ENDPR0C
```

```
978781NTCHRESS: Your bask is to stay alive by "CHRESS I'defusing "CHRESZ" MINESS. "DIRESSE" This can only be done." C MRITIS once they are "CHRESTON THIS ton only be done." C MRITIS once they are "CHRESTON THIS COLDENS."
982781NTCHRESTON, "CHRESTON THEY reach "CHRESTON". "DHRESTS defuse" (CHRESTON THE DEFORM THEY PROVED THE STATE OF THE PROVIDER TO THE STATE OF THE S
                        her scores."
1840PRINCTAB:14)CHR#136CHR#130"SP4CEBAR";: 4-GET
                   ISSENDANCE

                        ) "DOME"
| LEGVDUS1,2,16,32,5,25,4,126; "84; 8,3,1,225,8, 8,3,3,231
         1110COLOUR: PRINTTAB(5,10: "BOOT": COLOURS; PRINTTAB(5,12)"F
LAG": COLOURS; PRINTTAB(5,14: "YOUR" TAB(10,14)" HAN'
1170VDIIS: 7,17,32,5,35,4,128; 648; 8,3,3,228,8,.8,3,1,233
              113@VDU31,2,14,32,5,25,4,128;576; 8,3,6,227,8,8,3,5,232,
```


# SOFTWARE File

125eCOLOUR41VBU31,511(AX),52%(AX),224 126eD1X-51X(9X)102%=52%(FX)

:BDT01350 1388[F9XX=81X(AX)AMDBYX=82X(AX) PROCdeed 13181[FnxX=3 BC1=857-50 13781[FnxX=3 BC1=857-50 13781[FnxX=709 mox2=8 GLX(AX)-01X(C2X)AX)-02X 13389GUND412,2:50,10:501N03,2:50,1 1348FRDChore(\$:X(AX),52X(AX),1,225,1,231) 13586GCMQ 1348FRDFROT | ISROEPPROCHISION | | ISROEPPROCHISION | | ISROEPROCHISION | FOREXTED: PRINTIAB (12,1) CHRS | 1904 | ISROEPPROCHISION | FOREXTED | FOREXTED | FOREXTED | | ISROEPPROCHISION | FOREXTED | F 13VMREPEAT:SWAP-@:1X=0:REPEAT:1X=1X+1::FVAL(As:1X,0:)>VAL
14S:1X+1,0:) BS-AS:1X+,0:AS:1X+1,3:AS:1X,0:A

#### Juggler

Jason Charlesworth, Kings Lynn, Norfolk.



JUGGLER is a very simple but enjoyable game for the Amstrad CPC-464.

Written in machine code, the game features hires multicolour sprites, continuous music, joystick or keyboard option and a high score table. In the game you must keep the balls in

control at the bottom of the screen. At first there is only one tall but every 30 seconds a new one is added to a maximum of five. You ge: points for however many seconds you keep the balls flying and the amount of points you ge: per second increases with every extra ball.

To set the program up, type in listing 1 and save it with

#### SAVE "JUGGLER"

Next type in listing 2 and run it. This program pokes in machine code and checks it at the same time for errors. If it finds an error, correct it

2A294C93AA29447218D94E5C

then rerun the program until you get a "Finished, no errors" message. Then save the code directly after "Juggler" with SAVE "CODE" b,37000,3000

The game may then be played by rewinding the cassette and typing RUN"

In you wish to see all the levels, when it asks you to press s to start, leave the keys for a while and the program will give a demc - you can get out of the demo by pressing 0.

Finally, thank you to Robert Rhodes who translated the music for me.

```
the zir by bouncing them off a bat which you
   100 DEF FN x(n)=10+((PEEK(n) AND 240)/16)+(PEEK(n) AND
   110 MEMORY 32767
   120 MODE 2:PRINT"Please wait":LOAD "!"
   130 ENV 1,1,.0,1,5,1,1,5,-2,1,5,1,2
140 RESTORE 330:DIM n#(5),1(5):FDR a=1 TO 5:FEAD n#(a:
,n(a):NEXT a
   150 HODE 0:TAG:PLDT 640.400,2:a$="Juggler":a=1:b=600:c
=1:EVERY 1 GOSUB 170
160 IF a<26 THEN 160 ELSE 190
170 MOVE b,396:PRINT MID$(a$,a,1);:b=b-4:IF b=(1.5+a*2
    ) +32 THEN b=600: a=a+1
   180 RETURN
   190 DI:TAGOFF:RESTORE:FOR a=0 TO 5:READ as.p:LOCATE 1,
   2*a+4:PEN p:PRINT a$:NEXT &
   200 DATA Left
H,4,Start
                                         1,6,Right \,10.Halt
S,2,Music On/Off EPACE,12,Abo
                     0,3
   210 LOCATE 1,17:PEN 1:PRINT"O- use the joystick.':FEN 12:LOCATE 2,21:PRINI"Hress S to start.":PEN 1 220 FOR a=0 TO 3000:a$=INKEY$:IF a$="s"OR a$="S" THEN 230 ELSE NEXT a:CALL 37000:CLS:PEN 2:PRINT" J u g g
      e r": SOTO 190
   230 CALL 37023:sc=10000*FN x (38027)+100*FN x (38026)+FN x (38025)
    240 FOR b=0 TO 200:as=INKEYs:NEXT H
   250 FOR a=1 TO 5:IF sc(n(a) THEN NEXT a:SOTO 290 260 IF a<>5 THEN FOR b=5 TO a+1 STEF -1:n*(b)=n*:b-1):
   n(b)=n(b-1):NEXT b
    270 LUCATE 1,24:INPUT "Name Please ";n$(a)
   280 r(a)=sc
    290 CLS:PEN 2:PRINT" High Score Table":FOR a=1 TO 5:L
   OCATE 1.4+2*a:PEN a:PRINT n(a)
300 LOCATE 6,4+2*a:PRINT n$(a):NEXT a
   310 FEN 12:LOCATE:,22:FRINT"Press a key to start"
320 IF INKEY$="" THEN 300 FLSE PEN 2:CLS:PRINT" Juggler":SOTO 190
   330 LATA Danger Mouse, 400, Penfold, 300, Shaggy the Yak, 2
   00, Dougal McAngus, 100, Black Adder, 30
   10 MEMORY 32767:PRINT'please wait": = 37000
20 DIM t(35):FOR a=0 TO 35:READ : a):NEXT a
30 FOR a=0 TO 35:READ a#:t=0:FOR b=0 TO 79:z=VAL("&"+M:LD$:a#,t*2-1,2)):FORE x,z:t=t+z::=:+1:NEXT b:IF t<>t(a):THEN 50
   40 NEXT a:PRINT"Finished, nc errors.": END
   40 NEX) a:FRINT Finished, no errors, :eND

50 PRINT Error in line 60 or line "; a*10+70:END

60 DATA 12352,7509,7218,9870,8987,9196,9644,5830,7830,

7805,9474,8754,6993,3233,0,4792,5552,3514,4392,7552,54

80,4476,7048,9992,5396,3

410,3313,4383,4804,30:0,5281,3635,4394,4092,4059,2584
        DATA C38890CDF292CD4A91CDA9923AA294FE043003CD198CCD
   FD91CDA291CDD590CDA992CD7192CD56913A394FE002BDAC9CDF2
92CD4A91CD1983CDFD91CDA2
   91CDD590CD56913AA354FE002BEAC73AA494
82 DATA FE01C03E02CDADBCE607FE03382F2AA59423237EFE0028
25282E7C320F91237E321091237E3213912322A594210C91CDAABC
    1809020000DE01002A18003E
    04CDADBCE607FE03D82AA79423237EFE00C8
    90 DATA 32489128287E324491237E3245912323226794214191C3
   AABC0400000500000FCC0021AA94118994012100EDB0C93E2FCD1E
    BB28153AA994FE0128133E01
    32A9943AA434EE0132A4941804973ZA9943E
100 DATA 200D.EB32818CDB6BC3E3CCD1EBB2BF52100001100000
    D10BD3E07C0B3BC3E20CD1EBBC83E0132A394C9CD0D9D7CFE01C07
   DFE2B0B062E2680CD10BDCD4
A943AA174D6012732A194210500224894E6F0
    110 DATA 1F1F.F1FC630CDC3933AA194E60FC632CDC3933AA194F
    E00C03E3D32A19421269B22A59421D99922A7943AA2943CFE26CB3
```

```
54E2346235E235679B34FFE0220051E01CD84
120 DFTA 92FE462005:EFFCD8492788247FE0C20051601CD8492F
EB6200516FFCD8492FEAF20103A8C943C71C606FE0E300516FFCD8
492722B732B702B7121CC94D
1D53A62943C92571E00A7CB16CB1B19CD9155
130 DATA C1E123232331094C921B0DF065097B62310FC4736A39
4BØ32A394C9E5F5DEC57BC52B32A39221AØ923AA494FEØØ2BØ3CDA
ABCCIDIFIE109010100D9000
ABCLIDIFIE 169010100090000

00F3F00CD7C933A8C9483FE4520023E44FEFF

140 DATA 20019732BC945F16002180C719360023060A363C2310F

836302181CF193600230609360C2310FB36002182D719360023060

636302319FB3600C997CD0EB

C21589306141100000ED5348947ECDC3932310
 50 DATA F93E030600CD34933E0B0604CD34933E040609CD34933
E00040000347321000011000000010BD3E5032A194CY16UUUDDEBB5
821100078A7.F4FD5C5CDEAB
BC10126013E7E916FESC5CDF6BBC1E116023E
:60 DATA 7C905-D5C5CDF6BBC1E1211000C3F6BB54494D4520333
02053434F5245203030303030301E003E4ACD1EEB28021DC93E4BC
D1EBB28021CC93E47CD1EBB2
8021DC93E16CD1EBBCB1CC9E579E71600625F
1/0 DATA 3EC7906FCD1DBCD10610C5E5010B00EBEDB0EBE10D26B
CC110F0C9E5D5C5F5FE30385F7E3A305BD63017:717F52A48947DB
797875F16003E1894B767B7C
5076F2600CD:DDCF1C4CC16973F3001140607
180 DATA 14D50E03_E00A717CB1317CB:35797CB4B28023E0BCR4
32802C60477237A0D20E311FD0719D11310D721489434F1D1D1E1C
92A48943E1FCD5ABB2C7DCB5
ABB247CCD5ABBF1CD5AEB21489434C1D1E1C9
190 DATA 0700210E002248943AA294218994862777300E233E018
627773306233E01862777218974232336037E4FE6F01P1F1F1F083
0CDC39379E66FC530CDC3932
BIDEBC9030000: 907AB01FF0E46C1FF185AFF
200 DATA 0:226+01012C78FF012701010C5098279AC0C00000190
432FF01084601FF185AFF012Z5401012C76FF01300108002698599
90000000000000000002000000
 F880000004400008000000
0020003000000000000000000000000000143C
240 DATA 3C2800000014280F0F15280000140E2C0C082800002C1
8CCCC241E0000204C30308C1E00002D18S0308C1E00002D18S0368
C1E00002D18CCCC241E00002
 04C3030241E00002D4C30308C:E00002D4CCC
00000004091333528000004
073F3F3B3B0000091B2FCFC7162000091F630
260 DATA 30F962000091D23030F962000091B274FC7162000291B
23030F962000091B23030F962000091F63030F952000091B2FDFC7
16200004073F3F3B38002004
C720000B13C1C1C4C720000B
19C2C1C4C720000E14C031C4C720000B19C3C
290 DATA 3C4C720000B18C0C1C4C720000B18C0C134C720000504
```

(continuted on next page)

# SOFTWARE File

(continued from previous page)

6CCCC99A0000050B1333372A000000050F0F0A000000000000000000 

01030302000000001034303C3B20000010CCCC

290 DATA C3CC20000034CCCCCCC38000034CC3C3C3C300000034C C3C3C3C3E0000234CCCCCCC7C3B000034CCCCCCCC3B0000343C3C3CCCC3B0000034CCC3CTCCC3B000003

4000000003800001060000090200000103430

484848478001030101010107000788404788034FC007884043E048 478001828488888FC0800FC8

480F304B478007884E0F884E47300FC840428

3:0 DATA 1020200078848478848478007884847C0464780000000 8DE0118FA0:18780118AA0

118DE0118AA0118DE0118FAZ118AA0118DE01

320 DATA 18FA0:1953030C38020C86030C38020C53030C18020CF 6020C38020CA4020C38020C7E020E38020CA4020C38020CF6020Us 602005303003802007E02003 8020040200380200F60200380200A4020038

330 DATA 0200F6020C38020C53030U38020CA4020C38020CF6022 C38020C530338020C70040C38020C5A020C38020C70040C38020 CF4030C38020CBC030C38020

C530000580200F60200780100A40100780100 340 DATA 560200780100A40200780100780200780100380201780 10CAA010CFA010C38020CFA010C7E021852011878011EAA0118C30 10C38@2@C7E@2@C3802MCA4M

218780:189A0118C30113FA019C7E020CA402

350 DATA 20750200F60216AA0118C30118FA0118380218FA0119C

301187E0118380218C30:18A4021838021853030CF6020CA4020C7 E02003E0218700418F403185

3031BCC021R700416B4041BF60218700402B6

350 DATA 030CF6020C7E020CA402185303183802067E02V638020 C700418530313A70618470518700418530306BC030553031855030 C53033C00000200000000000

08020003F610CD5020C52010CC5200C3F010C

370 DATA \$50000100100D50000FD000CD5000CEF000CD5000CFD0 00CI5000Ct0010CD5000C3F010CD5000CEF000CD5000CFD000CD50

0001001005000003F0100D50000CFD000200500 380 DATA 00100100D50000C3F0100D50000C5201187801185201183 F0118100118FD00181C01183F0118520118FD00181C01183F01181

C01183F0118520:181C01163 F0118520118780118FD0018EF0013D50018BE

390 DATA 0018A900183F010C9F020CA9600C9F200C3F010C9F000 C1C01039F000CF0000C9F000C5F000CA900CD5000CE1000 CDS000C7F000CFDQ00CEE000

CFD000C9F000CFD000CF9000CFD000CBE000C

400 DATA 21000CFD200CE1000CGE000C:CR:0C9F000C1C310CA90 000100100EBE000010010CD5000CFD000C1C010CFD000C9F000C3F0
;0CA9000C3F010CBE000C3F0

0C35000C3F010CF1000C3F010CC5000C3F01


410 DATA 0CBE000C3F010CD500C3F010CE1000C3F010CF040043 F012C1C010C3F010C52010C7B010C520118D5001B7B011BE10018A A012C7B010C66010CAA010C2

0010CAA010C1C010CAA010CFD000CAA013CC

420 DATA 010CFA010CC3010C7B010C1C21303F010C52010C3F010 3520100780130520100AA0116030100FA01003802307E020CA4020 3F602000003000000000000

#### **Error Simulation**

Joe Pritchard, Gelding, Nottingham.



ONE PROBLEM that I keep coming up against when finishing off my Basic program is esting the error trapping routines. Most of my programs are used by other people than myself, and so it's important that the programs respond to errors in a reasonably graceful fashion! For example, I often want to reprompt the user to try again if an error such as "No Such File" has been generated.

The usual method I use to test such routines is to deliberately cause the error, by typing in a non existent file name, for example. However, this technique is not always useful; it's hard to simulate a "Disc Full" error with two short files on a disc!

Machines like the MSX computers have a command called ERROR which allows the programmer to simulate an error condition. This program adds a similar command, called \*ERR, to the BBC Micro. The syntax is

\*ERR n or \*ERR variable name where the value of n or the variable is the number of the error you wish to simulate. Thus \*ERR 4 will simulate the Mistake error. The message Simulated Error will be printed to the screen as the Report, but ERR will be set to the value of n and ERL will be set accordingly.

The simulated error can be trapped by the Basic On Error trap, in which case the Report will not be printed but ERR and ERL will be set up properly, as mentioned above. The code is less than 256 bytes long, and so I keep it safely in page &A.


You might like to set up function keys to change the CLI vector to point to the new machine code and reset the CLI vector when the new command is no longer required. As an example, if the below line is part of your

1000 IF ERR = 4 THEN PRINT"Ooops!!" then executing a \*ERR 4 somewhere in the program, with the On Error active, will result in "Ooops!!" being printed to the screen.

10	REM +ERR command to help	260 JSR getchar
20	REM Program testing	270 CMP 169: BNE notours
310	KEM Joe Pritcha-d, 1985	280 JSR getchar
40	REM If BASIC I in use change	290 CMP £82
50	REM line 370 to JSR %928C	300 BNE notours
60		310 JSR getchar
70	PROCassemble	320 CMP E82
80	*ERR 34	330 BNE notours
90	END	340 INY:STY &1B
100		358 LDA pointer:STA pointer?
110	DEFPROCassemble	360 LDA pointer+1:STA pointer2+1
120	aldvec=?&208+256*?&209	370 JSR &92DD
130	iac=&2A	380 LDA i Ac
140	pointer=11	390 STA errno
150	pointer2=&19	400 .error BRK
160	tempy-%70	410 .errno EQJB Ø
178	7%208=%0A00 MDD 256	420 EQUS "Simulated Error"
180	?&209=&0A00 DIV 256	430 EQUB 0
197	FOR pass=0 TO 2 STEF 2	440 .notours LDY tempy
207	F%=%0A00	450 JHF uldvec
212	OPT pass	460
222	LDA pointer+1:STA tempy	470 .getchar INY:LDA (pcinter),Y:RTS
I A Chargonia	LDY 10	197 1
240	1 DEY	490 NEXT
250	.comloop	500 ENDPROC
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

#### **Connect Four**

M J Lake. Bitterne. Southampton.



CONNECT FOUR is a game for one player on either the 16 or 48K Sinclair Spectrum. It is based on the popular board game of the same name, with the Spectrum playing as your opponent.

The program is written in a fairly structured way, and, with the exception of the graphics and sound, should be fairly easy to convert to other machines.

For these of you who have never played the game before, here is a brief outline of the rules. The object of the game is to get a line of four counters on the board, either horizontally, vertically, or diagonally.

While trying to get your own line, you must also attempt to prevent your Spectrum from getting a line of its own, by blocking its counters with yours. The winner is the first to get a line of four counters.

Keys: Left - 5; Drop - 0; Right - 8. The letters in Italics on the listing refer to the Spectrum's UDG characters.

```
32

19 DATA 15,8.4,2,1,1,2,4,8,16,

32,84,128,255,255,255,255,255,255

5,285,255,255,255,255,255,255,255

26 RESTORE FOR N=0 TO 55: RE

AD a POKE USR "a"+N,a NEXT N

50 DIM m(8.9): FOR N=1 TO 9: L

ET m(1,0)=3; LET n(8,0)=3: NEXT
     60 LET WE =0: LET YOU =0
100 CLS : BORCER 0: PRINT AT 2,
                                                                     GGGGGGGGG
  111 NEXT N 115 FOR N = 3 TO 21; PRINT AT N,0 ; PAPER 5; " ': NEXT N 120 FOR N = 3 TO 21; PRINT AT N,2 7 FAPER 5; " '! NEXT N 12E PHUSE 50; BEEP .5, 20; PRINT AT 0.5; INK 0; "Press any key t 0 start": PAUSE 0 130 PRINT AT 0,5; PAPER 5; " BEFP .25.25
   135 LET 90=-1 LET r=RND+10+1
IF r>5 THEN LET 90=1
```

# SOFTWARE file


137 LET z=0: LET d=6: LET found =0: LET move=0 250 LET move=move+1: LET go=go+ -1: IF move:42 THEN GO TO 1100 252 IF go=1 THEN GO TO 300 255 PRINT AT 0,12: BRIGHT 1; PA PER 5; INK 1: My Move": BEEP .25 PER 5; INK 1; "My Move": BEEP .25
,21
257 P4U5E 40
260 PFINT FT 0,12; BRIGHT 0; PA
PER 5,"
265 LET sf=1: LET I=2: LET X3=0
268 GF move(5 THEN GO TO 275
268 GF SUB 650
270 LET z=1: GO SUB 650
270 LET z=1: GO SUB 650
273 LET Z=2: IF found=1 THEN LE
T m(H1,X1)=0
274 IF found=1 THEN GO TO 850
275 LET W=INT (RND+7)+2: IF X(2)
275 LET W=INT (RND+7)+2: IF X(2)
275 LET W=INT (RND+7)+2: IF X(3)
276 LET W=INT (RND+7)+2: IF X(4)
277 LET Y=2: LET X=W
280 PRINT AT 1.4; PAPFR 5; AT 2,3; "EF"
281 PRINT AT 1.3+(IX-1)+3): INK
1; PAPER 5; FLASH 1; "EF'; AT 2,3
+((X-1)+3): PAPER 5; "; AT 2,3+(IX-1)+3): PAPER 5; "; AT 3,3+(IX-1)+3): PAPER 5; "; AT 3,3+(IX-1)+3]: PAPER 5; "; AT 6; BRIGHT 1; "Your Move": BEEP .
25,35
302 PAUSE 40: LET sf=0
305 PRINT AT 0,11; BRIGHT 0; PA
PER 5;"
309 LET r=1 'ET d-15: LET x=5;
LET y=2: LET z=1
310 PRINT PAPER 5; INK 0; FLASH
1;AT c,d; "EF";AT c+1,d; "EF"
315: PADSE 1; LET z==INKEY\* TF
2517: THEN GO TO 315
317: IF z=="5" OR z=="8" OR z=="8"
318: BOO TO 315
317: IF z=="5" OR z=="8" OR z=="8"
318: BOO TO 315
320 BEEP .2,12: PRINT AT c d, F
APER 5;"
318: THEN LET d=d-3
326 IF z=="3" THEN LET x=2
321 IF x)8 THEN LET x=8
335 IF z=="5" THEN LET x=2
336 IF x=="5" THEN LET x=2
337 IF x=="5" THEN LET x=2
338 IF x=="5" THEN LET x=2
338 IF x=="5" THEN LET x=2
339 IF x=="5" THEN LET x=2
336 IF x=="5" THEN LET x=2
337 IF x=="5" THEN LET x=2
338 IF x=="5" THEN LET x=2
338 IF x=="5" THEN LET x=2
339 IF x=="5" THEN LET x=3
33 405 IF m(1+y,x) 0.0 THEN 30 TO 4
20
410 GO TO 401
420 LET m(y,x)=z
450 LET a=1 LET b=3
455 IF z=1 THEN LET ir=6
460 IF z=1 HEN LET ir=1
465 IF z=2 THEN LET ir=1
470 IF z=2 THEN LET pz=6
475 LET a=a+(y-1)\*3: LET b=b+(x-1)\*2 405 IF m (1+9, %) () 0 THEN 30 TO 4

480 PRINT INK .n; PAPER pa; AT a ,b; "AD"; AT a+1,b; "CD" 482 FOR n=40 TO Ø STEP -5: BEEP .01,h: NEXT n 485 RETURN 500 IF sf @ THEN RETURN 505 PRINT AT 1.d; PAPER 5; "; AT 2.d; TAS TO THEN RETURN 505 PRINT AT 1.d; PAPER 5; "; 505 PRINT AT 1.d; PAPER 5;" ;
AT 2.d;
S10 LET d=6+INT (RND+6)+3
S15 PRINT INK : FLASH 1.AT 1.d
"EF":AT 2.d; "EF"
580 PAUSE S. RETURN
530 LET n=0
531 LET temp=0
535 LEI t=m(y+n,x): 'IF t=z THEN
LET temp=:emp+1
540 LET n=n+1: IF z=t THEN GO T
545 IF temp>-4 THEN LET (ound=1 545 IF temp>=4 THEN LET (ound=1 546 IF temp>2 AND z=1 THEN LET 846 IF temp>2 AND Z=1 THEN LET
(3=x)
547 RETURN
550 LET 1-0: LET town=0
555 LET tem(y,x-n): IF t=z THEN
LET :emp=temp+1
560 LET n=n+1: IF t=z THEN GO T
0 555 /
565 LET n=1
567 LET t=m(y,x+n): IF t=z THEN
LET temp=temp+1
LET temp=temp+1
569 LET n=n+1: IF t=z THEN GO T
0 557
S70 IF temp>2 FND Z=1 THEN LET
13=x
D72 RETURN
571 LET temp=0
577 LET t=m(d+n,x+n): IF t=z TH
EN LET temp=temp+1 \$71 IF temp > 2 FND Z=1 THEN LET X3=X 
572 RETJRN 
575 LET n=1: LET temp=0 
577 LET t=m (J+n,x+n): IF t=Z TH 
EN LET temp=temp+1 
579 LET n=n+1: IF t=Z THEN GO T 
0 577 
581 LET n=0 
583 LET t=m (J-n,x-n): IF t=Z TH 
FN LET temp=temp+1 
585 LET n=n+1: IF t=Z THEN GO T 
0 565 
587 IF temp>=4 THEN LET found=1 
588 IF temp>2 AND I=2 THEN LET 
589 PETURN 
600 LET n=0: LET temp=0 
605 LET t=m (Y+n,x-n): IF t=Z TH 
EN LET temp=temp+1 
510 LET n=n+1: IF t=Z THEN GO T 
0 625 
615 LET n=1 
626 LET t=m (Y-n,x+n): F t=Z TH 612 LET n=n+1: IF t=Z IMEN 60 10 626 615 LET n=1 622 LET t=m (y=n,x+m): IF t=Z IMEN 60 T 622 LET temp=temp+1 625 LET n=n+1: IF t=Z THEN GO T 625 LET n=n+1: IF t=Z THEN GO T 632 IF temp>2 AND Z=2 THEN LET 632 IF temp>2 AND Z=2 THEN LET 635 RETURN 650 LET found=0 655 FOR y=2 TO 7: FOR x=2 TO 8 660 LET t=m (y,x): IF t=0 THEN G 655 FOR y=2 TO 7: FOR x=2 TO 8 660 LET t=m (y,x): IF t=0 THEN G 655 IF found=1 THEN 30 TO 860 655 IF found=1 THEN 30 TO 860 655 IF found=1 THEN 30 TO 860 655 LET y=2: RETURN 690 IF n (y+1,x)=0 THEN RETURN 691 LET m (y,x)=z: GO SUB 702 692 IF found=0 THEN LET m (y,x)=0 693 IF 'cund=1 THEN \_ET y1=y 694 IF 'cund=1 THEN \_ET x1=x 605 FETURN 700 GO SUB 530

705 GD SUB 5E0
710 GD SUB 5E0
710 GD SUB 675
715 GD SUB 600
720 RETURN
800 IF Z=1 THEN GO TO 675
002 RRINT AT 1 a PAPER 5; 1NK
1; ":AT 2.d, ";AT 1.3+(x-1)
\*3); INK 1; FLASH 1; "EF";AT 2.3+
((x-1)\*3); "EF"
800 PAUSE 50
812 GO TO 1000
852 PAINT AT 1 a, PAPER 5; ";
AT 2.d:"
854 PRINT AT 1,3+((x-1)\*3); FLF
855 PAUSE 100
852 PAINT PAPER 5; AT 1,3+:(x-1)
\*3); "EF"
855 PAUSE 100
852 PRINT PAPER 5; AT 1,3+:(x-1)
\*3); "GT 2.3+:(x-1)\*3); "BEEP 1.2
\*3); "EF"
855 PAUSE 100; GO TO 250
856 PAUSE 100; GO TO 250
8570 LET x=x3: GO TO 850
1200 IF z=1 THEN LET 100=90+1
1200 BEEP 5,3: BEEP 2.5: BEEP
1805 IF Z=2 THEN LET 100=90+1
1201 IF Z=1 THEN PRINT AT 6,12;
BRIGHT 1; PAPER 6; INK 1: FLASH
1: "YOU WIN"
1015 IF Z=2 THEN PRINT AT 6,12;
BRIGHT 1; PAPER 6; INK 1: FLASH
1: "YOU WIN"
1015 IF Z=2 THEN PRINT AT 6,12;
BRIGHT 1; PAPER 6; INK 1: FLASH
1: "I WIN"
1027 PRINT AT 0,12; PEPER E; " 1027 PRINT AT 11,1; PFPER 5; INK 0; "Me"; AT 13,29; you 1030 LET a=1; LET b=3 1035 FOR x=2 TO 8; FOF y=7 TO 2 STEP 1 1037 LE; M(y,x)=0 1040 PRINT PAPER 7; AT a+((y-1)+3),b+((x-1)+3);" "1042 PRINT PAPER 7; AT a+1+((y-1)+3),b+((x-1)+3);" "1045 LET r=INT (RND+12)+1; BEEP 0.02; 1050 NEXT 9: NEXT X 1052 PRINT AT 1,6; POPER 5;" 1053 PRINT AT 2,6; PAPER 5;" 1055 GO TO 135 1100 PRINT PAPER 5; INK 0; AT 0,9 ;"It's a draw" 1105 FOR k=1 TO 200: NEXT k 1110 PRINT AT 0,5;" 1115 GU IJ 1030 2000 PAPER 6: INK 1: BORDER 6: C LS 2010 PRINT AT 3,8;"CONNECT 4": P AUSE 100: RETURN 3000 BORDER 7: PFPER 7: INK 0: C LS
3010 PRINT AT 0,12; 'CONNECT 4"
3020 PRINT AT 2,2; 'CAN YOU BEAT
YOUR SPECTRUM?"
3030 PRINT '"Get 4 in a row, ei
ther; horizontal, vertica 1 Or diagonat."
3040 PRINT '"Press: 8-Left 5Right 0-Drop"
3050 PRINT FT 18,5; FLASH 1; "PRE
55 ANY KEY": PRUSE 0
3050 CLS: RETURN

#### Hi-res Skyscraper

Aian Lee, Tring. Hertiordshire.



This is a version of the popular game in which a spaceship continually passing over a city has to flatten the buildings in order to clear a landing strip. The spaceship gets lower on each pass and vaporises if it hits a building. If the ship lands successfully you move on to another screen of buildings, but the ship moves faster, and starts off one line lower than before.

A point is scored for each building block knocked out, the score is shown in the top-left comer. A bomb is released by pressing any key, though only one bomb can be in the air at any time. To restart the game after the ship crashes, press any key.

The program is 818 bytes long. To create a Rem statement large enough type in: 1 REM \*\* 160 characters \*\*

Edit this line four times to create lines 2-5. Then enter:

> POKE 16511,58 POKE 16512,3

POKE 16514,118 POKE 16515,118

Then enter a line 6 Rem newline, followed

#### POKE 16419,6

This line is needed to prevent the ZX-81 going into an infinite scrolling loop when the hex loader is deleted - do not remove it at any time. Now enter the standard YC hex loader and enter the machine code in the usual way. Then save the program a couple of times, and run it using Rand USR 16993. If it works correctly enter the following lines:

10 SAVE "SKY" 20 RAND USR 16993

and run it to create a final copy which runs automatically on loading. You will have to switch off the machine and reload to do this, as the program is a continuous machine-code loop. If the program does not work correctly, again switch off the machine, reload, and enter a standard hex-checker to find the errors in the machine code.

The program will not work if a peripheral is attached which lies in the 8K-15K area of Rom.

#### The loader.

```
10 DEF FN h (h$) = 16 + (CODE h$ (1) -40 - (7 AND h$ (1) > "9") + CODE h$ (2) -48 - (7 AND h$ (2) > "9") + CODE h$ (2) 20 INPUT "Start"; $ 30 INPUT "Finish ": f 40 = OP n = s TO f STEP 8  
50 LET tot=0: PRINT n; "; 60 INPUT h$: PRINT h$; 70 LET x=0  
60 FOP h=1 TO LEN h$ STEP 2  
90 LET z=FN h(h$): LET :ot=tot
+Z

100 POKE n+x,z

110 LET h = h = (3 TO 1: LFT x = x + 1

120 NEXT 5

130 PRINT " = ';: INPUT :: PRIN

T t
      140 IF tot(>t THEN PRINT "input
error - try again": GO TO 50
        150 NEXT N
160 REM enter STOP to stop
   The nex dump.
The nex dump.

16514: 1414141414141414 = 162
16522: 1400201530173F15 = 220
10530: 943B543590941088 = 909
16538: 1416159B150F0998 = 419
16546: 1411151180801115 = 369
16554: 038734269AE61234 = 634
16562: 0294429402910294 = 600
16570: 940229202320294 = 308
16578: 141414120110694 = 283
16586: 1414151515118294 = 398
16594: 1526562525583F14 = 252
16602: 1515151515151514 = 167
16612: 152656215983F14 = 368
```

(continued on next page)

## SOFTWARE file

1650 3F26261598989814 16658 15262615989814 16668 152626129814 16668 152626129814 16668 152626129826124 16682 9126281598226124 16690 2015140814982088 16690 2015140814981415 16706 0021020020000000 16706 00210200000000000 16714 00201700000000000 16722 0000000000000000 16722 0000000000000000 16738 0010F2010F0081717 16754 5719112100042528 16762 031910FDE544019E5 16778 041210001310F5501	100004000440000640000640000640000044000000	C0ED78D3FF19CDEC 410502D341C049202 CD2022D2D2D1C441C3 A402E9CD9D413A35 440E630324F413A34 46234E410E1E0616 2644E417EE610506C0 6241051520F9C602 CD5241214E41340D 200462162C79FE20 2003040E20AF1520 ECC9AF010000215E 41C0FE1428037718 E9360A28E18F20100 10F2010A0A0A0A21 5041865842206091A 77231310FACDED441 CD3C42210057ED58	9090448906448906648906648966777777111111900106648906688966896689668966896689668966896689	#E14025043ED5858 = 100 41187AB320FBC380 = 201 4200002AB4411104 = 980 42100002AB4411114 = 980 42100002AB4411114 = 980 42100002AB4100004779 = 600 FE1FC3800400 = 107 2804FE94000044742 = 910 2804FE9420004421 = 611 CB040002AB41215041 = 611 CB04040AB420AB42 = 110 2804F24121080AB2 = 850 2815041411080AB2 = 850 2815041411080AB2 = 100 2815041411080AB2 = 979 2815041411080AB2 = 100 2815041411111 = 700 2815041411111 = 700 281504141111 = 100 281504141111 = 100 281504141111 = 100 281504141111 = 100 281504141111 = 100 281504141111 = 100 28150414111 = 100 28150414111 = 100 2815041411
16802: 062036142310FB36 15810: 00230D20F306170E 16818: 203E05000D624120 16826: F83E00ED47DD2104	= 468 17050	FE000216433A2540 FEFF043D42ED4882 410079FE2020030E	= 697 17298	AFCD6241CDF0412A = 10 584111C800E05222 = 72 5841215941342A5C = 52 4111080119225C41 = 30

#### Shape transformation

Igor Pandzic. Zagreb, Yugoslavia



SHAPE TRANSFORMATION is a version of Pikchachanja - Your Computer April 1985 that works on the Oric-1 48K. You have to enter two shapes, each consisting of the same number of lines, and then you can watch the smooth 16-frame transformation of one shape into another.

When you start the program it first leads the machine code into memory. Then you are asked about the number of lines per shape maximum is 43. The program moves to Hires mode and draws a square in the middle of the screen and a cursor in it. You can draw your pictures only in that square. Move the cursor using the arrow keys and change the cursor jump by "," and "." kcys.

To enter the beginning of the line press B. You can change the beginning as many times as you wish. To finish the line press Return. Don't try to press it when the cursor is on the beginning of the line. You can delete the last line using Del. Unless you define it differently, the beginning of the next line is on the end of the last line. When you have entered the first shape you have the option of leaving it on the screen while you are drawing the second one or you can clear the screen.

While you are drawing, the display shows the cursor position, the cursor jump, the number of the line and the position of the beginning of the line, which is also shown by a dot.

When you have finished entering shapes you will have to wait for a while, while the computer is calculating and storing the intermediate frames.

And now the most exciting mement. The screen clears and the menu appears. You can choose one of these options: F to see the transformation of the first shape into another, B for the inverse, M for the continuous forwardsbackwards moving, N to enter the new shapes, C to continue and Q to quit. To continue means that the last shape now becomes the first shape and you have to enter only one shape. This facility is especially useful for the owners of video recorders, because they can make longer animation sequences and record them to the tape.

The program consists of the basic and two short machine-code routines. The first machine-code routine - at address &400 transfers data from the screen to memory, and the second one (&460) does the inverse thing. There are 16 frames and they are stored above the Himem address 6499. Each frame takes 2000 bytes.

```
REM********************
  REM*** SHAPE TRANSFORMATION
             DEMARK
                                   ...
  REM***
                                                          265 POKEE268.0
4 REM***********************
5 HIMEM6499
10 GOSUB100
20 GOSUB200
30 GDSUB400
99 END
110 CLS: PAPER4: INKO: PRINT"LOADING DATA"
120 FORR=£400T0£400+83
130 READD#: D-VAL ("£"+D#) : POKER, D
140 NEXTR
145 FORR=E460T0£460+83
150 READD#: D-VAL ("£"+D#): POKER, D
1AD NEXTR
199 RETURN
 200 REM*********************
204 CLS
205 TEXT: PAFER4: INKO: PRINT: PRINT: PRINT: PRINT
220 INPUT"NUMBER OF LINES PER SHAPE"; NP
225 DIMX(1,NP,1):DIMY(1,NP,1)
230 NS=0:30EUB250
231 PRINT:PRINT
235 PRINT"WOULD YOU LIKE THE FIRST SHAPE UN SCREEN WH
                                                         RINT: GOTOZ60
   YOU ARE DRAWING THE LA
236 GETA#: IFA#="Y"THENNS-1: 609UB252: 60T0249
238 IFA$<>"N"THEN236
240 NS=1:G05UB250
                                                          399 RETURN
250 HIRES: CURSETS9, 49,1: CRAW121, 0,1: DRAW0, 121,1: DRAW-
                                                          410 FORNR=0TC15
121,0,1:DRAW0,-101,1
 252 PRINTCHE# (6); CHR# (17)
 255 X=60:Y=50:NL=0
```

```
257 REPEAT: NL=NL+1: X (NS, NL. Ø) = X: Y (NS, NL, Ø) = Y
260 CURSETX+60, Y+50, 1
 262 CURSETX (NS, NL, 0) +60, Y (NS, NL, 0) +50, 1
267 PRINT"LINE NR. "; NL; ", BEGINS A" "; X (NS, NL, 0); ", ";
270 IFNS=0THENPRINT"DRAWING FIRST SHAPE : CURSOR JUMP: "; J:GOTO275
273 IFNS=1THENPRINT"DRAWING LAST SHAPE : CURSOR JUMP:
275 PRINT"CURENT CODRDINATES: ";X;",";Y;"
290 TT=PEEK(£311):T1=PEEK(£312)
292 1F11=253ANDT1=.88ANEJ<>1THENJ=J-1:GOTD260
293 IFTT=251ANDT1=188ANEJ<>99THENJ=J+1:GOTG260
295 IFX-J>=@ANDTT=223ANDT1=188THENCURSETX+50.Y+50.0:X
300 IFX+J<=117ANDTT=127THENCURSETX+60,Y-50,0:X=X+J
 305 IFY-J>=@ANDTT=247THENCURSETX+60,Y+50,0:Y=Y-J
 310 IFY+1<=99ANCTT=191THENCURSETX+60.Y+50.0:Y=Y+J
 315 IFTT=251THENCURSETX (NS, NL, 0:+60, Y (NS, NL, 0) +50, 0: 2
(NS,NL,0)=X:Y(NS,NL,0)=Y
316 I=TT<>2230RT1<>1890RNL=1THEN322
317 NL=NL-1:CURSET*(NS,NL,0)+60,Y(NS,NL,0)+50,0
318 DRAWX(NS,NL,1)-X(NS,NL,0),Y(NS,NL,1)-Y(NS,NL,0),0
320 IFTT<>2230RT1<>191THEN260
 330 IFX<>X(NS,NL,0) DRY<>Y(NS,NL,0) THEN340
 335 PRINT: PRINT: PRINT: PRINT"FLEASE DRAW LINES, NOT DOT
E!!": WAIT200: PRINT: PRINT: P
 340 DRAWX-K(NS,NL,Z),Y-Y(NS,NL,0),1
 350 X(NS, NL, 1) = X: Y(NS, NL, 1) = Y
370 UNTILNE-NP
      PRINTCHR#(6); CHR#(17)
 400 FEM+***CALCULATING AND STORING****
 405 HIRES: PRINT: PRINT: PRINT
 415 HIRES: POKE£268, Ø: PRINT
 416 PRINT"CALCULATING AND STORING INTERMILIATE FRAMES
... PLEASE WAIT"
```

# SOFTWARE File

```
620 DOKE£465,6500+R*2000
 420 FORNL=1TONE
 425 FORN=0TO1
                                                                      430 CALLE460
 430 X1(N)=X(Z, NL, N)+(X(1, NL, N)-X(0, NL, N))/15*NR
                                                                      640 NEXT
 432 (1 (N) = X1 (N) +60
                                                                      649 RETURN
435 Y1(N)=Y(Z,NL,N)+(Y(1,NL,N)-Y(0,NL,N))/15*NR
437 Y1(N)=Y1(N)+50
                                                                      550 REM**B**
                                                                      660 FORR=15TO0STEP-1
 440 NEXTN
                                                                      670 DOKEE465,6500+F*2000
 450 CURSETX1(0),Y:(0),1:IFY1(1)=YI(0)ANDX1(1)=X1(0)TH
                                                                      680 CALL£460
EN460
                                                                      690 NEXT
 455 DRAWX1(1)-X1(0),Y1(1)-Y1(0),1
                                                                      699 RETURN
 460 NEXTNL
                                                                      800 REM**C*
 445 DOKE£408,6500-NR*2000: CALL£400
                                                                      BIØ FORNR=ØTO1
 470 NEXTNE
                                                                      820 FORNL=1TONP
 475 RETURN
                                                                      825 X (0,NL,NR) = X (1,NL,NR): Y (0,NL,NR) = Y (1,NL,NR)
 480 HTR-S
450 PRINT:PRINT:PRINT
                                                                      830 NEXTHL
                                                                      B40 NEXTHR
 495 PRINT" (F) ORWARDS, (B) ACKWARDS, (M) OVING, (C) ONTINUE,
                                                                      849 NS=1:GOSUB250:GOT030
(N)EW, (Q) UIT"
                                                                       050 GOTO20
 500 GET4$
                                                                       5000 CATAA2,64,A0,14,AD,DA,A7,BD,64,19,A9,1,18,6D,5,4
     :FA#="M"THENGOSUB550
 505
                                                                      ,8D,5,4,A9,0,6D,6,4,8D,6,4
5010 CATAN9,1,18,6D,0.4,0D,8,4,A7,0,6D,9,4,8D,9,4,88,
     IFA#="F"THENGOSUB600
 510
 515 :FA$="B"THENGOSUB650
530 :FA$="C"THENBO0
                                                                      5015 CATA4C,4,4,A9,14.18,6D,5,4
5020 DATA8D,5,4,A9,0,6D,6,4,8B,6,4,CA,F0,3
5025 CATA4C,2,4,A9,DA,8D,5,4,A9,A7,8D,6,4,60
      IFA$="N"THENRUN
 535
      IFAS="U" THENTEXT: STOP
 549 GOT04EØ
                                                                      5030 DATAA2,64,A0,14,AD,64,19,BD,D4,A7,A7,1,18,6D,6B,
                                                                     4,8D,6E,4,A9,0,6D,69,4
5040 DATA8D,69,4,A9,1,1B,6D,65,4,8E,65,4,A9,0,6D,66,4
,8D,66,4,88,F0,3
 550 REM + * M * *
     HIRES: PRINT" PRESS ANYTHING FOR THE MENU"
 560 GOSUB600
                                                                      5045 DATA4C,64,4.A9,14,18
5050 DATA6D,6E,4.BD,68,4,A9,0,6D,69,4.BD,69,4,CA,F0,3
 570 GOSUB450
      1FKEY$<>* "THEN480RETURN
 SAM
 590 GOT0540
 599 RETURN
                                                                       5055 DATA4C, 62, 4, A9, DA, 8D, 68, 4, A9, A7
 600 REM+#F#
                                                                      5000 DATASD, 69, 4,60
 610 FORR=0T015
```

#### Graphics designer

David Hodgetts, Tipton. West Midlands.



GRAPHICS DESIGNER is a very useful utility program for the Commodore 16 and, though written for the 16, it w.ll work on the Commodore +4. The program is an aid to designing user cefinable graphics; there are many useful functions of which a few need to be explained.

Create allows you to define up to 255 characters, 0-127 upper case and 128-255 lower case, reverse characters are created automatically by the computer.

The rest of the commands from the main menu are sell explanatory, but when using the create command there is a help mode which offers a range of commands to make the creation of characters a lot faster.

- 1. Display the data for the character being created.
- 2. Invert the character (turn 1 upside down).
- 3. Mirror image the character (laterally invert it).
- 4. Reverse character.
- 5. Rotate character (this may not seem a true rotate, but it is, as every 90° the character returns to its original shape;.
- Clear character.
- Reset character (set character back to its original form).
- 8. Return to ed tor.

It should be noted that a character cannot be stored while in the help mode, to do this you must return to the editor.

The save option saves the character set to tape as a program file, so to lead back the character set from tape type:

LOAD"file name",1,1

It is vital that there should be a ,1,1 at the end of the load statement as it makes sure that the program file is loaded back into the same memory as it came from.

To access the graphics from either in a program, or ir direct mode type:

POKE6529B, PEEK (65298) AND 251: POKE 65299,(PEEK(65299)AND3)OR48

To return to normal type: POKE65298,196:POKE65299,209

Be sure when using UDGs in a program that any errors are trapped to a line switching back into normal mode, as if there is not an error will cause anything on the screen to become unreadable. If this happens then hold down the run-stop key and press reset. This will then enter you into the monitor, type X then return to get cut of it, and you will still have your program in memory, which you would not have if you had used reset on its own.

```
10 FOKETS 9:POKES6.46
20 TRAP 1446:DIRCHG 29>
30 005UD1340:SYS12032
298 PRINT"#MONOCOCCOUNTTHE(36); CHR$(27)"B"
388 GOSUB1433
318 GOSUB478
228 J=3195;P*J:K=8:L=8
329 GETRF:IF18=CHR$(13)THENFRINT"TMPLERSE WRIT":GOSUB873:PRINT"MRN":GOTO708
320 GETRF:IF18=CHR$(13)THENFRINT"TMPLERSE WRIT":GOSUB873:PRINT"MRN":GOTO708
320 FRF***M"*IFHENGSUB448:GOSUB1438
320 FRF**M"*IFHENGSUB448:GOSUB1438
320 FRF**M"*IFHENGSUB448:GOSUB1438
321 FRF**M"*IFHENGSUB448:GOSUB1438
322 FRF**M"*IFHENGSUB448:GOSUB1438
323 FRF**M"*IFHENGSUB448:GOSUB1438
324 FRF**MUTHENGSUB448:GOSUB1438
325 FRF**MUTHENGSUB48:MUTHENGSUB48
326 FRF**MUTHENGSUB48:GOTHENGBSUB48
327 FRF**MUTHENGSUB48:GOTHENGBSUB48
328 FRF**MUTHENGSUB48:GOTHENGBSUB48
329 FRF**MUTHENGSUB48:GOTHENGBSUB48
320 FRF**MUTHENGSUB48:GOTHENGBSUB48
320 FRF**MUTHENGSUB48:GOTHENGBSUB48
321 FRF**MUTHENGSUB48:GOTHENGBSUB48
322 FRF**MUTHENGSUB48:GOTHENGBSUB48
323 FRF**MUTHENGSUB48:GOTHENGBSUB48
324 FRF**MUTHENGSUB48:GOTHENGBSUB48
325 FRF**MUTHENGSUB48:GOTHENGBSUB48
326 FRF**MUTHENGSUB48:GOTHENGBSUB48
327 FRF**MUTHENGSUB48:GOTHENGBSUB48
328 FRF**MUTHENGSUB48:GOTHENGBSUB48
329 FRF**MUTHENGSUB48:GOTHENGBSUB48
339 FRF**MUTHENGSUB48:GOTHENGBSUB48
339 FRF**MUTHENGSUB48:GOTHENGBSUB48
339 FRF**MUTHENGSUB48
339 FRF
```

```
PRINT'(3) INVERT CHARACTER'
PRINT'(3) MIRROR IMAGE CHAR'
PRINT'(4) REVERSE CHAR'
PRINT'(5) ROTATE CHARACTER'
490 PRINT*[5] ROTHTE CHRRACTER*
590 PRINT*[6] LEAR CHARACTER*
510 PRINT*[6] RETURN TO EDITOR*
510 PRINT*[7] PESET CHARACTER*
520 PRINT*[8] RETURN TO EDITOR*
520 DETKEYF#:[FVRL4R$/(IDR)]-(R$))3THE4538
540 [FVRL(F$)COSNNUNL(R$)<)4TKENQJ=0
550 [NNRI (F$)COSNNUNL(R$)<)4TKENQJ=0
550 [NNRI (F$)COSNNUNL(R$)<)4TKENQJ=0
550 [NNRI (F$)COSNNUNL(R$)<)4TKENQJ=0
550 [NNRI (F$)COSNNUNL(R$)<)4TKENQJ=0
550 [NNRI (F$)COSNNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CONNUNL(R$)CON
    780 PRINT*#####PRESS ANY KEY TO ENTER GRAPHICS MODE*
790 DETKEYAD: PRINT*#CF*
000 POKE55298. PEEK(65258)AND251: K=PEEK(65299): X=XAND3: <=XOR48 POKE65259, X: Z=U:T=
      0
810 IFL:#"U"THB:PRINTC-R#(142):ELSEPRINTC-R#(14)
820 FDRY=0T325STEP2:DO:POKE9072+Y#40+2*Z,T Z=Z-1:T=T+1:L00*UNTILZ=20CRT=Z*6
830 Z=0:NEXT
840 GETTEYHB:IFR#(CHR#(13)THE1840
850 POKE65298,196:POKE65299,205
860 GOTUS0
870 POKER,32CRPEEK(P)AND128
                                                                                                                                                                                                                                                                                                                                                               (continued on next page)
```

## SOFTWARE File

(CONTINUED FROM PROVIOUS PAGE)

880 FORR-0TOT:FORR-0TOT:EFPEK(3195+A+40+(7-R))=1601HENG+G+21R

880 FORR-0TOT:FORR-0TOT:EFPEK(3195+A+40+(7-R))=1601HENG+G+21R

880 FRINT:MICE TORKENT COMPAND IS \$18RESET

\$10 PRINT:MICE THE CURRENT COMPAND IS \$18RESET

\$11 PRINT:MICE THE CURRENT COMPAND IS \$18RESET

\$12 PRINT:MICE THE CURRENT COMPAND IS \$18RESET

\$13 PRINT:MICE TORKENT COMPAND IS \$18RESET

\$140 GETKEYKS:GOTO50

\$150 PRINT:MICE CURRENT COMPAND IS \$180COPY

\$150 PRINT:MICE CURRENT COMPAND PRINT:MICE TO \$150 PRINT:MICE CURRENT COMPAND PRINT:MICE TO \$150 PRINT:MICE TO \$150 PRINT:MICE FOR \$150 PRINT:MICE FOR

1178 POKE3196+SRW41+AR.CHX:AR7)
1188 POKE342+SRW31+AR4.CHX:AR47)
1288 POKE3425-SRW31+AR40.CHX:AR47)
1288 POKE3425-SRW31+AR40.CHX:AR47)
1288 POKE3435-SRW31+AR40.CHX:AR47)
1288 POKE3435-SRW31+AR40.CHX:AR42)
1289 PXINT'INTHE CURRENT COMMEND IS \$1858VE"
1230 PXINT'INTHE CURRENT COMMEND IS \$1858VE"
1230 PXINT'INDMATHS ALLOWS VOL TO SRVE THE GRAPHICS "SPC(13) "XVOU HAVE CREATEL"
1240 PXINT'INDMATILE HAPE", AR: IFLEN(AR))16THENFRINT XNO MORE THAN IS CHARACTERS\*: G
0701260
1270 PORFL=1TO.EN(AR):POKE6734FL, FSC(HID#:R#,FL,I)):NEXT:POKE673,LEN(A#)
1290 SVS12190:DOTOS0
1298 PXINT'INDMATE CURRENT COMMEND IS \$180AD\*
1308 PXINT'INDMATES CURRENT COMMEND IS \$180AD\*
1318 PXINT'INDMATES CURRENT COMMEND IS \$180AD\*
1318 PXINT'INDMATES CURRENT COMMEND IS \$180AD\*
1319 PXINT'INDMATES TUP THE TAPE TO THE CORRECT POSITION'SPC(11) "XPOU HAVE SAVED"
1310 SYS12197:DOTOS0
1310 SYS12137:DOTOS0
1310 SYS12137:DOTOS0
1310 PXINT'INDMATES CURRENT COMMEND IS \$180AD ALLOWS SYS12107:DOTOS0
1310 PXINT'INDMATES CURRENT COMMEND IS \$180AD ALLOWS SYS12107:DOTOS0
1310 PXINT'INDMATES CURRENT COMMEND IS \$180AD ALLOWS SYS12108:DOTOS0
1310 PXINT'INDMATES CURRENT COMMEND IS \$180AD ALLOWS SYS12108:DOTOS0
1310 PXINT'INDMATES CURRENT COMMEND IS \$180AD ALLOWS SYS12108:DOTOS0
1310 PXINT'INDMATES CURRENT COMMEND INDEXT:RETURN
1350 DATA162,0.134.135.162.208.134.140.162.8.134.141.162.48.134.142.160.205.205.196.134.142.206.205.96
1320 DATA162.0.165.48.134.139.133.140.169.8.160.0.145.139.23E
1320 DATA162.0.165.48.134.139.133.140.169.8.160.0.145.132.206.206.206.30.96
1320 DATA162.0.165.134.134.139.133.140.169.8.160.0.145.132.206.206.206.30.96
1320 DATA162.0.165.140.206.132.186.255.169.0.170.160.32
1320 DATA162.0.165.160.0.160.0.165.160.0.165.160.0.160.0.160.0.20
1320 DATA162.0.160.

#### Utility

M.J. Davies, Dyfed, Wales.



THIS PROGRAM is a machine-code utility for any Commodore Vic-20. It supplies a number of useful functions by simple keystrokes.

The functions supplied are on the following keys and are all accessed by holding down Ctrl and tapping the required key:

B: Gives bleep when a key is pressed.

V : Stops bleep function.

K : Gives key repeat.

J : Stops key repeat.

T : Switches quotes made off

Y : Switches quo:es mode on.

: Switches off Inst mode.

P : Pauses a listing at any point.

@: Continues the listing after Ctrl P.

S : Switches all sound off excluding bleep.

X : Run/Stop-Restore.

Most of the functions are self explanatory. However some will be obscure to some users and I will attempt to explain them.

First, quote mode off and on: I am sure that sometime during the time that a Vic user has had his machine, he'll have been entering a message inside quotes and have wanted to move around using the cursor keys. You'll have noticed that this is not easy because control characters appear. However using these functions this problem can be overcome.

Secondly, Inst mode off: This is rather similar to quotes mode off; however it is used when a large number of Insts have been entered that are not required.

Finally, Run/Stop-Restore using Ctrl X had to be included for emergencies. Usually, whenever a user wishes to stop a program, they will press Run/Stop-Restore automatically and would thus immediately disable Vic Utilities. For this reason, Run/Stop-Restore is deliberately disabled and Ctrl X is used instead to give the user a chance to "look before he lcaps". If Ctrl X is used, then Vic Utilities may still be used by using Sys 695.

The machine code takes up only 256 bytes and is located at the top of memory. The loader calculates all relevant jumps and protects the program so that the program will run on all Vic-20s.

Unfortunately, the program cannot be used with the Programmers Aid or Super Expander cartridges.

18 CLR: POKE52, PEEK (52) -1: POKE56, PEEK(56)-1:CLR 28 PRINT"G\*\*\*VIC 28 PRINT"L\*\*\*\*VIC UTILITIES\*\*\*\*
":PRINT"\*CCFYRIGHT M.J.DAVIES\*"
38 PRINT"\*\*\*18 FEBRUARY 1984\*\*\* FORA=1103568: NEXT 48 FORA=673T0694 : READB : POKEA , B : N 58 FORA=695T0722:READB:POKEA,B:N 68 POKE787, PEEK (51) : POKE712 PEEK FORA=(PEEK(55) +PEEK(56) #256) T O(PEEK(55) +PEEK(56) #256+145) : REA DB : POKEA, B : NEXT 88 P=PEEK(55)+PEEK(56)#256:X=INT ((P:110)/256):Y=P-X#256+119 98 POKEPEEK (55) +PEEK (56) \$256+50, Y:POKEPEEK (55) +PEEK (56) \$256+51,X 199 PRINT"C\*\*\*\*VIC UTILITIES\*\*\* 110 PRINT"KEY PRESSES :- " :PRINT"M KEY BLEEP ON . MCTRLE B"; 128 PRINT"KEY BLEEP OFF : MCTRLE V"; :PRINT"KEY REFEAT ON : MCTRL 130 PRINT"KEY REPEAT OFF: MCTRLE J"; :FRINT"QUOTES OFF Y"; :FRINT"INST MODE OFF : MCTRL 150 PRINT"PAUSE LISTING : MCTRI P"; :FRINT"CONT. LISTING :

168 PRINT"SOUND OFF

S";:PRINT"RUN/STOP-REST.: MCTRL

X";

178 PRINT"M TO RE-ENABLE AFTER

MCTRLM X USE SYS 695"

188 SYS695:NEW

190 DATA165,197,281,13,288,13.17

3,141,2,41,4,240,6,165,197,281,5

3,288,258,76,112,247

288 DATA128,169,161,141,40,3,169
,2,141,41,3,169,8,141,143,2,169,

8,141,144,2,169,2,141

218 DATA38,145,88,96

220 DATA178,141,2,41,4,240,38,16

5,197,281,35,248,42,281,27,248,4

4,281,44,240,46

230 DATA281,20,24e,49,201,50,248
,52,281,11,248,54,281,12,240,56,
281,41,248,58,281

248 DATA26,240,73,281,54,248,3,3

2,8,8,76,228,235,169,8,133,251,2

40,248,169,180

250 DATA133,251,288,234,169,128,
141,130,2,288,227,169,8,141,138,
2,288,220,169,8,133,212

260 DATA248,214,159,1,133,212,28

8,288,169,8,133,216,248,282,169,

8,141,14,144,141,10,144

270 DATA141,11,144,141,12,144,14

1,13,144,240,183,8,165,251,281,1


8,144,162,255,282,288,253,169,8,
141,19,144,96

290 REM THIS FROGRAM COPYRIGHT

M.J. DAVIES 10 FEBRUARY 1984

#### **Password**

Blackburn Lancashire.



THIS PASSWORD program for the Spectrum 48K will cause the listing to be jumbled. Cnly the correct password will restore the program and the program cannot be run without it.

The program should be typed in as listed and SAVEd on tape.

After writing your message or short program the Password program should be loaded with Merge ". Your program should not have any line numbered any higher than 9983. Then type

#### GOTO 9985

The program will ask for a password which, when Entered, will cause the screen to go blank and then show a Stop Statement.

You listing is now coded according to the password and can be saved as before with

#### SAVE "name" LINE 9985

When the program is reloaded the correct password must be entered to run the program. It works by XORing the byte in the Pasic program listing with the ASCII code of the password which is sliced in a loop.

Line 9991 looks for line 9984 to prevent poking the password program itself. Lines 9991 and 9992 prevent Poking into undesirable places. The short machine code routine does the XORing.

If you take two numbers and XOR them, then take this result and XOR it with one of the original numbers you will get the second original number.

```
9984 STOF: SIUP

9985 RESTORE: CLEAR 32499: LET

j=32500

9986 FOR (=0 TO 11: READ a: PDKE

j+7, d: NEXT (

9987 DATA 53,832,128,237,75,242,

128.6,0,169,75,201

9988 INPUT "PASSWORD?", as

9980 LET x=1

9990 FOR n=23759 TC 168

9991 IF PEEK n=13 THEN LET n=n+4

: NEXT n

9992 IF PEEK n=14 THEN LET n=n+5

: NEXT n

9993 IF PEEK r=226 AND PEEK (n+2)

)=226 THEN STOP

9994 POKE 33000, PEEK n: POKE 330

10,0000 as (x) +120

9995 LET (=058) 25500: IF 1:32 TH


EN NEXT n


9995 LET (=058) 35500: IF 1:32 TH

EN NEXT n

9997 LET x=x+1

9998 IF x>LEN as THEN LET x=1
```





WILLEM OGIERPLEIN 2 B-2000 ANTWERPEN Tel. 03/233 59 06

GRETRYSTRAAT 31 1000 BRUSSEL Tel. 02/218 60 26

Schneider AMSTRAD SINGLE apricot

ACORN COMPUTER

EEN BRIT MET BIT!





Tim Hartnell, the world's best selling author of books on the Sinclair computers, has turned his attention to the Spectrum + to produce three major works.



SPECTRUM – LOGO. Just type this program in, and you'll have LOGO graphics running instant y on your Spectrum + or Spectrum. No need to buy the language. Comes with complete tutorial on LOGO graphics. Book contains full program and tutorial, £2.99 (ISBN 0907563652).

EXPLORING ARTIF CIAL INTELLIGENCE ON YOUR SPECTRUM—. Study the fascinating world of Artificial Intelligence, as you demonstrate many of its exciting discoveries with the eight programs in this book. The Camputer Bookshelf section of The Bookseller called this work "the best book on AI I have ever seen". £6.95 (ISBN 0947695052)

ASTCUNDINGARCADEGAMESONYOURSPECTRUM+.
Four great a cade games in this special 32-page edition of
Kwik-Bytes ...ust £1.25 (ISBN 0907563708)

Available from good book and computer shops, or (post free) from:

Interface Publications Ltd., Dept.QTYC, 9/11 Kensington High Street, London W8 5NP

(UK Trade: WHS Distributors)



# THE VIKINGS ARE COMING!!!

swescot are proud to announce that we will soon be releasing several top quality programmes on the international market, made by some of Sweden's most proficient programmers.

And best of all......PRICES FROM £1.99

Du som bor i Skandinavien och söker bra
program till din hemdator.

#### KONTAKTA OS!!!

Vi har det mesta som finns i denna tidning till **samma** laga priser som gäller i England. Dessutom far vi in alla nyheter **samtidig**t som de släpps i England.

OBS!!! Vid katalogbeställning v.g. medsänd 5: – Skr i frimärken för portot.

#### **SWESCOT**

Box 213 121 02 Johanneshov Sweden 08/39 27 00 — 08/81 18 01

# Gould You be offware Sta



AAIIGII	youop	KIIGII
lictive	Game,	there's a

new world of discove

o: Addictive Games Ltd	7a Richmon	d Hill, Bourn	emouth, Do	rset BH2 6H
	-			
Please send me:				

cassette(s) of Software Star for..... cassette(s) of Stringer for ..... ....(computer) cassette(s) of Football Manager for ......(computer) lencose cheque:postal crder for ' £...... lease debit my Access card No ......

Delete as applicable

Access orders can be telephoned through on (3202) 296404

Postcode..... Tel. .....

Addictive Games

7a Richmond Hill, Bournemouth BH2 6HE Telephone: 0202 · 296404.





The most accurate horse race predictor on the market

- ★ Tipster V2 took 18 months of trial and error before we arrived at the system that makes it the most accurate race predictor on the market.
- ★ Fully tested against other computer race predictors.
- ★ Tipster even performs better than the human tipsters from the top nine newspapers.
- \* Many winners found at high prices.
- \* For both flat and national racing
- \* The system will never go out of date.
- \* We reveal the secrets of profitable betting.
- \* Special tutor for the absolute beginner to racing.
- ★ Tipster also includes a program to calculate your returns for you.

If you can buy a more accurate race predictor we'll refund your money

Don't be tempted to buy cheap or inferior products. £14.95

E. I. SYSTEMS
PO Box 171, Wolverhampton, West Midlands WV10 0PJ

Leaves all other race predictors in the paddocks. (Please state computer)

PD133

# ADULT PARTY GAMES

SPECTRUM 16/48k

#### STRIP POKER

Classic adult party game for 2-10 players, who may lose a lot more than their stake! Fully featured 5-Card Poker game (basic rules supplied) with that little bit extra!

£6.95 (cassette)

Fully inclusive mail order price

#### RISQUÉ

New on-screen board game for 2-4 very, very good friends. Revealing after-dinner frolics, fun, dares, risks and forfeits!

£6.95 (cassette)

Fully no usive mail order price

Send cheque/PO/MO payable to:


PR SOFTWARE
7 Ashley Road, Poole, Dorset BH14 9BS

## HISOFT

High Quality Microcomputer Software

## for CP/M

a sparkling full screen editor



# Devpac80

THE NEW STANDARD

£39.95

District a Film.		115011	MANUT PRESENT	er 14 tar OS Pages 1
0100	2 an trera			
0100	1 . Chevana		That her 1991	accommetative erased.
30105	100000000000000000000000000000000000000			Service Control of the Party of Service Control
0014	5 56 IERA	F(2)	76	
(00)	a limits	1000	2141	
47.84	F Awar	CCPL		
0034	. e et Latel	113.	12	
0103	THE RESERVE OF THE PARTY OF THE			- N
0100	se charge to	o call t	P'S amiliany for	and C
6100	192 BRID.	Heres	450.00	
0.100	4.2	10	40.4030	
0100	12	741	1.80	
0100	14	Call	Sea.	
420m	15	60.24		
6100	1.0			
vi200	16	org	(100	stree 'cles segon or alto
GION PRIMISES	10	4.10	W. IAI	1965 Stack to Law let The
10104	19	cos	191261 16 FORM	tard free 1.0 to truff.
0104 110000		140	de Cleate	The state of the s
OLOT OF IN		14	LASETONS	
ATTEN PERMAT		Call	***	
0100	20	CEPSE	1000.04.220	4 Labor . CO. 11101040/421-
0100	21 +Inchele	PEFIN	10	
01.00	1 ****	KERL		ng Label and Stollowill
Berefired swor				
0106	75	PAINT		
OLOG	1987			
0100	21	2005	Manten Street	( paperts for first entr-
Torne tentore	The same of the sa	1.00	CO. LANGE D	
OLOF OFF		1.0	1,317/01	
Out of came in	6.1CREEN.PER		THE PERSON NAMED IN	
0111 (3700)	100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2011	hes	
0114	100	100	0.00	(found pres)

#### a glittering macro assembler

Ge: these three programs for your Z80 CP'M computer. Only £39.95 direct from HiSoft (UK inclusive). Write for export prices or for full technical information.

4	20103 L3	HL. (19006)	FC 0103	COED FF CO FF OD FF CO FF OD
1	010113	ar, si tro	SP FIGS	toes FT to FT to FE to FE to
1	C109 DR	A	1Y 4003	tofa F to F 03 FF to FF 05
1	0107 530	HL.CE	1X 0000	00F3 FF 00 FF 00 FF 20 FF 01
1	2105 LD	SP.HL	3004 HL 3103	0100)29(66 0) IL CC 18 37 ES +7a
1	GIOA FUIK	HL.	010 IE 0100	0108 St FF Ei 34 04 00 SF 15 Par
1		8. (892041	9100 HE 9100	
1		E.4	ODGS AF DIFF	0118 CI OF OF CO CC 00 35 20
1	110F LD		.AR 0100	0120 17 21 01 01 76 17 25 03 .53. 76.
1	GIII LD		IR 007A	9128 5 0E 0! ES CE 05 00 El
-1	4112 LMI		I C' w Owt	
1		DE.6018E		SP TY TO HE BE BC W
١	0119 10	0.10		\$100 6000 6040 0006 0000 0000 60FF
1	OLIB CALL	AND THE REAL PROPERTY.		
١	OHE INC			DIFE (5 C 13 C 13 C C) C 13 C W .
-	OUF IR	MI. 00134		AF28 05 . 03 . 03 . 03 . 23 . 24 .
١	9121 LD	HL. 00131		2323 \$1 @ \$1 @ \$1 6 01 8 81 9 65 .
1	0124 10	A. (IL)		AB18 AB ( AB ( AB ) AB ) 48 ( () .
	0.25 GR	4		312A 0) , 00 , 00 , 00 , 10 , 11 .
1	0.26 38	ME. 00153		200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
П	0.28 LD	E,A		FE7E 0: . 06 . 06 . 04 . 16 . 13 .
П	0.29 LD	21.3		2840 AT 1 AE ( 48 ( 68 ) NE 1 H 7
- 1	O SA CE	balw.		4046 MI 1 WE 1 NO 1 NO 1 10 1 Et 1

a brilliant front panel debugger



180 High Street North, Dunstable, Beds. LU6 1AT Telephone (0582) 696421

# Itsa smip

For only £14.00 you can have Your Computer delivered to your door, every month, for a whole year! It's the best way of making sure you get your own copy of Britain's biggest selling home computer magazine, and of keeping in touch with all the up-to-the-minute news, views, advice and information on the computer scene - without queuing at the newsagents. And if you don't want to snip at your favourite magazine with the scissors, just photo copy the page and send it to us instead. We won't feel cut up about it

—and neither will you!

#### YOUR COMPUTER

Please send me YOUR COMPUIER each month for 12 months.

A. I enclose cheque/P0 to the value of £14.00 (UK), £22.50 (Overseas). Cheques should be made payable to Business Press International Ltd. Air mail rates available on request.

B. Please debi: my credit card account:

Enter number: (please tick) Access Barclaycard/Visa American Express

#### SUBSCRIPTION ORDER FORM

NAME: ADDRESS: ....

Job Title (if any) .....

Type of Business (if any) ... Do you own a computer? Do you have access to a computer?

res Yes

If so please state type......

No


No

Please return to: Your Computer, Subscription Manager,

Business Press International Ltd., Oakfield House, Perrymount Road, HAYWARDS HEATH, Sussex KIII6 3.311.

YOUR COMPUTER

# MATTA LEATTA



commodore 6 Price £7.50



ORIGINAL SOFTWARE DESIGN

AVAILABLE FROM W.H. SMITHS, BOOTS, WOOLWORTHS AND MOST COMPUTER RETAILERS OR FROM LLAMASOFT 49 MOUNT PLEASANT, TADLEY, HANTS (TEL. 07356 4478) SAE FOR CATALOGUE & NEWSLETTER THE NATURE OF THE BEAST!

Introducing Discovery 1 - quite simply the most advanced and comprehensive disc drive unit yet developed for the Spectrum and Spectrum + computers.

Discovery is the breakthrough in design, performance and price which promises to make other Spectrum solutions obsolete. Just look at its advanced features:

- The very latest 3½ inch disc drive unit
- Peripheral through connector
   Parallel printer port
  - Joystick interface
     Video monitor port
    - On-board power supply



But the biggest discovery of all is the price – just £199.95

Upgrading to a dual-drive system is simple with the 'Discovery +' upgrade package – £139.95, or choose a purpose-built twin-drive unit, 'Discovery 2' – £329.95.

#### THE DISCOVERY RANGE

Available through the Opus dealer network nationwide-ring for your nearest stockist-or direct from Opus Supplies. For further details ring us on: 0737 65080 or post the coupon.

Please rush me the following (ALL PRICESINCLUDE VAT & CARRIAGE)

- Discovery 1 unit(s) at £199.95 each

- Discovery 2 unit(s) at £329.95 each

YC Ad1

I enclose a cheque for £\_ \_\_ o: please deb.t my credit

card account with the amout of £\_

My Access □ Barclaycard □ (please tick) no. is

Address

Te ephone

55 Ormside Way, Holmethorpe Industrial Estate, Redhill, Surrey. TELEPHONE: 0737-65030

- MASSIVE DATABASE Poolswinner is a sophisticated Fools prediction aid. It comes complete with the largest database available - 22000 matches over 10 years. The database updates
- automatically as results come in
  PREDICTS Not just SCOREDRAWS, but AWAYS, HOMES and NO SCORES.
- SUCCESSFUL SELEC quarantee that Poolswinner performs significantly better than chance.

  ADAPTABLE Probabilities are given on every fixture -
- choose as many selections as you need for your bet. The precise prediction formula can be set by the user you can develop and test your own unique method.
- SIMPLE DATA ENTRY All English and Scottish team names instruction bookler are in the program. Simply type in the reference rumbers from the screen Or use FIXGEN to produce fixture list automatically (see below).
- DISC/MICRODRIVE COMPATIBLE Allversions (except Apple and BM) are supplied on tape, with simple instructions for conversion to disc/microdrive operation

(This seasons results are supplied with the package so that predictions can start immediately.) AVAILABLE FOR Spectrum (48K), Corumodore 94, VIC 20 (+15K), AMSTRAD CPC 464, BBC 3, Atari (48K), ZX81 (16K), Dragon, Apple II, IBM pc, ELECTRON

PRICE £15.00 (all inclusive)



FIXGEN 84/5

A? LAST: No more straggling for hours to get the fixture ist into the computer. FIXGEN has been programmed with all English and Scottish fixtures for 1984/5. Simply type in the date, and the full fixture list is generated in seconds. Fully compatible with Foolswinner.

POOLSWINNER with FIXGEN £16.50 (all inclusive)

Fixgen alone £5.50 (yearly updates available)

COURSEWINNER V3
THE PUNTERS COMPUTER PROGRAM
THE PUNTERS COMPUTER PROGRAM
daily newspapers or Sporting life; the most important factors can be input and analysed. The program issupplied with a database detailing best trainers and jockeys, and effect of the draw for all Entits courses. (Flat & National Hunt.)

PVAILABLE FOR Spectrum (48%, Commodom 64, 88c (8) AMSTRAD CPC 444, Aug (48%, Apple II)

PRICE £15.00 (all inclusive)






phone 24 hrs SOFTWARE

37 COUNCILLOR LANE, CHEADLE, CHESHIRE. 25 061-428 7425

#### **KEYS TO THE QL**

Tim Hartnell, the world's best-selling author of books on the Sinclair computers, has turned his attention to the QL to produce three major works.



illustrated with a demonstration program so you'll build up a worthwhile library of games and utility programs as you go. Includes a machine-code multi-tasking clock, a small-scale FORTH interpreter (so you can learn FORTH on your QL without buying the language), and a routine to define your own characters. £7.95 (ISBN 0 947695 192)

TIM HARTNELL'S QL GAMES COMPENDIUM gives you a generous selection of arcade, simulation and adventure games Comes complete with a chapter which shows you how to create moving grophics on the QL. £5.95 (ISBN 0 947695 04 4)

EXPLORING ARTIFICIAL INTELLIGENCE ON YOUR SINCLAIR QL. Study the fascincting world of Artificial Intelligence, as you demonstrate many of its important principles with the Super3ASIC programs in this book. The Bookseller called his work "the best book on All have ever seen". £6.95 (ISBN 0947695 184)


Available from good book and computer shops, or (post free) from:

Interface Publications Ltd., Dept. QTYC. 9/11 Kensington High Street, London W85NP

(UK Trade: WHS Distributors)







# R 66130

**Contact: Susan Platts** 

#### ADVERTISEMENT RATES

RATES QUOTED BELOW ARE SUBJECT TO THE ADDITION OF 15% VAT.

Lineage: 50p per word (Min 20 words) Box No: £4.00 extro

Linage advertisements are prepayable and the order form published in this section should be completed and returned with remittance. Credit Card facilities are available.

Display — rates per scc (Min. 2scc)

One insertion £9.00 £8.70 Three insertions Six insertions £8.50 Twelve insertions £8.00 Display advertisers should preferably reserve space by phone.

Closing date for Classified advertisements is the 28th May for the July issue.

Copy Date May 28th

Post to

Your Computer, Classified Department, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

#### Britain's Biggest Selling Home Computer Magazine,

COMPUTER REPAIR CENTRE Have you got problems with your computer? THEN CALLUS THEN CALLUS
BBC, Spectrum CBM, Dragon
Mail order or call in
ENFIELD
COMMUNICATIONS LTD
135 High St, Ponders End,
Enfield, Middx. 01-805 7772





6 NEW GAMES FOR THE SPECTRUM

Turtle Panio, Malibu (Surfer). Nudge (Fauits). MX Attack. Over The Jumps. Morse Systems. + Copyco & Examiner Prog. -

£5.00 each
PO/Cheque to: CDP (Sofiware)
Dept YC: "Freepost" Brampton, Chesterfield, Derbys. S40 3BR.

+ NEW GAMES ALWAYS WANTED +

#### IMPROVE YOUR PROSPECTS


with skills that employers wan: — earn the easy way with modern home study courses from Ideal Schools.

#### MODERN ELECTRONICS

Train for success in the lastest ever growing industrial sector.

#### COMPUTER PROGRAMMING

The demand for Programmers is ncreasing constantly - don't miss out! For free book et write today to



IDEAL SCHOOLS (Ret. YC11) 60 St. Enoch Sq Glasgow G1 UK. Tel: 041-248 5200

#### COMMODORE

Super Breaker Back-up Board for the Commodore 64 and Vic-20

When a second CBM type cassette unit is connected to this board it will make beck-up copies of cassette based software, including turbu/fast loaders, machine code and/or basic and data files. Verviuser friendly, the back-up copy is made on the second cassette unit while the original is loading on the first. No additional software is needed. Priced at £9.50 plus 50p for p.p. U.K. (Europe add £1.00, elsewhere add £2.00). Send cheque/postal order, or a starrip for full details, to:—

C. KENT 15 Bamburg Close, Danesholme, Corby, Northants NN18 9PA.

#### COMMODORE

SOFTWARE exchange. Swap your used programs. FRFF membership Spectrum/ Dracon. Huge program base. SAE for details: UKSEC(YCI, 15 Tunwell Greave, Sheffield, S5 9GB. 602

#### ATARI 400/600/800/XL Cartridge Transfer System

Transfer your cartridges to tape or disc. Simply plug the supplied cartridge simulator board into the cartridge excletional tool in the tapeofice copy as you would any other program 498 RAM minimum required, specify tape or disc version. No modifications to your computer required.

Original 400/800 system 215.00

YEW 80/800XL reliable 223.00

Tape to Eisc transfer utility

DCS based single stage tape to disc transfer utility. . Tape to disc 20.50

Tape Duplicator

Dublicate simost all of your BASIC/machine code tapes whether they are single or multi-stage, 48 C RAM recommended.
Tape Duplicator \$6.00

Fast Loader

Reduce ape loading time by re-recording almost all of your single-multistage: BASIC/machine code tapes at a faster data rate by to 49% faster, Fast Loader 26.00

Prices include p&p. Send SAE for further details of these and other utilities.

S. Terrell, 17 Cock Close Road.

Yaxley, Peterborough PE7 3HJ.

COMMODORE 64 backup interface. Copies Datasette to any Hi-Fi cassette. (Specify Phono or DIN plugs) coly f7 95 McQuade, 55 Shaftesbury Drive, Heywood, OL10 2PH

#### AMSDISK

Tape to Disk for only £5.95

AMSCOPY II

lape to lape best available — only £4.95

AMSNOHEADER

Deals with headerless fi — excellent program on y £4.95

#### DEEP THOUGHT

Firstest & nest assembler available for Amstrad CPC 464 Beats competition basily — £8.95

ULTRATEC (Computing)
Dopt (YC), 49 Primete Road,
Plains Farm, Sunderland SR3 I RP

Trade & Overseas orders welcome Tel: (0783) 283550 Overseas please add £1 We take pride in our utilities

#### PREMIER LEAGUE

New and exciting football management strategy gams. For all enthusiasts. Features include: Team Selection, Traiting, Substitutes — plus nany many more, Gend SAE for cetaits or unity £4.75 tu, Dept B. E. & J. Software, 55 Stainton Pd., Erfield, Middlesex

#### ORIC/ATMOS TAPE COPIER

Copies any standard format software package Copies Basic, M'C even protected autorum Easy to use. Instructions included £8.58 to A. Johnson, 11 Bedburn Ave., Wear View Estate, Sunderland, Tyric & Wear.

VDU BLUES - V2U

Eatique, allergies, depression, head-aches etc. maybe increased by long exposures to CRT emissions. A negative air ioniser could alleviate such side effects by precipitating posi-tive electro static charges. For literature on ionisers from \$26.04. Please contact: Surplus value, Bee-hive Workers Cooperative Ltd., 40a High Street, Stockport, SK1 1EG. Tel. 061 433 9436.

#### **DUST COVERS SETS** For AMSTRAD CPC £6.95

Matching proofed rylon, treated with anti-static inhibitor. Green piping on monitor caver; AMSTRAF CPC464 on keyboard covar.
 Please state Colour of Mono.

#### Cover for other computers

Matching proofed nylon with toning oping and name on keyboard: RRC DRAGON, E4.9E, COMMODORE, GOLDSTAR, SANYO, SONY TOSHIBA £1.95. In black but unpiped: SPECTRUM plus £2.50, QL 12.95.

TRUM plus E2.50, QL 22.95.

Matching covers for Printers

Anstrid DMP-1, Canon PW 108CA,
Commodore MPS 801, Epson FX-30,
RK-80, Mannesmarm MT-90, Panther
DX 109 Shinws CP-80, CP-80,
Selkosha 500, Izxan KP310 C3.95,
Brothe H85 £3.50 and Jud 6100 at
£4.50.

4 48 Heur Ture-Round, 1st Cless
Postace.

Postage.

ALSO AVAILABLE: Montor, disc drives etc. and good range of Business Computer covers eg 13M-PC, Apricot, Mecintosh. Please enquire.

BBD COMPUTER DUST COVERS

39 MANSE AVENUE
WEIGHTINGTON WING 9RP
Telephane: 9257

TRADE ENQUIRIES WELCOME

JUPITER Ace software! Adventure game + space action game £3.00. Also utilities, graphics, assemble: (SAE for lists). S. Leask, Robinson College, Cambridge. 684

#### TAPE COPIER 7.

Yes it can be done! Make security 3ACK-UP copies of the MAJORITY of your SPECTRUM programs including HISH SPEED loaders, and JERKY leacers with TC7. A good "clean" copy which will hopefully suityou system. Other methods have proved

\* includes BAUE RATE (speed) measurer.

\* can save high speed/jerky carts in "normal" form for DRIVE transfer
\* so many extra features we can't possibly list them here. Just try it and see, As the
market leader we can't afford to let you down.
COST ONLY £6.50 (or £7.50 with MT6 — see below)

#### MD1b/WD1b for TAPE TO DRIVE TRANSFER

You now have a CHEAP but FLEXIBLE means of transfering your programs with our information sheets and software (not limited to a small list). Get much satisfaction and learning at the same time.

To transfer most programs to MICRO/WAFA/DISC drive you MUST have this program. It gives you the tools to convert programs so that they will run on your drive. Includes ability to cope with v. long programs, can split/thop bytes in one go, "VAL" creator, REMkill, make Visible, etc., etc. Full manual with example transfers. (also need TC7 for latest programs).

MD1b (WD1t for disc or Wafadrive owners) costs a mere £6.99.

EXTRA program to CONVENIENTLY transfer converted bytes directly to mydrive with many other features (e.g. alter program names, stop programs, etc) buy MT6 at £3. [Wafadrive version is called WAFATAPE at £4).

#### LERM INFORMATION SHEETS

Gives you DETAILS required to transfer a selected number of the more difficult POPULAR programs, sheet 1 now available at £2 plus SAE (mark letter £1).

JPDATESERVICE: for latest version on your LERM product send cld tape + large SAE to get a £2 REDUCTION. OVERSEAS: add £1 Europe, £2 others for each product, SAE

ALL PROGRAMS CARRY OUR MONEY BACK GUARANTEE (not updates)
LERM, DEPT YC. 10 BRUNSVICK GDNS, CORBY, NORTHANTS


YOUR COMPUTER, JUNE 1985

#### BORED WITH JUST PLAYING COMPUTER GAMES?

Wish you could do something more useful with your computer? Well now you can! And it's so simple!

No need to understand machine code or purchase expensive interface equipment. With the new "LITAC" light-activated dontroller you can control mans or battery operated aguipment directly. The "LITAC" controller, which is suitable for use with any home computer, uses a light activated transducer mounted within a special suction cup which can be positioned anywhereon your TV screen. The detector is activated simply by programming a white spot to appear in front of it. The "L TAC" detector controls a high speed changeover hinged armature relay, the contacts of which are fully solated and can be used to turn electrical equipment crior of it. Typical applications include control of lights, motors, pumps, tape recorders, robot arms, etc.

Up to four "LITAC" controllers can be powered from a separate mains operated power supply, or alternatively a 6V battery may be used.



'LITAC' controllers £6.99 each. Power supply units £4.50 each. F&P £1.00. Cheque/P0 to

PHOTON ELECTRONICS, 90 Lower Road, Hednesford, Cannock, Staffs WS12 5NB. 610

or S.A.E. for further information

#### DUBROVNIK FOR LONDON

I want to spend 30 days in July in London. For this you spend rest in Dubrovnik. I am 28 young man. Inq. Elektrotech-nics, Tel. 050-24-229.

PAREZANIN SLAVKO M. Marorice 19 50000 Dubrovnik Yugoslavia.





#### SPECIAL AGENT DE-LUXE SPECTRUM COPIER

A multi-purpose yet extremely easy to use tape copier. Ideal for the experienced or absolute beginner.

#### \*\*\*\* 5 STAR RATINGS \*\*\*\*

- Copies multipart programs all in one loading.
- 2. Copies Basc, M/Code and even the Headerless programs upto 51K.
- Cannot be fooed by weird names or false Headers. (Other copiers would crash).
- 4. Can remove Autostart from Basic.
- 5. You can determine Pauses between sections if desired.

Once you've experenced this super DE-LUXE silk smooth copier, you'll never want to use any other.

£5.95

C/seas, Europe + 50p Cthers +£1.50 (Order as SPECIAL AGENT)

TOTAL

KERR, 24/25 High Street, King's Lynn, Norfolk, PE30 1BP

### PREVIEW SOFTWARE CLUB

Commodore (all), Spectrum, BBC, Atari, Electron, MSX, Oric, Dragon, Sharp. Receive regular lists of software and peripherals, often including bankrupt stocks at unbelieveable prices and new releases at substantial savings. These special offers are taken from our current list, order now!

EUREKA Commodore 64 and Spectrum 48K	£14-95	£4-95		
ALIEN Commodore 64	8-95	£3-95	Name of the last	N. C.
ELITE BBC	14-95	£8-95	-	
MUTANT MONTY Spectrum 48K	6-95	£2-95	( SEE SE	In The same
ALICE IN VIDEOLAND Commodore 64	8-95	£3-95		and the
POSTER PASTER Commodore 64	6-90	£2-95		
BLAGGER MSX	6-95	£3-95		
MEMBERSHIP (Refund voucher enclosed with first ord	er)	£1-00		£1-00
	TOTAL ENC	LOSED		

Join our club now and you will receive our latest Newsletter and comprehensive lists by return. Clubs may also join for £1.

All stock genuine and fully guaranteed

\*\* Orders receive immediate attention

Software evaluation service.

NAME		ADDRESS	A DESCRIPTION OF THE PARTY OF T

COMPUTER\_

Cheques/PO's payable to Preview Software Club. All orders subject to availability. Prices inclusive of VAT = and postage (overseas add £1). Send now to:-

Preview Software Club, PO Box 87, Solihull, West Midlands, B91 3UJ.

The Publishers take all reasonable care to ensure that classified advertisements are genuine, but readers must satisfy themselves that they will be obtaining what they require before entering into transactions, particularly if they involve large sums of money.

FREE to join Software Library for Com-modere 64, 100's of titles, Send SAE, Southern Software, 14 Shorts Road, Fair Oak, Jants, 505 7EH, 538

FREE TEACH YOURSELF MACHINE CODE LESSONS

With the ROY3OT 48K Spec run Machine Code System. Simply type in instructions, dynamic displays show CPU/riemory internal working. System comprises full scale ASSEMBLER, DIS-ASSEMBLER, DEBUGGER, TEST-ER, ON-LINE LEARNING AID with advanced easy to use facilities. Options include using printer, microdrive, hex or decimal numbers.

Cassette £7.95, Cartridge £9.75, Overseas + £1.00

Roybot

Dept VC3, 45 Hullbridge Road, Rayleigh, Essex SS6 9NL. Tel: 0268 771663 for leaflets.

HORSE RACING. Bet the professional way using class as your guice. Program for 48K Spectrum. Send £6 to John Pcoley, 68A Tilehurst Road, Reading, Berks. 700

#### Spectrum Repairs

£11.95 inclusive of labour, parts, p&p etc ZX81 for £11. Fast reliable service. IAv. repair 24 hist by qualified engin-eers. Send computer only to

eers. Send computer only to: HSCOMPUTER SERVICES 2 The Orchard, Warten, Presten, Lanes PR4 1BE, Tel. 0772 532686 or 634897

#### COMMODORE 64 + 20 Ultimate back up devices

Mimic 2
The orly device available that enables perfect copies at all programs to made from standard cassette player to CBM Districtle. These hardware interfaces are 180% chiable. Mimic 1 only £9.95. Mimic 2 only £12.50.

\*\*COPYRITE\*\*
122 Shakespeare Street, Coventry CV2.4NG.

#### LETTA-HEAD

for the 48k Spectrum

An ENTREL\* OMGINAL utility program to design and print your own business lette helds, orders, receipts, personal stationer laters and posters.

- \* 5 different type faces
  \* Proportional spacing
  \* Variable character worth & height
  \* Block scrolk inverse & erase.
  \* Variable thickness box function
  \* Graphics mode for your logo design.
  \* Special casette abel option.
  \* Many moss features!

Drives Epson type printers (inc. Star. M-I, Shinwajetc.) via most interfaces (IR, Hilderbay, Kempston, Kempston E, Tasman, Morec, Walaufrice). Price 17:50 on cassette E9:50 on cartridge, or SAE further details 8 additional interface compatibility from:

Bradway Software (YC), 33 Conalan Ave., Sheffield S. Yorks, S17 4PG.

#### \* BACK-UP-SYSTEMS FOR CBM-64 & VIC-20 \*

The BACK-JP-BOARD Nk. 1 is the fastest, and easiest way to back up your tape programs. With this board you can connect a second CBM cassette deck to your computer. You can copy a program on the second deck while it loads from the first. You can back up all fast loaders, data files set. BACK-LP-BOARD Mk. 1 £10.00 incl p&p. NEW! BACK-UP-BOARD Mk. 1 £10.00 incl p&p. This new version of our famous BACK-JP-EOARD now works two ways. Switched to NORMAL it operates as the Mk. 1. Switched to GENERATE. 64: owners can use our special transfer software to regenerate a copy of a piogram on the second deck as it loads from the first. This method can produce a better quality copy than the original BACK-UP-EOARD Mk. 2 \$ software £14.50 inc p&p. Conversion strvice. Return your Back up Board, if purchased from us, to be modified to Mk. 2 for £4.50 including software and p&p. AZIMUTH HEAD ALIGNMENT TAPE BY INTERCENTAGE.

and p8p.

AZIMUTH HEAD ALIGNNENT TAPE BY INTERCEPTOR

Use this tost tape with your '61' to adjust the heads of your decks to make a perfectly matched pair. Full instructions and screwdriver supplied, £9.50 inc. p8p.

ROM SWITCH/RESET BOARD

Fitthis poard in the expansion port of your '64' and you can rese: ALL programs. Resets programs that a standard reset switch can't. A socket for a 2764 8K eprom is also fitted. Full instructions supplied. £10.00 inc. p8p.

Send your cheque PO 'o: 46 Ripon Street, Parkinson Lane, HALIFAX, West Yorkshire HX1 3UG.

O' LEVEL REVISION

Our FREE INFORMATION PACK contains QUALITY TUTORIAL REVISION Software for the Spectrum BBC, Electron & CBM 64. Also educational PRCGRAMS for all ages and learning abilities — with SPECIAL OFFERS for the VIC-20. ZX81, BBC & Spectrum — and VIDEO CASSETTES and

Send 24p SAE to: INFO-STREAM (Dept YC08), 36A Chase Greer Avenue, Enfield, Middlesex, England, EN2 8EB.

#### SPECTRUM KOPYCAT Version 3

Simply the best. Copying any 16/48K Spectrum program is now as easy as LOADing and SAVE ng your own programs

Even unstoopable programs can now be backed up on to a fresh tape NEW FEATURES

\* Commuous LOADing — Multipart programs copies in one go \*65-00+ byte programs backed up easily \* \* Repeat Copies \* \* plus much, much more. \* For 16/48K Spectrum only £4.95

Transfer year cased to software onto MicroPrive simply and easily.

"Automatically relocates machine code mograms."

"Stops and reveals BASIC programs."

"Stops and reveals BASIC programs."

ESSENTIAL UTILITY FOR MICROPRIVE TRANSFER
For 16/48K Spectrum only 64.95 Eoth orograms include FREE Header Reader program. Despatched by First Class return of pos:

MEDSOFT Dept YC, PO Box 84, Bas ngstuke, Hampshire, RG25 2LW.

637

#### THE PROFESSIONAL MACRO ASSEMBLER PACKAGE FOR THE COMMODORE 64 (TM)

isembler: Lets you create, maintain and assemble source code program tiles. ONLY £11.55 aussembles: Lets you disuseemble object program code either from memory or cirectly from

Daussenible: Lefs you discussenible object program coverence.

ONLY 210.5)

Disk Monitor: Read, edit and write blacks from/to disk. Will also let you issue disk commands (copy file, scratch file and so on). ONLY 29.25

Machine Code Monitor: All the usual functions (hant, fill, transfer land, save etc. ONLY 27.65

UNBEATABLE OFFER. .. BUY THE WHOLE

PACKAGE FOR ONLY 27.95

ALL programs are supplied on disk for 1 or 2.1541 disk drives.
Include £3.50 p&g with your order.

Address: .....

Assembler □ Disassembler □ Disk Monitor □ Monitor □
For 1 Dist Drive □ For 2 Disk Drives □

Payment on chaque only. Make payable to: LBS SOFTWARE Send arder to LBS SOFTWARE, GLENTEVEJ 11, DK-3650 O.STYKKE, DENMARK Fease allow up to 6 weeks for delivery because of postal celays.

#### 'IMAGE' V.2 - FOR THE ELECTRON/BBC

#### 'Image' was the ultimate tape back-up copier, now it's even better

You can be completely assured that this is one of the best and most able program of its type available. It can deal with:

- Locked programs
- Programs of any length 300 and 1200 BAUD
- \* Files
- \* ?'s (Ctrl codes) in filename
- Multiple copies
- \* False or trick block info.
- \* Charging Filename \* Continuous data streams
- Locking and unlocking programs

It is VERY IMPORTANT INCEED purchasers take note that 'IMAGE' is for sale strictly for making BACK-UPS of your own software for your own use, for protecting your own programs, or as an aid to putting software on disk. Any person found using the program for illegal purposes runs the risk of being prosecuted

To receive your copy of 'Image', send a cheque or P.O. to the sum of An Astounding £4.80 to:

PETER DONN, Dept. (YO), 33 Little Gaynes Lane, Upminster, Essex RM14 2JR.

V.1 owners can obtain V.2 by sending £150 + V.1 without case

#### POWERFUL UTILITIES TAPE COPIERS

#### AMSTRAL SPEEDWASTER

PEEDMASTERIS at tape coper with a difference. It allows you to save the copy is a chelice of three speeds normal az or very last. Also incorporates a reader ventre on deproduct basis into Control 100% successful. An invaluable piece of Software.

ONLY 67.95

Tape to do will be deshoot.

Commodore 64 normal p 65.85 65.85 65.85 65.85

#### TAPE TO DISC UTILITIES

very useful utility to hep shit those stubbern tace programs onto your own discs ONLY £9.95 ATARI

ATARI
A dual purpose program that allows single stage bool programs to be shifted onto disc, includes output to tape. Works on all models. ONLY £9.95

#### COMMODORE 64

#### DISC DISECTOR VZ.0

At last a really powerful discopie and utility program, incorporates a range of powerful program, incodes: Fastcopy I lakes just 4 minutes to read and write a whole disc. 'Error Copy' automatically read and writes all error types now you can make a security back upod those expressive subjects program. Culticodisc inter-even halives too kinding land, write and Saction' a state training thorough program. Abo includes the following useful utilities. Viewburm, Fast Format, Unice atch, Disc Monitor, Menu Maker, Index, Petitle, Rename. Scratcher, Disc to Tape and Tidy, If you have a 1541 you meet have Tisc Disector Supplied conferent full instructions.

ONLY £29.95

#### QUICKDEC

Speed up your 154 disk drive with this new program Load most program Loading on the more program Loading on the more program and 4 times normal speed. A nessue package that allow, you to more provide a mense and fast loading on your own disks. Also includes a like exchanger for programs put or disk, with "Disco" THE tape to disk outlity!, another way X making fast load disk programs. A must for all dux drive ustrix.

#### FASTBACK

Convex your slow badne, software to high speed load with Fischack. The most sophisticated program of its per along you to produce "turbo" loading versions of most single and multipart offware that load independently of Fastack. Simpleto use so programming skill needed Exampe: Load The Hoods" or "Mark Miner" in 150 secs. These and musted over 2009 soul!

ONLY 19.95

ROCKET
Fed up waiting for programs to lead and save? Rocket is a utility for the programmer, speedsup leading and swang by about 8 times while still allowing for normal speed operations. Does not affect the speed of 8ASIC as no wridge is used. Programs can also be saved with right speed system to reload independently. A must for strious programmers who have no decidive.

ONLY 17.95

THE river roots unurry
We guarantee that this is the best tipe to disc utility on the market. Very easy to use no programming knowledge needed. Automatically handles device numbers and multi-part programs. Programs auto load and ruin once bansferred and can also be made to festiload with Quilckdisc. Nondy for making your own dec programs auto run.

ONLY (9.95

The superb new speech synthesis program for the '64 Uses 'speak' as a basic com-mano very easy to use. Cambe incorporated into your basic pro-grams. Words are entered in phone ic English, ie. spelt as they

ONLY £7.95

#### 

#### Tape Back Up Device

lactudes hardware and coffware. Its amazing new castere por adopting allowage you to make dack up copes of harbor software. Tes shave xizzed 100% access. All Regules serves to towa castere doos. In securi altiware generates a brand new machine copy onto the disk wisk loading from the outer frast and reliable, any sau account to the date.

ONLY \$12.45

ONL1 £12.15

PATRICAMENDES

#### COMMODORE CONNEXION

ment any "Centrored" type printer is your list, e withdrawer and substream caronic with and the properties. Simple to use and very reaso

ONL/ £14.55

#### **3M SCOTCH DISCS** Lifetime guarantee Box of Ten SUND \$16.00 DUND (28.04

DATA RECORDER

MICRO CENTRE

MICRO CENTRE Telena 450 450

#### ☆ UNLOCK YOUR AMSTRAD ☆ with AMSKEY

Easy to use, utility program removes protection and allows listing, studying and copying of your precious software. You choose, loading speed and protection of your back-up copies. Fully automatic, header reader with on-screen instructions and prompts.

FREE PEAK A CODE PROGRAMME. Allows you to find the messages and words in your machine code games (very useful for adventures).

> Only £6.99 including p&p Overseas orders please add £1 postage

Interlock Services Ltd.



Dept YC 37B New Cavendish St. London W1M 8JR. Tel: 01-609 8301



#### Coming soon

#### KILOBYTE

The floppy disk destined to be a box office success.

ARIA REPS, required, Age 16-25, most areas, CIS, Freepost, Louth, Lircs 1N11 8BR (No stamp required) Tel Louth (C507) 605137124 hours).

#### MSX USER GROUP

INTERESTED IN MSX? THEN JOIN OUR NEW NATIONAL USER GROUP, SAE PLEASE FOR FULL DETAILS.

MSX User Group

Room 5, 14 Moor Street,
Ormskirk, Lancs.

HOME ACCOUNTS. Put your house in order! Project the best home use or your computer! Comprehensive coverage of bank accounts, credit cards, HP, etc. Inbuilt accuracy check for all transactions. Project cashflow for any period ahead. Avrilable for CBM 64 or VIC-23 £7.50 or free details from: DISCUS SOFTWARE FREEPOST, Windmill Hill, Brisham TQE 9BR, Td: 08045 55532.

#### MEMOTECH

BRUNIVORD £16.45 inc. Simply the best! User club—"I was amazed how much power the programmer has managed to cram into the tape package. "Loads in 31 sec. Files in memory, out 8 meets, search, block delets, automatic formating, etc. DATAFILE £12.55 inclusive PowerLil card liting system. Very last abhabetical, numerical to date set. User defined headings, pint for mats etc. NEWORG £4.95 inclusive. Release year assembly programmes.

(EEC + £0.50, other areas +£2.00)

(We export anywhere)

SAE for felsals or cheque to.

BRUNNING SOFTWARE 3' Heleton Road, Chelmsford, Essex CM1 5JF. 0245 252854 (Available only direct from us)

#### ZX SPECTRUM REPAIRS

CHECK THESE FACTS CFECK THESE FACIS

1. FAST RELIABLE SERVICE
2. QUALIFIED STAFF
3. 3 MONTH GUARANTEE
++ FREF POSTER ++
Send your machine only
Plus a cheque/PO for £ 9.95

To: MICROTRIX
24 Gt. Moor St. Bolton, BL1 1NP
Tel. 0204 398176

ATTENTION Atari owners. Backup utility 25.25. Tape to disk £6.25 Mighty Splash .td., 123 Islandmages Road, Whitehead, Carricklergis, County Antrim. 685

WDSoftware
Utilities for the QL (£10 en Microdrive)
This package offers single-key loading, running or delation of files, multiple formatting of cartridges, and auto backup of files from one or more cartridges to another with optional over-writing of namesakes. In acdition, a cirectory of 60 + files can be viewed without scroun overflow. NB a VERIFY program surnecessary — QDOS coes this automatically. Now includes directory print out and 'qprint' to print any or ell files on a cartridge with cytional dated titles, Owners of the earlier package can update by sending OUR cartridge and 25p.

Morse Tutor for QL £3.50
As for 48K Spectrum without speech Current Spectrum Software
Tradewind (£5 Cassette)
Buy a ship, provisions and cargoes to trade between the harbours of the Coral Islands.

Buy a ship, provisions and cargoes to trade between the harbours of the Coral Is ands.

between the harbours of the Coral is ands. Make a fortune if the weather and pirates let you live long anough to master seamarship and ecoromics. A strategy-adventure game with graphics for 48K.

Jersey Quest £5 Cassette)
Following an accident, you are stranded in the labyrinth of time and must find your own way back to the present with the aid of persons and objects from Jersey Folklore. Meet the Black Horse of St Quen, the Dragon and Knight of La Hougue Bie, the Black Cat of Carrefour a Cendre, the Witches of Roqueburg and many others. A text-only adventure for 48K in machine code [Quill].

Morse Tutor (C4 Cassette)

Morse Tutor (C4 Cassette)
The one has it all! 4-19 words/minute, The one has it all 4-19 words/minute, variable specing, variable number of groups of random enteres numbers or mixed, random sonteness, owr message, single characters (including punctuation, variable pitth, FEEDBACK via screen, printer or SPEECH Ipnonetic alphabet via Currah u/Speech on 48K version only, and reseat facility. Takes you to and beyond RYA and Ameteur Radio receiving standards. 16K and 48K versions on one cassette. 48K only an Microdrive catridge.

cartridge.
Spectrum Programs on Microdrive All the above are available on Microdrive, cartridges at a price of £4.50 for one cartridge + the price of each grogram as shown above. E.G., a cartridge with Tradewind and Morse Tutor would be £13.50. As a bonus, Gavin Monk's Indexed Loader is included free with each cartridge.

available from WDSoftware, Hiltop, St. Mary, Jersey, C.I. Tel (3534) 81392

558

### FAST COMPUTER REPAI

#### VIDEO VAULT INTERNATIONAL 10★ REPAIR SERVICE

Spectrums repaired for £19.95 inc. Parts, Insurance and P& PNo Hidden Extras.
BBC, Commodore 64, Vic 20, Atari, Quoted for.
Are you fed up with waiting weeks for your Home Computer to be repaired!!!
Why not try the Experts, we offer a full repair service on any Home Computer.
All repairs carry a full 3 months guarantee, plus on every Spectrum repaired we send you a free game worth £5.95 for your enjoyment and pleasure.

\* While you wait Service by Professional Computer Engineers.

\* 3 Months written guarantee on all repairs.

\* International repair company.

\* All computers sent by mail order turned around in 24 hrs.

\* Most Spectrums repaired within 45 minutes.

\* All Nicros insured for return journey.

\* Open 7 days a week.

\* School repairs andertaken-discounts available.

\* Free software with each Spectrum repaired worth £5.95.

\* Over 8 years experience working with computers.

ONLY GENUINE SINCLAIR PARTS USED.

★ Over 8 years experience working with collapse.

★ Over 8 years experience working with collapse.

ONLY GENUINE SINCLAIR PARTS USED.

Phone today for your free estimate or send your computer to us with £1.75 (UK EIRE I.O.M. C.L. or £6.5) (Europe/Scandinavia) we will cortact you the same day by phone or 1st class Mail should you require quotation first.

ACCESS WELCOMED

VIDEO VAULT LTD, Dept R21, THE LOGICAL CHOICE

Telephone: Glossop (STD 04574) 66555. 140 High St. West. Glossop, Derbyshire, England

#### AMSTRAD **COPY TAPE**

Copy your Amstrad software quickly and easily using copytage. Copytage is the only Amstrad copier to offer the following features: The only one to copy headerless parts, 4 speeds up to 4000 baud, machine code, copies more than any other, easy to use, fully automatic, removes protection.

Only £5.95 + free header reader £13.50 on disc.

SIREN SOFTWARE (Dept YC) 76 Bridge St, Manchester M3 2RJ.

Overseas add £1 Europe Add £2 rest of world.

BBCB, Electron adventure game 'The Dissi-dent' wide vocabulary, many locations, £5.95. Robin Soft, 26 Sycamore Avenue, Saltburn-by-Sea, Cleve and. 691

#### PIXEL PUZZLE 48K SPECTRUM

48K SPECTRUM
A challerging new puzzle game from KPH
SOFIWARE. Enjoy hours of fun trying to
reconstruct a randomly scrampled sicture.
5 colour pictures included
Full design/edit facilities
Save pictures on cassette
Menu driven software
Single key responses
Send only £3.95 line p&p., or SAE for
complete list of ave lable software.
K.P.H. SOFTWARE
63 Highlands Road, Andover, Hants
SP10 2PZ.

MI-CROWE OFFER excellent home compu wi-Chuwe Offer excellent home computer repair service. Commodore 64. C16+4 (f'5+parts) Dragon (f'5+parts) Sinclair Spectrum (£18) BBC, Electron (£20+parts.) We also specialise in business computers, peripherals, accessories and software, prices on application. Free technical advice from our specialist. 49 Wykeham Drive, Basingstoks, Hants, RG23 8HW. Tel: 0256 23358.

#### STOP-REVEAL

A unique cassette for the 48K Spectrum. Geniinely lets you:

1. STOP virtually all programs, BASIC, MACHINE CODE—and—even IIEADERLESS FILES, protected or not. 2. REVEALs the hidden Basic in Machine-Code programs. (Could be clues in adventure games).

3. LSTS actual Machine-Code on your videa.

video. Now you can STOP, LIST, MODIFY, STUDY most Spectrum programs at your leisure. (Anc. cassette is Microthive leisure. (Ar compatible).

compatible.
Includes a DISSASSEMBLER so can even study Sinclar ROM, atc, plus the most Advanced HEADER-FEACER ever written, plus pages of SECRETS OF THE TRADE explaining professional methods used to Fide lines/programs, etc.

YOJ CANNOT GET A MORE POWERFUL CASSETTE

[Even STDPS: REVEALS programs which are a penuine 48K long.

are a genuine 48K long.

PCST t5.95 FREE

(Europe add £1. Other areas add £2)

KERR, 1-2 HIGH STREET,

KING'S LYNN, FE20 1BX.

HCNEST KEV and Dean's Speccy repairs. From £8.00. Broken species bought 199 Carters Mead, Harlow, Essex 0279 36074 after 6.30pm.



#### COMMODORE 64-AMSTRAD-ATARI-MSX OWNERS

#### MIDLAND COMPUTER LIBRARY

- carridge
  2 Hire your first game absolutely free.
  Up to \$1.50.
  3 Life membership £6.00.
  4 Hire charge from only £1.25 P&P for ful 7 days.
  5 No limit to the amount of games you can
- All games originals with full documentation.

Send chaque of postal order for £3 with your one selection or large SAE for furtuer details to:

MIDLAND COMPUTER LIBRARY



28 College Stree Worcester WR1 25L Td: Worcester 611872



#### 51/4" Floppies Just 99p each

(in 10s) excl. VAT

Suitable for use on nearly all 51/4 floppy microcomputers including: BBC, IBM, NicroDigital, Sanyo, Apple, andy etc. Will run on 48 lips 3.96 pt.
Marufacturers' over-run of CS/DD floppy disks allows us for make this special offer. Note that these are full specification cisks, not sub-standard drop-outs.
Prices: 1+ C1.25 sach; box of 10.69.96.5+ boxes 64.00 per box. Plastic Library boxes £1.75 extra.

114400	antee.		BASE			FWI	
Price	s (each)	14	10+	50	1+	12+	50+
51/2"	SSISO	1.85	1.40	1.20	-	V	
	SSICD	2.10	1.60	1.60	240	199	1.7
	DS/CO	2.40	2.10	1.90	3.30	295	2.5
	SS 96tpi	2.55	2.25	2.05		Sam.	1
	DS 961pt	2.90	2.65	2.43	3.95	365	3.1
8	SSISO	1.90	1.60	1.40	2.95	265	2.11
	SSICD	2.25	2.05	1.85	-	ME.	84
	DS/SD			100	3.55	320	2.7
	DS/CO	2.50	2.30	2.05	3.65	330	2.8

Add 75p P8P + VAT or total amount — Minimum croer 4 daks. Gov. Depta etc may be ephone their order to 0908 310895. Chaques payable to "IPS" and sen with order to:

**IDS Computer Supplies** Dept YC, 5 Castlesteads, Bancroft, Milton Keynes MC13 0PS

#### COMMODORE 64

£1.30 ea. Evil Dead Oyropod. Gusher. Skull £1.39 ea. Kick Olf, lancer Lords. Balh Time. £2.99 ea. Fools Gold. Mr. Wingsoy Turtle Jump. £2.99 ea. Desathkin System. £000. Execution, Death Star Interceptor, Sinkey Mr. Wingsey £7.50 ea. Value Pack (6 james on J lapes).

VIC-20 £1.50 ea.

Akm Smasher, Catra Snatcha Wacky Waters, Note Ratu, Larburg, Starquent, ORIC ATMOS £2.00 ea.

Flight 40, Fire Flach, D-Rox, Fame, Srev.

ight 4Cl, Fire Flach, D-Rog, Farac, Styx, p&p £0.50 per order. SAE for list AP, 45 Victoria St, Blackbarn, 1B1 6DN.

#### ATARI HARDWARE

£239.95

Atari 1050

enflware

8 Return of pest service

9 Lowest new hard and software prices
in the UK.

10 Join now or money back quarantee

11 Over 1.200 games in stocking, many UK
imports.

£179.95

All prices include VAT p&p is free in UK

Please send cheques/PO's to:

SJB Disk Supplies (Dept YCO) 11 Oundle Drive Wollaton Park Nottingham



Tel: (0602) 782310

ORIC 1 & ORIC ATMOS SOFTWARE
CVER 100 TITLES AVAILABLE
ALL AT DISCOUNT PRICES
(ALL AT DISCOUNT PRICES
(ALL ATMOS compatible) e.g.
24 St. Kilhum Encounter, Krillys, One Manch,
Super Advanced Breakout,
24 St. Arena 2000, Skramble, Show Jumperu
25 St. Cribbaue, Fragde Comm, Super Fruit
Lass Crees II, Jupget, Flight 401, Harner Atack
Hellion, Land Cri Illusion, Mr Whyp, Panie, Rat
Splat Scube Dive, Spooky Manson, Ultima Zone,
Treuble In Store
55 St. Altack Of Cyberman, Deassate, Co.

cuble In Store G. Altack Of Dyberman, Draughts, Chost Gob-er, Gravior, Frobe I., Quick A Jack, Trickshot.

bler Gravior, richte Zebbie: 1839: Categorie, Classic Facting, Football Man-ager, Lone Raider, Manic Miner, Space Shuttle. 1730: Dembuster, Diabolical Tower, Don't Press Letter C. Styx, Trais At L. Xenon 1 Zorgons

Revenue
Many of programs assistate
CavPOs to O. J. SOFTWARE
273 Mossy Lea Rd, Wrightlington,
Wogan, Lance, Who 38M.
FRICES INCLUE PRO ENTROISE HIGH OTHERS 421,00
Tel. (1257) (21915)
Wine or mone or fine As

Atari 800 XL + Atari 1050 disk crive

Atari 300XL £79.95

NG8 1BN



SHARP M2700 'F.A.S.T.A. Control' fast, all rounc, sports, table, analysis, with printout £3.00. From 'Royall Software', 4 Priory Rd., Knowle, Briatol, BS42NF. 686

#### ASTROLOGY for beginners only £11.50

Hotline 01.653.1483

- MAXAM

FOR THE AMSTRAD

THE COMPLETE CODE DEVELOPMENT

SYSTEM FOR THE AMSTRAD CPC 464. ★ ASSEMBLER ★ MONITOR ★ TEXT EDITOR ★

"The Arnor system is the best editor/assembler to be released for the AMSTAD so far" - PCN 100

"For flexibility and ease of use, ARNOR is easily the

best I have seen" Pop. C. Wkly Vol 4 No 8

"assemblers.... look no further, ARNOR's is the best I

have seen... by far the easiest to use and most

friendly I have come across'

Computing with the Amstrad. April 1985.

Now available in ALL THREE formats

Tape (only) £13.50

Disc £26.90.

(All prices include VAT, p & p)

Cheques/POs to ARNOR Ltd Dept YC

PO Box 619, London SE25 6JL -Overseas - no extra - Trace eng's welcome -

Make MAXimum use of your AMstrad

16K ROM + multifunction adaptor

A Starter Pack comprising a simple program to calculate a horoscope, an introductory booklet & 2 salf-teaching programs (how to interpret the horo-

#### No previous knowledge required

48< Spectrum, BBC'Electron, 48K Oric, Dragon, Tandy Color, Tandy TRS80, Commodore 64/PET, Atari, Ams.rad, Sharp MX80A/K//00, Colour Genie, Video Genie/System 80/PMC80

many more programs for experienced astrologers also other micros

Dez programmas zijn thans in Nederlandstalige versies verkrijgbaar voor Spectrum. Vraag Documentatie! Cash with order (add 50p outside UK) or large sae for the free catalogue to:

ASTROCALC [Dept YC) **67 Peascroft Road** Hemel Hempstead, Herts HP3 8ER

Tel: 0442 51809

AMSTRAD CPC 464 cassette utility, Backs up all programs. Tested up to 84k long. Choice of 4. Save speeds, and special quick Save formet. Includes header reader and transfer to disc instructions. Introduction offer, only £4.50. Chaques or PO's to: C. Jones, 67 RichmondRoad, Leicester. 692

#### SINCLAIR Service Centre

Technical

01.852.2174

€59.90

We have the spares for all repairs to: Spootrum, ZX81, Interface 1, Microdrive, Ram Fack.

You pay £10.0) and parts and return postage. All units repaired to the original standard using genuine Sinclar spares by our HNC qualified staff.

Also available Spectrum memory update 16K-48K fitted by us £28 50. Quantum, 33 City Arcade, Coventry (0203) 24632

#### MAGIC-MESSAGE

Put YOUR name in Machine-Code game or simply after existing messages. Could also reveal hidden words in Adventures. All this is possible with WAGIC MESSAGE which lets you look at and change messages in a Bytes or "disguised". Basic program. Even Commercial and the Headerless programs can be shareed.

grams can be charged
Load MAGIC MESSAGE, pay in program & like Magic messages will appear on your video.

Post £5.95 Free

O'seas, Europe +55p Others +£1.55 (Please order as Mag c M.

ZX.GUARANTEED (SPU) 29 Chadderton Drive, Unsworth, Bury, Lancs, BL9 8NL

#### MICRODRIVE BACK-UP "THE PRINCE"

537

Transfers all ultimate games including "Underworlde" and "Knight Lore" Transfers "Eecathlon" "Cyclone", "Chostbusters" "Lords of Midnight". "Monty-Mole", "Codename Mat" "Trashman", "Pygamarama", "Scrabble", "Chequered Flag", most imagine games and many more. Absolutely guaranteed to work! Incredible value at \$7.95.

Cheques to M. Alexander, Alexander Computing Services, 67 Lansdowns

Lane, Charlton, London 3E7

**Alexander Computing Systems 1985** 

#### AMSTRAD CPC 464 UTILITY PROGRAMS FROM PRIDE

Always the first and the best software. Offeiling more features and better value for money than athersimilar programs available. We also after a fast reliable and friendly mail-order service. No engury is ignored.

SYCLONE: Copy and/or convert your cassette programs to load in up to four times faster. Features include:

Commands available from Basic.

Choice offour bading speeds, 1000 to 4000 basid.

Comprehensive header reader.

Load and list protected bissic programs. List your "Welcorne" lape. Cassette 53.95 inc. P&P.

TRANSMAT: Transfer your tape programs onto the Amstrad Disc System.

Features include:

Features include:

Add relocator if necessary.

Auto or non auto modes.

Erate or raname programs.

Comprehensive header reader.

To back up nervices available.

Cassette C7.95 inc. P&P.

ZEDIS: A comprehensive machine code ecitor and disassemble:

Features include:

Cassette E. Jobie Comprehensive machine code economics and code economics. Broak point incortion.

Register inspection.

High speed hot code/string search.

Hexcode/string input.

Instructions included to disassemble ROMs.

Cosacto CLOSire. PSP. Dice 11005 ine PSP.

PRINTER PAC 1 A printer enhancement process and code economics. program for the DMP and Epson compatible printers

PRINTER PAC 1 A printer enhancement program for the DMP and Epson compatible printers.

Features include:

Screen dump in all modes.

Text dump in all modes.

Three new type styles for the DMP1.

Abbreviated codes to printer.

Cassette £5.95 inc P&P. Dist £9.55 inc P&P.

NOWAVA ABLE "SCREPTOR" for the DMP1 PRINTER owner. This 2 program pack allows 5 new ypo styles including real writing, italic, futurisatic belidand keavy styles or sets of your own design. Also a new type style which over comes that annoying ack of lower case descenders superbly.

Cassette £6.95 inc. p&p. Disc £10.95 inc p&p. SAE for full details. SPECIAL OFFER

Worth £3.95

Buy more than one title and get a cassetts containing a real time digital alarm clock FREE including its P&P (while stocks last).

Europe — add £1.00 per title, rest of world — add £1.50 per title.

\*\* All disc based titles have FREE disc space available to user \*\*

#### PRIDE UTILITIES LTD (YC)

7 CHALTON HEIGHTS, CHALTON, LUTON, BEDS LU4 9UF. Customer enquiries: Tel. 0582 411686 between 9 & 10am.

#### **TECTEL ROBOTICS**

#### CONTROL BOARDS FOR HOME COMPUTERS

ORIC
ORIC DUUBRY £24
1 of 16 channel controller
ORIC ADC £34
Superfast 8 channel analog — digital Superfast 8 channel analog — digital scanner, 8 bit resolution.
OR C I/O port = 639
16 programmable channels
OR C PRINTER = 695
26 col, matrix, giaphics double sized print, inx & iibbons. ZX81
7XR1 DLI IRRY 622 50
1 of 16 channal controller
SX81 ADC 634
Superfast 8 channel analog — digital supertast 8 channel analog scanner. 8 bit resolution. ZX81 I/O port 134 16 programmable channels ZX81 HI-RESOLUTION GRAPHICS £28 stunning results.

ITEXT SCFTWARE a new range of educational programs.

TODDLERS (pre school) LEARN your ALPHABET LEARN to COUNT LEARN YOUR COLOURS LEARN YOUR SHAPES ABOUT the HOLSE ABOUT the KITCHEN ABOUT CLOTHES 62 95 asch £3.95 each

MUMS & DADS ITEXT cookbook (English)
ITEXT cookbook (Chinese)
ITEXT cookbook (Indian)
ITEXT cookbook (Indian)
ITEXT cookbook (Indian)
ITEXT Wine & Bee Making
ITEXT Cookbook Dessets
ITEXT Cookbook Confection 15.65 each

Send cheque or Postal Order to:

#### TECTEL

Telford Opportunities Centre, Halesfield 14, Telford, Shropshire. Tel. 0952-581738

PSP £1.50 for control boards £1 for tapes

#### NOTICE TO ADVERTISERS **VALUE ADDED TAX**

Would classified advertiser's please note that 15% Value Added Tax must be added to advertisement rates quoted in this Journal.

#### VIC-20 AND CBM-64 SOFTWARE HIRE

FREE MEMBERSHIP • 300 TITLES Send 2 17p stamps for your Hirekit to: VIC 20 SOFTWARE HIRE (YC) 8 Thurland Street, Nottingham. Please state which machine

#### **ATARI** 400/600/800/800XL

Tape to Disk Utility.
Transfer single AND multi-stage "boot" lapes to disk and then run them from a last, autoload menu. The ony one that can handle up to five stages. £12.95 inc.

Tape Copier.

Easily duplicate single and multi-stage, M/C, BASIC, even non-standard format tapes. Option to save copies at faster

baud rates. £6.95 inc.
Cheques/PO to C. Gibbons, 170 Bradwell Common Boulevard, Miton
Keynes, Bucks MK13 8BG.

#### MICRODRIVE-WAFADRIVE. TRANSFER TAPES

Transfer majority of your games to WAFADRIVE or MICRODRIVE using the 007MD or 007MD tapes. These use the Semi-Automatic method proved to be the MOST successful available. Includes transferring of Headerless programs & programs in map area.

The Waradrive 007WD includes system to greatly reduce Loading time for multipart progress.

Longer programs/Hyper Loads can be transferred to WAFA/CARTRIDGE using techniques printed in Newslatter of VICRODRIVE & WAFADRIVE EX-CHANGE, Scrabale, Full throttle, etc.

O/seas, Europe + 55p Others + £1.55 MICRODRIVE/IVAFADRIVE EXCHANGE CLUB

Membership is just £6 for 12 issues (£9 Europe, £12 elsewhere)

ZX-GUARANTEED (SPU) 29 Chadderton Drive, Unsworth, Bury, Lancs, BL9 8NL. Tel: 061-766 5712

#### **BLANK DISKS**

#### SJB SUPER SAVERS

51/4" blank disk

(bulk packed by memorex) 0 single side/double density

£12.95

including free plastic case O double side/double density

£16.95

including free plastic case 50 ss/dd in a perspex storage box €59.95

50 ss/dd in a perspex storage box £79.95

All prices include VAT p&p is free in UK

Please send cheques/PO to:

SJB DISK SUPPLIES (Dept YCO) I | Oundle Drive Wollaton Park

Nottingham Wa NG8 IBN

Tel: (0602) 782310

SPECTRUM MARK3OOK (48K) Afull teacher's markbook day
Afull teacher's markbook on
computer. Holds all your classes;
eastly updated; automatic totals;
percentages, orders of mert, mean &
S.D.graphs, etc. £6.50.

Montor Seftware, 69 Beech Road,
Hotton, Lancaster.

#### Classified Rates

Linege: 50p per word (Mie 20 words) -prepayable

Linge advertisers should complete the form provided in BLOCK CAPITALS. Phone number counts as 2 words. Name and address to be paid for it used in advertisement. Eax humb if required is \$1.00 extra.

Display — rates per scc (Min 2scc)
One insertion . £7.00

£9.00 £8.70 Three insertions Six insertions Twelve insertions

Display adverasers should provide separate copy and preferably reserve space by ohone

Method of Payment
Cheques etc, should be made pcyable
to Business Press International Ltd, and
crossed. I enclose herewith
cheque/PO for

Please cebii my AccessiVisa Barclay CardiAmerican ExpressiDineis Club Inti (as below









SE CLE	
	SE CLE

SIGNATURE	100

Post to: Cut out the order form and return cogether with your remittance to Classified Department, Your Computer, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. 01) 661 3036

MONEY TO THE PARTY OF THE PARTY	LINAGE	PLUS 15% VAT	TOTAL
100	a Man Sual	TOAL	
and the second of the second	£10.00	£1.50	£11.50
	£12.50	£1.87	£14.37
	£15.00	£2.25	£17.25
	£17.50	£2.63	£20.13
	£20.00	£3.00	£23.00
	£22.50	£3.38	£25,88
	£25.00	£3.75	£28.75

			A 4 3 600	CO CONTRACTOR OF THE PARTY OF T	20.00	20.70	220.70
No. of ins	sertions requ	ired Bo	ox No. requ	ired YES/NO	)		N.E.
NAME (Please	include Initials).						
ADDRESS							
21							
	by credit oc	ard please	state add	ress cara is	registered		
Daytime	tel.no						
	THIS FORM	SHCULD I	BE RETURY	ED BY MAY	28 FOR JULY	ISSUE	*

Company Registered Number: 151537 (England) Registered Office: Quadrant House, The Quadrant, Sutten, Surrey SM2 54S.

### Hot¥ lines

Acorn Computers

Te ephone: Cambridge 0223 210:11

Atari

Telephone: Slough 0753 24561

Amstrad

Telephone Brentwood 0277 228888

Commodore CBM

Telephone: Northampton 0536 205252

Enterprise

Telephone: 01-739 4282

Sinclair

Telephone: Camberley 0276 685311

**Tandy Corporation** 

Telephone: Birmingham 021 5563101 ext 33

Toshiba

Telephone: Camberley 0276 62222

# DATEBASE

Local, national and international micro events are updated here.

#### Business Computer Show

Organised by Reed Exhibitions, Surrey House, 1 Throwley Way, Sutten, Surrey. Takes place from June 4-6 at Earls Court, London. Trade orly. Admission by business registration. Contact Harry Hudson on 01-643 8040 for more details.

#### London Computer Business Week

This show, the first of its kind, incorporates Software 85, the Business Computer Show and the Office Automation Show. Situated at Earls Court London from June 4-6 the snow is open to the general public. More details available from Reed Exhibitions, Surrey House, 1 Throwley Way, Sutton, Surrey SM1 4QQ. Telephone: 01-643 3040.



HRH The Prince of Wales shows particular interest in one of the Apple Ile Personal Computers lent to the Youth Meets Industry scheme run by the Prince's Trust at Middleton-on-Sea.

# EXPORT

#### **AND OVERSEAS VISITORS**

ALL MAKES OF MICRO COMPUTERS, PRINTERS, PERIPHERALS AND SOFTWARE SUPPLIED AT DISCOUNT PRICES.

AMSTRAD • ORIC • SINCLAIR
• BBC MICRO • ELECTRON •
COMMODORE • AQUARIUS •
EPSON • BROTHER AND ALL
POPULAR MAKES.


## MICROGOLD

UNICOM HOUSE 182 ROYAL COLLEGE STREET, LONDON NW1 9NN TELEX: 295931 UNICOM G TELEPHONE: 01-482 1711

#### INDEX OF ADVERTISERS

A		0	
Addictive Games	125	Oasis Software	32
Ams:rad	125	Ocean Software	93
Ams:rad	70, 71	Ocean Software	IBC, OBC
Allia tau		Odin Computer Graphics	123
B		Opus Supplies	130 24
Beebug	112	Cipas Authors	1.102 2.4
Betasoft	36	P	
betasort	50		107
		PR Software	127
C	112	PV Tubes	101
Caldew		Phillips & Prillips	65
Collins Publishers	101	Picturesque	62
Collinsoft	72	Puzzle Corner	22
Commodore Show	28		
		Q	
)		Quicksilva	- 11
Dennison Manufacturing Co.	59	dacksiiva	
Durrell Software	5		
THE PROPERTY OF THE PARTY OF TH	1	R	200000
		RSD Connections	40, 112
I.I. Systems	127	Rai way Magazire	101
Electronics & Wireless World	96	Ram Electronics	131
	24	Rendar	55
English Computer Shop		Romantic Rebot	36
Enterprise Computers	80, 81		
F		S	
	78		74
Frel	70	Saga Systems	131
Н		Selac Software	
Haulsterm	78	Silica Shop	82
	127	Softaid	126
Hisoft	121	Software Library	40, 124
		Spectrum	12-15
Interface	124	Swanley Electronics	24
	131	Swescct	124
Interface	131		100
		T	
K	26	Tandata	66
Keyplan Computers	3,000,000	The state of the s	52, 53
Kuma	38	Tasman	
		The Microworkshop	78
L	02	Thoughts & Crosses	7
LCL			
Level Ltc	36	U	
Llamasoft	129	US Gold	IFC 8, 5
Table Comments		Ult mate Play the Game	60
M	10 17		
Memorex	16, 17	V	
Merin Computers	30	Virgin Games	- 4
Micio X	24		
Microgold	138	Visions:ore	105
Micionet 800	18, 19		
Microvitec	42	Y	and the same
Mirrorso t	34	Your Computer Subscription	s 128
	40	Your Computer Circulation	10
Mocem House	40		
N		7	
New Generation Software	6	ZX Microfair	62
Men Generation Southate	U	ex microrer	O.c.

# Now after the glory of gold enter



SPECTRUM48k

**COMMODORE 64** 

AMSTRAD

5±957

7:958:95

Ocean Software is available from selected branches of:

WOOLWORTH, WHSMITH, 39

John Menzies, LASKYS, Rumbelows, COMET, Spectrum Shops and all good software dealers.



Ocean Software Ocean House · 6 Central Street Manchester · M2 5NS

Telephone 06 I 832 6633 Telex 669977 Oceans G

